

04

Halogen Energy Saver

Luxram offers a complete new range of halogen energy saver in ordinary classic, candle, golf ball, reflector shapes as well as GU10, MR16, linear, capsule shapes. It saves up to 30% energy and it has double lifetime in comparison with incandescent lamps.



Halogen Energy Saver

30% Energy Saving

It has up to 30% energy saving in comparison with incandescent lamps.

Energy Class C Rated

The complete range of halogen energy saver complies with new European Union Directive.



NEW

Halogen
Energy Saver

Halogen Energy Saver In Ordinary Shape

Luxram halogen energy saver can be the direct replacement of incandescent lamps in ordinary classic, candle, candle twisted, candle tip, golf ball, and reflector shapes.



Halogen Energy Saver Main Voltage

The main voltage halogen energy saver is the ideal replacement of traditional halogen lamps with up to 20% energy saving.



Halogen Energy Saver Low Voltage






The low voltage halogen energy saver has up to 30% energy saving and double lifetime than traditional halogen Bi-Pin, MR16, MR11 and AR111.

Double Lifetime

The main voltage halogen energy saver has double lifetime than incandescent lamps; the low voltage halogen energy saver has double lifetime than traditional halogen lamps.


Xenon Technology

The state-of-the-art xenon technology is applied into full range of halogen energy saver products.

Art . No	Volt (V)	Watt (W)	Lumen (lm)	Measurement (mm)		Packing
				D	L	
Halogen Energy Saver GLS A55 E27				      		
181427018	230	18	204	55	105	100
181427028	230	28	370	55	105	100
181427042	230	42	630	55	105	100
181427052	230	52	830	55	105	100
181427070	230	70	1230	55	105	100
181427105	230	105	1900	55	105	100
Halogen Energy Saver Ball E14				      		
182014018	230	18	204	45	76	100
182014028	230	28	370	45	76	100
182014042	230	42	630	45	76	100
Halogen Energy Saver Ball E27				      		
182027018	230	18	204	45	73	100
182027028	230	28	370	45	73	100
182027042	230	42	630	45	73	100
Halogen Energy Saver Candle E14				      		
183014018	230	18	204	35	98	100
183014028	230	28	370	35	98	100
183014042	230	42	630	35	98	100
Halogen Energy Saver Candle E27				      		
183027018	230	18	204	35	93	100
183027028	230	28	370	35	93	100
183027042	230	42	630	35	93	100

Anti-explosion

The innovative Luxram halogen energy saver gives special care on product's safety in two ways; the special filament structure gives the lamp maximum protection from electrical arc; the high quality built-in fuse is equipped as extra protection.



Art. No	Volt (V)	Watt (W)	Lumen (lm)	Measurement (mm)		Packing
				D	L	

Halogen Energy Saver Candle Twisted E14



183114018	230	18	204	35	98	100
183114028	230	28	370	35	98	100
183114042	230	42	630	35	98	100



Halogen Energy Saver Candle Twisted E27



183127018	230	18	204	35	93	100
183127028	230	28	370	35	93	100
183127042	230	42	630	35	93	100



Halogen Energy Saver Candle Tip E14



183214018	230	18	204	35	120	100
183214028	230	28	370	35	120	100
183214042	230	42	630	35	120	100



Halogen Energy Saver Candle Tip E27



183227018	230	18	204	35	115	100
183227028	230	28	370	35	115	100
183227042	230	42	630	35	115	100



Halogen Energy Saver Globe Ø80mm E27



186027028	230	28	370	80	119	50
186027042	230	42	630	80	119	50
186027052	230	52	830	80	119	50
186027070	230	70	1230	80	119	50



Halogen Energy Saver Globe Ø95mm E27




187027028	230	28	370	95	140	20
187027042	230	42	630	95	140	20
187027052	230	52	830	95	140	20
187027070	230	70	1230	95	140	20






Art. No	Volt (V)	Watt (W)	Beam (°)	CD	Lumen (lm)	Measurement (mm)		Packing
						D	L	
Halogen Energy Saver R50 E14								
184014028	230	28	30	430	150	50	85	100
184014028	230	42	30	490	230	50	85	100
Halogen Energy Saver R63 E27								
185027042	230	42	30	770	250	63	105	100
Halogen Energy Saver R80 E27								
185027052	230	50	30	980	370	80	112	100
185027070	230	70	30	1350	520	80	112	100

Art. No	Volt (V)	Watt (W)	Lumen (lm)	Measurement (mm)		Packing
				D	L	
Halogen Energy Saver Linear R7s						
193007080	230	80	1460	12	78	500
193017080	230	80	1460	12	118	500
193007120	230	120	2420	12	78	500
193017120	230	120	2318	12	118	500
193017160	230	160	3009	12	118	500
193007230	230	230	5050	12	118	500
193007400	230	400	9100	12	118	500
Halogen Energy Saver G9 Clear						
192001020	230	20	235	13	41	1000
192001033	230	33	460	13	41	1000
192001048	230	48	740	13	41	1000



Luminous output: Halogen Energy Saver G9S,
Halogen Standard G9



Luminous & Power output: Halogen Energy Saver G9 & Halogen Standard G9

Up to 20% Energy Saving	
 Halogen Energy Saver Luminous efficacy 14 lm/W Power output 33 W	 Halogen Standard Luminous efficacy 11 lm/W Power output 40 W

Xenon Technology

Luxram xenon technology is applied into the full range of Luxram halogen energy saver products. The state-of-the-art technology prolongs filament service time while improve luminous output by reducing the heat loss from filament.

Art. No	Volt (V)	Watt (W)	Beam (°)	CD	Lumen (lm)	Measurement (mm)		Packing
						D	L	

Halogen Energy Saver GU10 Dichroic Closed



175001028	230	28	38	520	190	50	52	100
175001040	230	40	38	850	300	50	52	100



Halogen Energy Saver GU10 Aluminium



161001028	230	28	38	520	190	50	52	100
161001040	230	40	38	850	300	50	52	100



Halogen Energy Saver PAR16 E14 Aluminium



161002028	230	28	30	520	200	50	75	100
161002040	230	40	30	850	300	50	75	100



Halogen Energy Saver PAR20 E27 Aluminium



161003050	230	50	30	1000	350	65	84	100
-----------	-----	----	----	------	-----	----	----	-----



Halogen Energy Saver PAR30 E27 Aluminium



161004075	230	75	30	2000	640	97	91	50
161004100	230	100	30	2700	850	97	91	50



Halogen Energy Saver PAR38 E27 Aluminium



161005075	230	75	30	1700	570	120	133	20
161005100	230	100	30	2100	885	120	133	20
161005150	230	150	30	2900	1300	120	133	20





Halogen Energy Saver Bi-Pin Clear



Art. No	Volt (V)	Watt (W)	Cap	Lumen (lm)	Measurement (mm) D	L	Packing
191001008	12	8	G4	125	9	31	1000
191001016	12	16	G4	278	9	31	1000
191001028	12	28	GY6.35	578	12	38	1000
191001040	12	40	GY6.35	903	12	38	1000



Halogen Energy Saver MR16 Dichroic GU5.3



Art. No	Volt (V)	Watt (W)	Beam (°)	CD	Lumen (lm)	Measurement (mm) D	L	Packing
162025316	12	16	38	550	210	50	45	200
162025328	12	28	38	1130	390	50	45	200
162025340	12	40	38	1750	550	50	45	200



Halogen Energy Saver MR11 Dichroic GU4



Art. No	Volt (V)	Watt (W)	Beam (°)	CD	Lumen (lm)	Measurement (mm) D	L	Packing
177001216	12	16	30	400	210	35	37	200
177001228	12	28	30	1200	390	35	37	200



Halogen Energy Saver AR111 G53



Art. No	Volt (V)	Watt (W)	Beam (°)	CD	Lumen (lm)	Measurement (mm) D	L	Packing
163005335	12	35	4	35000	435	111	62	50
163015335	12	35	24	2500	435	111	62	50
163005350	12	50	4	40000	675	111	62	50
163015350	12	50	8	20000	675	111	62	50
163025350	12	50	24	4000	675	111	62	50
163035350	12	50	45	1400	675	111	62	50
163005375	12	75	8	30000	1110	111	62	50
163015375	12	75	24	5300	1110	111	62	50
163025375	12	75	45	2000	1110	111	62	50

Packaging Presentation: Halogen Energy Saver

A true green product = green product + green packaging

The new Luxram packaging has many advantages in one. The 100% recyclable paper packaging contains no plastic at all; the newly designed information bar gives maximum convenience to consumer to identify the correct product in the shop; the packaging can be hung or placed on the shelf in two ways.

