



Extra mini Candle and Ball lamps :  
- less than 100mm can be the ideal replacement  
of incandescent candle and ball lamps.



Extra mini 4U Lamps are 30% shorter than  
regular 3U lamps, can be the ideal replace-  
ment of regular compact fluorescent lamps.



**EXTRA  
MINI**



Art. No	Volt (V)	Watt (W)	Color Temp (K)	Measurement (mm)		Packing
				D	L	

Extra Mini **Supreme** 2U E14



568814051	230	5	2700	30	97	50
568814052	230	5	4100	30	97	50
568814053	230	5	6400	30	97	50
568814071	230	7	2700	30	107	50
568814072	230	7	4100	30	107	50
568814073	230	7	6400	30	107	50

Extra Mini **Supreme** 2U E27



565827051	230	5	2700	30	90	50
565827052	230	5	4100	30	90	50
565827053	230	5	6400	30	90	50
565827071	230	7	2700	30	100	50
565827072	230	7	4100	30	100	50
565827073	230	7	6400	30	100	50

Extra Mini **Supreme** 3U E14



578814091	230	9	2700	40	93	50
578814092	230	9	4100	40	93	50
578814093	230	9	6400	40	93	50
578814111	230	11	2700	40	103	50
578814112	230	11	4100	40	103	50
578814113	230	11	6400	40	103	50

Extra Mini **Supreme** 3U E27



578827091	230	9	2700	40	90	50
578827092	230	9	4100	40	90	50
578827093	230	9	6400	40	90	50
578827111	230	11	2700	40	100	50
578827112	230	11	4100	40	100	50
578827113	230	11	6400	40	100	50

# COMPACT FLUORESCENT

Art. No	Volt (V)	Watt (W)	Color Temp (K)	Measurement (mm)		Packing
				D	L	

Extra Mini Supreme Spiral E14



555814091	230	9	2700	47	94	50
555814092	230	9	4100	47	94	50
555814093	230	9	6400	47	94	50
555814111	230	11	2700	47	98	50
555814112	230	11	4100	47	98	50
555814113	230	11	6400	47	98	50
555814151	230	15	2700	47	107	50
555814152	230	15	4100	47	107	50
555814153	230	15	6400	47	107	50



Extra Mini Supreme Spiral E27



555827091	230	9	2700	47	92	50
555827092	230	9	4100	47	92	50
555827093	230	9	6400	47	92	50
555827111	230	11	2700	47	96	50
555827112	230	11	4100	47	96	50
555827113	230	11	6400	47	96	50
555827151	230	15	2700	47	105	50
555827152	230	15	4100	47	105	50
555827153	230	15	6400	47	105	50



Extra Mini Supreme 4U E27



501827131	230	13	2700	55	108	50
501827132	230	13	4100	55	108	50
501827133	230	13	6400	55	108	50
501827151	230	15	2700	55	118	50
501827152	230	15	4100	55	118	50
501827153	230	15	6400	55	118	50
501827181	230	18	2700	55	128	50
501827182	230	18	4100	55	128	50
501827183	230	18	6400	55	128	50



Extra Mini Supreme Candle E14




508814051	230	5	2700	37	100	50
508814052	230	5	4100	37	100	50
508814053	230	5	6400	37	100	50
508814071	230	7	2700	37	103	50
508814072	230	7	4100	37	103	50
508814073	230	7	6400	37	103	50





Art. No	Volt (V)	Watt (W)	Color Temp (K)	Measurement (mm)		Packing
				D	L	

Extra Mini **Supreme** Candle E27



508827051	230	5	2700	37	98	50
508827052	230	5	4100	37	98	50
508827053	230	5	6400	37	98	50
508827071	230	7	2700	37	100	50
508827072	230	7	4100	37	100	50
508827073	230	7	6400	37	100	50

Extra Mini **Supreme** Ball E14



548814051	230	5	2700	45	100	50
548814052	230	5	4100	45	100	50
548814053	230	5	6400	45	100	50
548814071	230	7	2700	45	100	50
548814072	230	7	4100	45	100	50
548814073	230	7	6400	45	100	50

Extra Mini **Supreme** Ball E27



548827051	230	5	2700	45	91	50
548827052	230	5	4100	45	91	50
548827053	230	5	6400	45	91	50
548827071	230	7	2700	45	91	50
548827072	230	7	4100	45	91	50
548827073	230	7	6400	45	91	50



# COMPACT FLUORESCENT

Art. No	Volt (V)	Watt (W)	Color Temp (K)	Measurement (mm)		Packing
				D	L	

Extra Mini **Supreme** Bulb E27



518827071	230	7	2700	55	110	50
518827072	230	7	4100	55	110	50
518827073	230	7	6400	55	110	50
518827091	230	9	2700	55	113	50
518827092	230	9	4100	55	113	50
518827093	230	9	6400	55	113	50
518827111	230	11	2700	55	115	50
518827112	230	11	4100	55	115	50
518827113	230	11	6400	55	115	50



Extra Mini **Classic** 2U E14



568514051	230	5	2700	30	97	50
568514052	230	5	4100	30	97	50
568514053	230	5	6400	30	97	50
568514071	230	7	2700	30	107	50
568514072	230	7	4100	30	107	50
568514073	230	7	6400	30	107	50



Extra Mini **Classic** 2U E27



568527051	230	5	2700	30	90	50
568527052	230	5	4100	30	90	50
568527053	230	5	6400	30	90	50
568527071	230	7	2700	30	100	50
568527072	230	7	4100	30	100	50
568527073	230	7	6400	30	100	50



Extra Mini **Classic** 3U E14



578514091	230	9	2700	40	93	50
578514092	230	9	4100	40	93	50
578514093	230	9	6400	40	93	50
578514111	230	11	2700	40	103	50
578514112	230	11	4100	40	103	50
578514113	230	11	6400	40	103	50





Art. No	Volt (V)	Watt (W)	Color Temp (K)	Measurement (mm)		Packing
				D	L	

Extra Mini **Classic** 3U E27



578527091	230	9	2700	40	90	50
578527092	230	9	4100	40	90	50
578527093	230	9	6400	40	90	50
578527111	230	11	2700	40	100	50
578527112	230	11	4100	40	100	50
578527113	230	11	6400	40	100	50

Extra Mini **Classic** Spiral E14



555514091	230	9	2700	47	94	50
555514092	230	9	4100	47	94	50
555514093	230	9	6400	47	94	50
555514111	230	11	2700	47	98	50
555514112	230	11	4100	47	98	50
555514113	230	11	6400	47	98	50
555514151	230	15	2700	47	107	50
555514152	230	15	4100	47	107	50
555514153	230	15	6400	47	107	50

Extra Mini **Classic** Spiral E27



555527091	230	9	2700	47	92	50
555527092	230	9	4100	47	92	50
555527093	230	9	6400	47	92	50
555527111	230	11	2700	47	96	50
555527112	230	11	4100	47	96	50
555527113	230	11	6400	47	96	50
555527151	230	15	2700	47	105	50
555527152	230	15	4100	47	105	50
555527153	230	15	6400	47	105	50

**Supreme** 2U E14



569814091	230	9	2700	37	117	50
569814092	230	9	4100	37	117	50
569814093	230	9	6400	37	117	50
569814111	230	11	2700	37	127	50
569814112	230	11	4100	37	127	50
569814113	230	11	6400	37	127	50

# COMPACT FLUORESCENT

Art. No	Volt (V)	Watt (W)	Color Temp (K)	Measurement (mm)		Packing
				D	L	

## Supreme 2U E27



569827091	230	9	2700	37	112	50
569827092	230	9	4100	37	112	50
569827093	230	9	6400	37	112	50
569827111	230	11	2700	37	122	50
569827112	230	11	4100	37	122	50
569827113	230	11	6400	37	122	50



## Supreme 3U E27



579827151	230	15	2700	37	135	50
579827152	230	15	4100	37	135	50
579827153	230	15	6400	37	135	50
579827201	230	20	2700	51	158	50
579827202	230	20	4100	51	158	50
579827203	230	20	6400	51	158	50
579827231	230	23	2700	51	168	50
579827232	230	23	4100	51	168	50
579827233	230	23	6400	51	168	50



## Supreme Spiral E27



559827201	230	20	2700	59	145	50
559827202	230	20	4100	59	145	50
559827203	230	20	6400	59	145	50
559827231	230	23	2700	59	151	50
559827232	230	23	4100	59	151	50
559827233	230	23	6400	59	151	50



## Supreme Ball E27



549827091	230	9	2700	65	128	50
549827092	230	9	4100	65	128	50
549827093	230	9	6400	65	128	50
549827151	230	15	2700	68	150	50
549827152	230	15	4100	68	150	50
549827153	230	15	6400	68	150	50
549827251	230	25	2700	120	184	50
549827252	230	25	4100	120	184	50
549827253	230	25	6400	120	184	50





Art. No	Volt (V)	Watt (W)	Color Temp (K)	Measurement (mm)		Packing
				D	L	

Classic 2U E14



569514091	230	9	2700	37	117	50
569514092	230	9	4100	37	117	50
569514093	230	9	6400	37	117	50
569514111	230	11	2700	37	127	50
569514112	230	11	4100	37	127	50
569514113	230	11	6400	37	127	50

Classic 2U E27



569527091	230	9	2700	37	112	50
569527092	230	9	4100	37	112	50
569527093	230	9	6400	37	112	50
569527111	230	11	2700	37	122	50
569527112	230	11	4100	37	122	50
569527113	230	11	6400	37	122	50

Classic 3U E27



579527151	230	15	2700	37	135	50
579527152	230	15	4100	37	135	50
579527153	230	15	6400	37	135	50
579527201	230	20	2700	51	158	50
579527202	230	20	4100	51	158	50
579527203	230	20	6400	51	158	50
579527231	230	23	2700	51	168	50
579527232	230	23	4100	51	168	50
579527233	230	23	6400	51	168	50



# COMPACT FLUORESCENT

Art. No	Volt (V)	Watt (W)	Color Temp (K)	Measurement (mm)		Packing
				D	L	

## Classic Spiral E27



559527201	230	20	2700	59	145	50
559527202	230	20	4100	59	145	50
559527203	230	20	6400	59	145	50
559527231	230	23	2700	59	151	50
559527232	230	23	4100	59	151	50
559527233	230	23	6400	59	151	50



## High Wattage E27



599627601	230	60	2700	88	295	20
599627602	230	60	4100	88	295	20
599627603	230	60	6400	88	295	20
599627101	230	100	2700	88	355	20
599627102	230	100	4100	88	355	20
599627103	230	100	6400	88	355	20



## High Wattage E40



599640121	230	120	2700	88	370	20
599640122	230	120	4100	88	370	20
599640123	230	120	6400	88	370	20
599640151	230	150	2700	106	342	12
599640152	230	150	4100	106	342	12
599640153	230	150	6400	106	342	12
599640201	230	200	2700	126	348	12
599640202	230	200	4100	126	348	12
599640203	230	200	6400	126	348	12





Art. No	Volt ( V )	Watt ( W )	Measurement (mm)		Packing
			D	L	



Magicolor Ball E14



■ 590614071	230	7	45	100	50
■ 590614072	230	7	45	100	50
■ 590614073	230	7	45	100	50
■ 590614074	230	7	45	100	50



Magicolor Ball E27



■ 590627071	230	7	45	91	50
■ 590627072	230	7	45	91	50
■ 590627073	230	7	45	91	50
■ 590627074	230	7	45	91	50



Magicolor Sprial E27



■ 591627071	230	20	59	145	50
■ 591627072	230	20	59	145	50
■ 591627073	230	20	59	145	50
■ 591627074	230	20	59	145	50



Low mercury (Hg) content compact fluorescnet lamps will be ready soon.

\* Lamps with B22, B15d caps are available upon request.

# COMPACT FLUORESCENT

Art. No	Watt ( W )	Cap	Color Temp ( K )	Measurement (mm)		Packing
				W	L	

## Bona-S G23 2-Pins

608823070	7	G23	2700	27	119	200
608823071	7	G23	4000	27	119	200
608823072	7	G23	6400	27	119	200
608823090	9	G23	2700	27	151	200
608823091	9	G23	4000	27	151	200
608823092	9	G23	6400	27	151	200
608823110	11	G23	2700	27	219	200
608823111	11	G23	4000	27	219	200
608823112	11	G23	6400	27	219	200



## Bona-D G24d 2-Pins

618824010	10	G24d-1	2700	27	112	100
618824011	10	G24d-1	4000	27	112	100
618824012	10	G24d-1	6400	27	112	100
618824130	13	G24d-1	2700	27	140	100
618824131	13	G24d-1	4000	27	140	100
618824132	13	G24d-1	6400	27	140	100
618824180	18	G24d-2	2700	27	155	100
618824181	18	G24d-2	4000	27	155	100
618824182	18	G24d-2	6400	27	155	100
618824260	26	G24d-3	2700	27	172	100
618824261	26	G24d-3	4000	27	172	100
618824262	26	G24d-3	6400	27	172	100



## Bona-D/E G24d 4-Pins

619821010	10	G24d-1	2700	27	112	100
619821011	10	G24d-1	4000	27	112	100
619821012	10	G24d-1	6400	27	112	100
619821130	13	G24d-1	2700	27	140	100
619821131	13	G24d-1	4000	27	140	100
619821132	13	G24d-1	6400	27	140	100
619821180	18	G24d-2	2700	27	155	100
619821181	18	G24d-2	4000	27	155	100
619821182	18	G24d-2	6400	27	155	100
619821260	26	G24d-3	2700	27	172	100
619821261	26	G24d-3	4000	27	172	100
619821262	26	G24d-3	6400	27	172	100



# COMPACT FLUORESCENT

Art. No	Watt ( W )	Cap	Color Temp ( K )	Measurement (mm)		Packing
				W	L	

## Bona-T GX24d 2-Pins



638821131	13	GX24d-1	2700	49	112	100
638821132	13	GX24d-1	4000	49	112	100
638821133	13	GX24d-1	6400	49	112	100
638821181	18	GX24d-2	2700	49	122	100
638821182	18	GX24d-2	4000	49	122	100
638821183	18	GX24d-2	6400	49	122	100
638821261	26	GX24d-3	2700	49	138	100
638821262	26	GX24d-3	4000	49	138	100
638821263	26	GX24d-3	6400	49	138	100

## Bona-T/E GX24q 4-Pins



639821181 <sup>(3)</sup>	18	GX24q-2	2700	49	117	100
639821182 <sup>(3)</sup>	18	GX24q-2	4000	49	117	100
639821261 <sup>(3)</sup>	26	GX24q-3	2700	49	130	100
639821262 <sup>(3)</sup>	26	GX24q-3	4000	49	130	100
639821321 <sup>(3)</sup>	32	GX24q-3	2700	49	147	100
639821322 <sup>(3)</sup>	32	GX24q-3	4000	49	147	100
639821421 <sup>(3)</sup>	42	GX24q-4	2700	49	168	100
639821422 <sup>(3)</sup>	42	GX24q-4	4000	49	168	100

## Bona-L 2G11 4-Pins



655811181	18	2G11	2700	37	223	50
655811182	18	2G11	4000	37	223	50
655811183	18	2G11	6400	37	223	50
655811241	24	2G11	2700	37	319	50
655811242	24	2G11	4000	37	319	50
655811243	24	2G11	6400	37	319	50
655811361	36	2G11	2700	37	415	50
655811362	36	2G11	4000	37	415	50
655811363	36	2G11	6400	37	415	50
655811401 <sup>(3)</sup>	40	2G11	2700	37	532	50
655811402 <sup>(3)</sup>	40	2G11	4000	37	532	50
655811403 <sup>(3)</sup>	40	2G11	6400	37	532	50
655811551 <sup>(3)</sup>	55	2G11	2700	37	532	50
655811552 <sup>(3)</sup>	55	2G11	4000	37	532	50
655811553 <sup>(3)</sup>	55	2G11	6400	37	532	50

(3) For electronic ballast only.