


2020

2020 breaks the traditional understanding of a bulb, Luxram brings the conceptual design into real life. It is an expression of freedom and a unique attitude to life. Graceful Shape in classical style.

2020 LED GU10



220~240V ⚡ GU10 ≥80 90° A 25000H
VOLTAGE CAP RA BEAM LIFE TIME

Art.No	Watt [W]	CD	Lumen [lm]	PF	Colour Temp [K]	Packing	
1010002	4	180	300	0.9	3000	100	 50x40
1010003	4	180	300	0.9	4000	100	
1010004	4	180	300	0.9	6400	100	



2020 LED GU10


*From impossible to possible,
the cutting-edge design
implies limitless future...*




2020 LED MR16



12V ⚡ **GU5.3** **≥80** **90°** **25000H**
VOLTAGE CAP RA BEAM LIFETIME


Art.No	Watt [W]	CD	Lumen [lm]	PF	Colour Temp [K]	Packing	
1010012	4	180	300	0.7	3000	100	 50x40
1010013	4	180	300	0.7	4000	100	
1010014	4	180	300	0.7	6400	100	




Coregium Technology

The intelligent integrated
control gear solution

Dimming Characteristics



Highlight



2020 LED R7s



reddot award 2014
honourable mention
lighting design



Dimmable

220~240V
VOLTAGE

R7s
CAP

≥80
RA

100°
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1010022	10	806	0.9	3000	100
1010023	10	806	0.9	4000	100
1010024	10	806	0.9	6400	100



220~240V
VOLTAGE

R7s
CAP

≥80
RA

100°
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1010032	10	806	0.9	3000	100
1010033	10	806	0.9	4000	100
1010034	10	806	0.9	6400	100





*Where your vision gets
started...*

*Where your heart gets
touched...*



2020 LED R7s

Luminous Intensity Distribution

