

General

*The best balance of functionality and design,
providing replacement for all general lighting
applications.*

Duramax LED GLS CCT

5
YEARS
WARRANTY

IC
DRIVER

CE

CCT
SWITCH



9W

12W

15W

3000K — — 6400K — — 4000K

185~264V ⚡
VOLTAGE

E27
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1090006	9	806	0.5	3000/4000/6400	100	60x110
1090016	12	1055	0.5	3000/4000/6400	100	60x118
1090026	15	1521	0.5	3000/4000/6400	100	65x134

Duramax LED GLS 3-Step

5
YEARS
WARRANTY

IC
DRIVER

CE

3-STEP
DIMMABLE



100%



ON/OFF



50%



ON/OFF



20%





185~264V
VOLTAGE

E27
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1091012	6	470	0.5	3000	100	
1091013	6	470	0.5	4000	100	
1091014	6	470	0.5	6400	100	55x103
1091032	9	806	0.5	3000	100	
1091033	9	806	0.5	4000	100	
1091034	9	806	0.5	6400	100	60x110
1091042	12	1055	0.5	3000	100	
1091043	12	1055	0.5	4000	100	
1091044	12	1055	0.5	6400	100	60x118
1091052	15	1521	0.5	3000	100	
1091053	15	1521	0.5	4000	100	
1091054	15	1521	0.5	6400	100	65x134

Duramax LED Candle 3-Step

5
YEARS
WARRANTY

IC
DRIVER

CE

3-**On/Off**
STEP
DIMMABLE



185-264V
VOLTAGE

E14
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1091062	5	400	0.5	3000	100	
1091063	5	400	0.5	4000	100	
1091064	5	400	0.5	6400	100	37×100
1091082	7	560	0.5	3000	100	
1091083	7	560	0.5	4000	100	
1091084	7	560	0.5	6400	100	37×108

Duramax LED Candle Tip 3-Step

5
YEARS
WARRANTY

IC
DRIVER

CE

3-**On/Off**
STEP
DIMMABLE



185~264V
VOLTAGE

E14
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1091092	5	400	0.5	3000	100	
1091093	5	400	0.5	4000	100	
1091094	5	400	0.5	6400	100	37x129
1091112	7	560	0.5	3000	100	
1091113	7	560	0.5	4000	100	
1091114	7	560	0.5	6400	100	37x137

Duramax LED Ball 3-Step

5
YEARS
WARRANTY

IC
DRIVER

CE

3-**On/Off**
STEP
DIMMABLE



100%



ON/OFF



50%



ON/OFF



20%

185-264V
VOLTAGE

E14
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1091122	5	400	0.5	3000	100
1091123	5	400	0.5	4000	100
1091124	5	400	0.5	6400	100
1091142	7	560	0.5	3000	100
1091143	7	560	0.5	4000	100
1091144	7	560	0.5	6400	100



45x81

Duramax LED GU10 3-Step

5
YEARS
WARRANTY

IC
DRIVER

CE

3-**STEP**
DIMMABLE



100°

36°



100%



ON/OFF



50%



ON/OFF



20%

185-264V ⚡
VOLTAGE

GU10
CAP

≥80
RA

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Beam [°]	Packing
1091182	5	400	0.5	3000	36°	100
1091183	5	400	0.5	4000	36°	100
1091184	5	400	0.5	6400	36°	100
1091202	7	560	0.5	3000	36°	100
1091203	7	560	0.5	4000	36°	100
1091204	7	560	0.5	6400	36°	100
1091212	5	400	0.5	3000	100°	100
1091213	5	400	0.5	4000	100°	100
1091214	5	400	0.5	6400	100°	100
1091232	7	560	0.5	3000	100°	100
1091233	7	560	0.5	4000	100°	100
1091234	7	560	0.5	6400	100°	100



Duramax LED Globe D95/D120 3-Step

5
YEARS
WARRANTY

IC
DRIVER

CE

3-**On/Off**
STEP
DIMMABLE



100%



ON/OFF



50%



ON/OFF



20%

185~264V
VOLTAGE

E27
CAP

≥80
RA

230°
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1091262	14	1200	0.5	3000	50	
1091263	14	1200	0.5	4000	50	
1091264	14	1200	0.5	6400	50	95x140
1091282	20	2000	0.5	3000	20	
1091283	20	2000	0.5	4000	20	
1091284	20	2000	0.5	6400	20	120x173

Duramax LED R50/R63/R80 3-Step

5
YEARS
WARRANTY

IC
DRIVER

CE

3-**STEP**
DIMMABLE



R50(CAP E14)

R63

R80



100%



ON/OFF



50%



ON/OFF



20%




185~264V ⚡
VOLTAGE

E27
CAP

≥80
RA

120°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1091292	5	470	0.5	3000	100	
1091293	5	470	0.5	4000	100	
1091294	5	470	0.5	6400	100	50x87
1091302	7	600	0.5	3000	100	
1091303	7	600	0.5	4000	100	
1091304	7	600	0.5	6400	100	63x104
1091312	9	806	0.5	3000	50	
1091313	9	806	0.5	4000	50	
1091314	9	806	0.5	6400	50	
1091322	11	1055	0.5	3000	50	
1091323	11	1055	0.5	4000	50	
1091324	11	1055	0.5	6400	50	80x110

Duramax LED GLS

5
YEARS
WARRANTY

IC
DRIVER

**FLICKERING
FREE**

CE






185-264V ⚡
VOLTAGE

E27
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1092012	6	470	0.5	3000	100	
1092013	6	470	0.5	4000	100	
1092014	6	470	0.5	6400	100	55x103
1092032	9	806	0.5	3000	100	
1092033	9	806	0.5	4000	100	
1092034	9	806	0.5	6400	100	60x110
1092042	12	1055	0.5	3000	100	
1092043	12	1055	0.5	4000	100	
1092044	12	1055	0.5	6400	100	
1092052	14	1200	0.5	3000	100	
1092053	14	1200	0.5	4000	100	
1092054	14	1200	0.5	6400	100	60x118
1092062	15	1521	0.5	3000	100	
1092063	15	1521	0.5	4000	100	
1092064	15	1521	0.5	6400	100	
						65x134

Duramax LED GLS Dimmable

5
YEARS
WARRANTY

IC
DRIVER

CE

0-100%
DIMMABLE



185~264V
VOLTAGE

E27
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1092072	9	806	0.5	3000	100	
1092073	9	806	0.5	4000	100	
1092074	9	806	0.5	6400	100	60x110
1092082	12	1055	0.5	3000	100	
1092083	12	1055	0.5	4000	100	
1092084	12	1055	0.5	6400	100	60x118
1092092	15	1521	0.5	3000	100	
1092093	15	1521	0.5	4000	100	
1092094	15	1521	0.5	6400	100	65x134

Duramax LED Candle

5
YEARS
WARRANTY

IC
DRIVER

**FLICKERING
FREE**

CE



220~240V
VOLTAGE

E14
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1092102	3	250	0.4	3000	100
1092103	3	250	0.4	4000	100
1092104	3	250	0.4	6400	100
1092112	4	350	0.4	3000	100
1092113	4	350	0.4	4000	100
1092114	4	350	0.4	6400	100
1092132	6	470	0.5	3000	100
1092133	6	470	0.5	4000	100
1092134	6	470	0.5	6400	100



37x100

Duramax LED Candle Tip

5
YEARS
WARRANTY

IC
DRIVER

**FLICKERING
FREE**

CE



220~240V
VOLTAGE

E14
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1092142	3	250	0.4	3000	100
1092143	3	250	0.4	4000	100
1092144	3	250	0.4	6400	100
1092152	4	350	0.4	3000	100
1092153	4	350	0.4	4000	100
1092154	4	350	0.4	6400	100
1092172	6	470	0.5	3000	100
1092173	6	470	0.5	4000	100
1092174	6	470	0.5	6400	100



Duramax LED Ball

5
YEARS
WARRANTY

IC
DRIVER

**FLICKERING
FREE**

CE



220~240V ⚡
VOLTAGE

E14
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1092182	3	250	0.4	3000	100
1092183	3	250	0.4	4000	100
1092184	3	250	0.4	6400	100
1092192	4	350	0.4	3000	100
1092193	4	350	0.4	4000	100
1092194	4	350	0.4	6400	100
1092212	6	470	0.5	3000	100
1092213	6	470	0.5	4000	100
1092214	6	470	0.5	6400	100



45x81

Duramax LED Ball

5
YEARS
WARRANTY

IC
DRIVER

**FLICKERING
FREE**

CE



220~240V
VOLTAGE

E27
CAP

≥80
RA

230°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1092222	3	250	0.4	3000	100
1092223	3	250	0.4	4000	100
1092224	3	250	0.4	6400	100
1092232	4	350	0.4	3000	100
1092233	4	350	0.4	4000	100
1092234	4	350	0.4	6400	100
1092252	6	470	0.5	3000	100
1092253	6	470	0.5	4000	100
1092254	6	470	0.5	6400	100



45x79

Duramax LED GU10

5
YEARS
WARRANTYIC
DRIVERFLICKERING
FREE

CE



100°

36°

220~240V ⚡
VOLTAGEGU10 ≥80
CAP RA25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Beam [°]	Packing
1092272	4	350	0.4	3000	36°	100
1092273	4	350	0.4	4000	36°	100
1092274	4	350	0.4	6400	36°	100
1092292	6	500	0.5	3000	36°	100
1092293	6	500	0.5	4000	36°	100
1092294	6	500	0.5	6400	36°	100
1092312	4	350	0.4	3000	100°	100
1092313	4	350	0.4	4000	100°	100
1092314	4	350	0.4	6400	100°	100
1092332	6	500	0.5	3000	100°	100
1092333	6	500	0.5	4000	100°	100
1092334	6	500	0.5	6400	100°	100



Duramax LED GU10 Dimmable

5
YEARS
WARRANTY

IC
DRIVER

CE

0-100%
DIMMABLE



100°

36°

185-264V
VOLTAGE

GU10
CAP

≥80
RA

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Beam [°]	Packing
1092342	5	350	0.9	3000	36°	100
1092343	5	350	0.9	4000	36°	100
1092344	5	350	0.9	6400	36°	100
1092352	6	450	0.9	3000	36°	100
1092353	6	450	0.9	4000	36°	100
1092354	6	450	0.9	6400	36°	100
1092362	5	350	0.9	3000	100°	100
1092363	5	350	0.9	4000	100°	100
1092364	5	350	0.9	6400	100°	100
1092372	6	450	0.9	3000	100°	100
1092373	6	450	0.9	4000	100°	100
1092374	6	450	0.9	6400	100°	100



Duramax LED MR16

5
YEARS
WARRANTY

IC
DRIVER

**FLICKERING
FREE**

CE



100°

36°

12V ⚡ **GU5.3** **≥80** **25000H**
VOLTAGE CAP RA LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Beam [°]	Packing
1092402	5	350	0.7	3000	36°	100
1092403	5	350	0.7	4000	36°	100
1092404	5	350	0.7	6400	36°	100
1092412	6	450	0.7	3000	36°	100
1092413	6	450	0.7	4000	36°	100
1092414	6	450	0.7	6400	36°	100
1092442	5	350	0.7	3000	100°	100
1092443	5	350	0.7	4000	100°	100
1092444	5	350	0.7	6400	100°	100
1092452	6	450	0.7	3000	100°	100
1092453	6	450	0.7	4000	100°	100
1092454	6	450	0.7	6400	100°	100



Duramax LED Globe D95/D120

5 YEARS WARRANTY



IC
DRIVER

FLICKERING FREE

CE



185~264V VOLTAGE **E27** CAP **≥80** RA **230°A** BEAM **25000H** LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1092462	12	1055	0.5	3000	50	
1092463	12	1055	0.5	4000	50	
1092464	12	1055	0.5	6400	50	
1092472	14	1200	0.5	3000	50	 95x140
1092473	14	1200	0.5	4000	50	
1092474	14	1200	0.5	6400	50	
1092482	15	1521	0.5	3000	20	 120x173
1092483	15	1521	0.5	4000	20	
1092484	15	1521	0.5	6400	20	
1092492	20	2000	0.5	3000	20	
1092493	20	2000	0.5	4000	20	
1092494	20	2000	0.5	6400	20	

Duramax LED R50/R63/R80

5
YEARS
WARRANTY

IC
DRIVER

**FLICKERING
FREE**

CE






185~264V
VOLTAGE

E27
CAP

≥80
RA

120°
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1092502	5	470	0.5	3000	100	
1092503	5	470	0.5	4000	100	
1092504	5	470	0.5	6400	100	50×87
1092512	7	600	0.5	3000	100	
1092513	7	600	0.5	4000	100	
1092514	7	600	0.5	6400	100	63×104
1092522	9	806	0.5	3000	50	
1092523	9	806	0.5	4000	50	
1092524	9	806	0.5	6400	50	
1092532	11	1055	0.5	3000	50	
1092533	11	1055	0.5	4000	50	
1092534	11	1055	0.5	6400	50	80×110

Duramax LED PAR20/30/38

5
YEARS
WARRANTY

IC
DRIVER

**FLICKERING
FREE**

CE









185~264V
VOLTAGE

E27
CAP

≥80
RA

55°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1092542	6	500	0.5	3000	100	
1092543	6	500	0.5	4000	100	
1092544	6	500	0.5	6400	100	62×90
1092552	9	820	0.5	3000	50	
1092553	9	820	0.5	4000	50	
1092554	9	820	0.5	6400	50	97×100
1092562	14	1300	0.5	3000	20	
1092563	14	1300	0.5	4000	20	
1092564	14	1300	0.5	6400	20	120×138

Duramax 100 LED T8

3
YEARS
WARRANTY

100
LM/W

CE

⚡
SINGLE-END



185~264V
VOLTAGE

G13
CAP

≥80
RA

270°
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1092572	9	900	0.5	3000	25
1092573	9	900	0.5	4000	25
1092574	9	900	0.5	6400	25
1092582	14	1400	0.5	3000	25
1092583	14	1400	0.5	4000	25
1092584	14	1400	0.5	6400	25
1092592	18	1800	0.5	3000	25
1092593	18	1800	0.5	4000	25
1092594	18	1800	0.5	6400	25
1092602	22	2200	0.5	3000	25
1092603	22	2200	0.5	4000	25
1092604	22	2200	0.5	6400	25



Duramax 120 LED T8

3
YEARS
WARRANTY

120
LM/W

CE


SINGLE-END







185~264V
VOLTAGE

G13
CAP

≥80
RA

270°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1092612	9	1080	0.5	3000	25	
1092613	9	1080	0.5	4000	25	
1092614	9	1080	0.5	6400	25	26x603
1092622	14	1680	0.5	3000	25	
1092623	14	1680	0.5	4000	25	
1092624	14	1680	0.5	6400	25	26x906
1092632	18	2160	0.5	3000	25	
1092633	18	2160	0.5	4000	25	
1092634	18	2160	0.5	6400	25	26x1212
1092642	22	2640	0.5	3000	25	
1092643	22	2640	0.5	4000	25	
1092644	22	2640	0.5	6400	25	26x1514

Duramax 150 LED T8

3 YEARS
WARRANTY

150
LM/W



185~264V
VOLTAGE

G13
CAP

≥80
RA

270°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing
1092652	9	1350	0.5	3000	25
1092653	9	1350	0.5	4000	25
1092654	9	1350	0.5	6400	25
1092662	14	2100	0.5	3000	25
1092663	14	2100	0.5	4000	25
1092664	14	2100	0.5	6400	25
1092672	18	2700	0.5	3000	25
1092673	18	2700	0.5	4000	25
1092674	18	2700	0.5	6400	25
1092682	22	3300	0.5	3000	25
1092683	22	3300	0.5	4000	25
1092684	22	3300	0.5	6400	25



Duramax LED T8 Longlife

5
YEARS
WARRANTY

180
LM/W



SINGLE-END

**LIFE
TIME**
50,000H

ALUMINUM



185~264V ⚡ **G13** **≥80** **120°A** **50000H**
VOLTAGE CAP RA BEAM LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1092692	6	1080	0.5	3000	25	
1092693	6	1080	0.5	4000	25	 26x603
1092694	6	1080	0.5	6400	25	
1092702	10	1800	0.5	3000	25	
1092703	10	1800	0.5	4000	25	 26x1212
1092704	10	1800	0.5	6400	25	

Duramax LED **Bullet**

2 YEARS
WARRANTY









IC
DRIVER

**FLICKERING
FREE**

**HEAVY
DIECASTING**




185-264V $\frac{1}{2}$
VOLTAGEE27/E40
CAP ≥ 80
RA230°A
BEAM25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Packing	
1092712	15	1350	0.5	3000	50	
1092713	15	1350	0.5	4000	50	
1092714	15	1350	0.5	6400	50	70x128
1092722	20	1800	0.5	3000	50	
1092723	20	1800	0.5	4000	50	
1092724	20	1800	0.5	6400	50	80x180
1092732	30	2700	0.9	3000	20	
1092733	30	2700	0.9	4000	20	
1092734	30	2700	0.9	6400	20	100x180
1092742	40	3600	0.9	3000	20	
1092743	40	3600	0.9	4000	20	
1092744	40	3600	0.9	6400	20	115x200
1092752	50	4500	0.9	3000	20	
1092753	50	4500	0.9	4000	20	
1092754	50	4500	0.9	6400	20	125x225
1092762	60	5400	0.9	3000	20	
1092763	60	5400	0.9	4000	20	
1092764	60	5400	0.9	6400	20	
1092772	70	6300	0.9	3000	20	
1092773	70	6300	0.9	4000	20	140x235
1092774	70	6300	0.9	6400	20	
1092782	80	7200	0.9	3000	20	
1092783	80	7200	0.9	4000	20	
1092784	80	7200	0.9	6400	20	140x250
1092792	100	9000	0.9	3000	20	
1092793	100	9000	0.9	4000	20	
1092794	100	9000	0.9	6400	20	140x270


E40

Luminous Intensity Distribution


Duramax LED GLS CCT 9W




Duramax LED GLS CCT 12W




Duramax LED GLS CCT 15W




Duramax LED GLS 3-Step 6W




Duramax LED GLS 3-Step 7W




Duramax LED GLS 3-Step 9W




Duramax LED GLS 3-Step 12W




Duramax LED GLS 3-Step 15W




Duramax LED Candle 3-Step 5W




Duramax LED Candle 3-Step 6W




Duramax LED Candle 3-Step 7W




Duramax LED Candle Tip 3-Step 5W




Duramax LED Candle Tip 3-Step 6W




Duramax LED Candle Tip 3-Step 7W



Duramax LED Ball 3-Step E27 5W




Duramax LED Ball 3-Step E27 6W




Luminous Intensity Distribution


Duramax LED Ball 3-Step E27 7W




Duramax LED Ball 3-Step E14 5W




Duramax LED GU10 3-Step 6W 36°




Duramax LED GU10 3-Step 8W 36°




Duramax LED GU10 3-Step 6W 100°




Duramax LED GU10 3-Step 8W 100°




Duramax LED MR16 3-Step 5W 36°




Duramax LED MR16 3-Step 6W 36°




Duramax LED MR16 3-Step 8W 36°




Duramax LED MR16 3-Step 5W 100°




Duramax LED MR16 3-Step 6W 100°




Duramax LED MR16 3-Step 7W 100°




Duramax LED MR16 3-Step 8W 100°




Duramax Globe D95 3-Step 14W



Duramax Globe D95 3-Step 20W




Duramax Globe D120 3-Step 14W




Luminous Intensity Distribution


Duramax Golbe D120 3-Step 20W




Duramax LED R50 3-Step 5W




Duramax LED R63 3-Step 7W




Duramax LED R80 3-Step 9W




Duramax LED R80 3-Step 11W




Duramax LED GL5 5W




Duramax LED GL5 7W




Duramax LED GL5 9W




Duramax LED GL5 12W




Duramax LED GL5 14W




Duramax LED GL5 15W




Duramax LED GL5 Dimmable 9W




Duramax LED GL5 Dimmable 12W




Duramax LED Candle 3W




Duramax LED Candle 4W




Duramax LED Candle 5W



Luminous Intensity Distribution



Luminous Intensity Distribution



Luminous Intensity Distribution

