

Catalogue

Lights at your imagination

Can be placed at the head of the bed
Warm light to accompany you to sleep

Atmosphere light **Floor lamp**



Color mode

Smart APP color
adjustment, 16 million colors



Scene mode

Choose a light effect you like
and have dinner with your
lover



Color mode


The lights beating according
to outside sounds



Timed mode

Specify when the lights are
turned on and off
Simple operation, free hands





Atmosphere light
Floor lamp

LUXRAM
Digit



Atmosphere Light *Floor lamp*


Wi-Fi
 Music mode
 Color mode
 Scene mode
 Timing

Round ArtNO 3010025

Power supply:	DC12V
power:	6w
Product features:	APP application control
LED type:	S050
LED Quantity:	90 lights(90PCS)
Product accessories:	Remote control + USB power cord

Triangle ArtNO 3010035

Power supply:	DC12V
power:	6w
Product features:	APP application control
LED type:	S050
LED Quantity:	90 lights(90PCS)
Product accessories:	Remote control + USB power cord



Can be placed at the head of the bed
Warm light to accompany you to sleep

Atmosphere light ***Go portable***

Go portable

The portable smart light builds in rechargeable battery, can truly go wherever you want. Use dynamic light effects to enhance the atmosphere of special moments.

Color mode

Smart APP color adjustment, 16 million colors

Scene mode

Choose a light effect you like and have dinner with your lover

Color mode

The lights beating according to outside sounds

Timed mode

Specify when the lights are turned on and off
Simple operation, free hands



A round smart light with
powerful functions

Atmosphere light
Go portable





Atmosphere Light *Go portable*

LUXRAM
Digit



Atmosphere Light *Go portable*

Bluetooth Music mode Color mode Scene mode Timing Dimming

Product power:	3.1W	Power supply:	DC5V/2A
Product material:	ABS+PC	Charging time:	90 minutes
Number of lamp:	24	IPL usage time:	10 hours
Battery consumption:	2600 mAh	White light use time:	35 hours
Battery model:	18650	Control scheme:	LUXRAM APP Bluetooth control





Atmosphere light **Desktop**



Color mode

Smart APP color adjustment, 16 million colors



Scene mode

Choose a light effect you like and have dinner with your lover



Color mode

The lights beating according to outside sounds



Timed mode

Specify when the lights are turned on and off
Simple operation, free hands





Symphony Atmosphere Light

Bluetooth Music mode Color mode Scene mode Timing Dimming

Working voltage:	USB 5V
Material:	ABS+PC
Working current:	1A Lumens: 580LM
Working power:	2.5W±0.5W/single lamp 5W±0.5W/double lamp
Lamp beads type/quantity:	5050 magical lamp beads/30pcs/single lamp
Bluetooth control distance:	10m
Working temperature and humidity:	-10~45 °C / <80%RH
Packing size:	31.3×17.5×4.8cm
Carton size:	54.8×33.5×54.8cm




Atmosphere light
Desktop

Desktop mode




LUXRAM
Digit



Ambient light on the table

Stable base, good stability
Can be used as TV/computer atmosphere lights, desktop lights,
and a variety of light effects to add atmosphere

TV backlight mode



Can be attached to the back of the TV

The bracket uses a strong adhesive on the back, which is strong and not easy to fall.
Can be pasted on the back of the TV and many other items

Atmosphere light *DIY*



Color mode

Smart APP color adjustment, 16 million colors



Scene mode

Choose a light effect you like and have dinner with your lover



Color mode

The lights beating according to outside sounds



Timed mode

Specify when the lights are turned on and off
Simple operation, free hands






Atmosphere Light



Product power:	31W
Product material:	ABS+PC
Number of lamp:	24
Battery consumption:	2600 mAh
Battery model:	18650
Control scheme:	Tuya Bluetooth control



Atmosphere Light
DIY



Atmosphere light **DIY**



Color mode

Smart APP color adjustment, 16 million colors



Scene mode

Choose a light effect you like and have dinner with your lover



Color mode


The lights beating according to outside sounds



Timed mode

Specify when the lights are turned on and off
Simple operation, free hands






Atmosphere Light



Product power:	3.1W	Power supply:	DC5V/2A
Product material:	ABS+PC	Charging time:	90 minutes
Number of lamp:	24	IPL usage time:	10 hours
Battery consumption:	2600 mAh	White light use time:	35 hours
Battery model:	18650	Packing size:	21.7*9.5*17.6cm
Control scheme:	Tuya Bluetooth control	Carton size:	59.8X46X37.5cm



Atmosphere light
DIY

Atmosphere light *DIY*



Color mode

Smart APP color adjustment, 16 million colors



Scene mode

Choose a light effect you like and have dinner with your lover



Color mode

The lights beating according to outside sounds



Timed mode

Specify when the lights are turned on and off
Simple operation, free hands






Atmosphere light
DIY

Atmosphere Light

Bluetooth Music mode Color mode Scene mode Timing Dimming

Product power:	3W	Power supply:	DC5V/2A
Product material:	ABS+PC	Charging time:	90 minutes
Number of lamp:	24	IPL usage time:	10 hours
Battery consumption:	2600 mAh	White light use time:	3.5 hours
Battery model:	18650	Packing size:	21.7*9.5*17.6cm
Control scheme:	Tuya Bluetooth control	Carton size:	59.8X46X37.5cm



Atmosphere light TV



Color mode

Smart APP color adjustment, 16 million colors



Scene mode

Choose a light effect you like and have dinner with your lover




Color mode


The lights beating according to outside sounds



Timed mode

Specify when the lights are turned on and off
Simple operation, free hands





Atmosphere light TV

Atmosphere Light

Bluetooth Music mode Color mode Scene mode Timing Dimming

Product power:	3.1W	Power supply:	DC5V/2A
Product material:	ABS+PC	Charging time:	90 minutes
Number of lamp:	24	IPL usage time:	10 hours
Battery consumption:	2600 mAh	White light use time:	35 hours
Battery model:	18650	Packing size:	21.7*9.5*7.6cm
Control scheme:	Tuya Bluetooth control	Carton size:	59.8X46X37.5cm





String light LED Candle

LUXRAM
Digit



String light LED Candle



Monochrome


Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	2700K-3200K
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	26B-22B-48mm

Length: 15m(20 bulbs)



RGB(Six color)


Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	RGB(Six color)
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	26B-22B-48mm



Monochrome



RGB(Six color)



String light LED Ball




String light LED Ball



Monochrome


Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	2700K-3200K
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	268*228*48mm

Length: 15m(20 bulbs)



RGB(Six color)

Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	RGB(Six color)
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	268*228*48mm



Monochrome



RGB(Six color)



String light LED Ball Opal



String light LED Ball




Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	2700K-3200K
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	268*228*48mm

Length: 15m(20 bulbs)



Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	RGB(Six color)
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	268*228*48mm



Monochrome



RGB(Six color)



String light LED S14

LUXRAM
Digit



String light LED S14



Monochrome


Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	2700K-3200K
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	268*228*48mm

Length: 15m(20 bulbs)



RGB(Six color)

Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	RGB(Six color)
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	268*228*48mm



Monochrome



RGB(Six color)



String light LED S14



String light LED S14



Monochrome


Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	2700K-3200K
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	268*228*48mm



RGB(Six color)

Input voltage:	AC100-240V
Output:	DC 12V
Color temperature:	RGB(Six color)
Waterproof level:	IP65
Use case:	Indoor/outdoor
Shell material:	Acrylic
Working temperature:	-20°~+40°
Accessories:	remote control
Specification:	15m(20 bulbs)
Packing size:	268*228*48mm

Length: 15m(20 bulbs)



Monochrome



RGB(Six color)



String light LED



String light LED



Monochrome

Rated power	7.5W/50LEDs
Voltage	DC 5V
Control ways	IR remote/APP/Switch button of the controller
LED QTY	50 LEDs/5m or 100 LEDs/10m
LEDs type	RGBIC LEDs
Min Cut-Size	100mm
IP rating	IP65



RGB(Six color)

Rated power	7.5W/50LEDs
Voltage	DC 5V
Control ways	IR remote/APP/Switch button of the controller
LED QTY	50 LEDs/5m or 100 LEDs/10m
LEDs type	RGBIC LEDs
Min Cut-Size	100mm
IP rating	IP65

Length: 5m(20 bulbs)



String light LED

LUXRAM
Digit



String light LED



Monochrome

Rated power	75W/50LEDs
Voltage	DC 5V
Control ways	IR remote/APP/Switch button of the controller
LED QTY	50 LEDs/5m or 100 LEDs/10m
LEDs type	RGBIC LEDs
Min Cut-Size	100mm
IP rating	IP65



RGB(Six color)


Rated power	75W/50LEDs
Voltage	DC 5V
Control ways	IR remote/APP/Switch button of the controller
LED QTY	50 LEDs/5m or 100 LEDs/10m
LEDs type	RGBIC LEDs
Min Cut-Size	100mm
IP rating	IP65

Length: 15m(20 bulbs)



String light LED

LUXRAM
Digit



String light LED



Monochrome

Rated power	7.5W/50LEDs
Voltage	DC 5V
Control ways	IR remote/APP/Switch button of the controller
LED QTY	50 LEDs/5m or 100 LEDs/10m
LEDs type	RGBIC LEDs
Min Cut-Size	100mm
IP rating	IP65




RGB(Six color)

Rated power	7.5W/50LEDs
Voltage	DC 5V
Control ways	IR remote/APP/Switch button of the controller
LED QTY	50 LEDs/5m or 100 LEDs/10m
LEDs type	RGBIC LEDs
Min Cut-Size	100mm
IP rating	IP65

Length: 5m(20 bulbs)

Making life simple.

With the LUXRAM Digit system, you can let your appliances on cellphone or tablet control lighting for you, turn on RGB colourful light during holiday season, or remote turn off it when go to bed. The LUXRAM Digit system will provide convenience to you, so you can focus on enjoying the daily life.



LUXRAM DIGIT APP

The Luxram Digit App is available for all your favourite devices. Just download the IOS version that matches your device from your usual app store. The Luxram Digit App can be used on phone, tablet, smart-speaker or other dedicated device with interaction via touch or voice control.



AMAZON ALEXA VOICE CONTROL

Amazon Alexa is a voice controlled intelligent personal assistant service developed by Amazon which can be used to control your smart lighting.



GOOGLE ASSISTANT VOICE CONTROL

Use Google Assistant to adjust hardware settings, schedule events and alarms on your phone, tablet or dedicated device. Interaction with Google Assistant is primarily through natural voice, though keyboard input is also supported. The Google Assistant can also engage in a two way conversation.



SET TIMER & SCHEDULES

Set timer and schedules for regular or one off events. Re schedule your events while away from home, set an event, programme to action while away on holiday or wake up your systems in preparation for when you arrive home.



16 MILLION RGB COLOURS

Bring colour and life to your home with Luxram Digit lighting. Choose your lighting colour scheme and lighting level with full colour control of your lighting system via the Luxram Digit App. Create and store mood settings for each room and instantly change your lighting environment from standard room lighting to a relaxing warm and cosy ambiance or bright and colourful party room.



Digit Bulb

LUXRAM
Digit

Smart
Voice
Control



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Digit-Wifi GLS CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3000001	185-264	9	806	0.5	2700-6500	60x118	100
3000011	185-264	12	1055	0.5	2700-6500	60x118	100

Digit-Bluetooth GLS CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3000061	185-264	9	806	0.5	2700-6500	60x118	100
3000071	185-264	12	1055	0.5	2700-6500	60x118	100



Digit-Wifi GLS RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000122	185-264	9	806	0.5	2700-6500 RGB	60x118	100
3000132	185-264	12	1055	0.5	2700-6500 RGB	60x118	100

Digit-Bluetooth GLS RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000162	185-264	9	806	0.5	2700-6500 RGB	60x118	100
3000172	185-264	12	1055	0.5	2700-6500 RGB	60x118	100




Digit-Wifi Candle CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000021	185-264	5	350	0.5	2700-6500	37x100	100

Digit-Bluetooth Candle CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000081	185-264	5	350	0.5	2700-6500	37x100	100



 Digit-Wifi Candle RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000142	185~264	5	350	0.5	2700-6500 RGB	37×100	100

 Digit-Bluetooth Candle RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000182	185~264	5	350	0.5	2700-6500 RGB	37×100	100



 Digit-Wi GU10 CCT

Art.No	Voltage [V]	Watt [W]	Beam	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000031	185~264	5	36°	300	0.5	2700-6500	50×55	100
3000041	185~264	5	100°	300	0.5	2700-6500	50×55	100


 Digit-Bluetooth GU10 CCT

Art.No	Voltage [V]	Watt [W]	Beam	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000091	185~264	5	36°	300	0.5	2700-6500	50×55	100
3000101	185~264	5	100°	300	0.5	2700-6500	50×55	100

Smart
Voice
Control



Smart
Control



Digit-WiFi GU10 RGB+CCT

Art.No	Voltage [V]	Watt [W]	Beam	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3000152	185-264	5	100°	300	0.5	2700-6500 RGB	50x55	100

Digit-Bluetooth GU10 RGB+CCT

Art.No	Voltage [V]	Watt [W]	Beam	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3000192	185-264	5	100°	300	0.5	2700-6500 RGB	50x55	100

Smart
Voice
Control



Smart
Control



Digit-WiFi Classic GLS CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3000051	185-264	6	600	0.5	2700-6500	60x106	100

Digit-Bluetooth Classic GLS CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3000111	185-264	6	600	0.5	2700-6500	60x106	100



Digit Surf

LUXRAM
Digit

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Digit-Wifi Surf Type A RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3100002	185~264	24	2300	0.5	3000-6500 RGB	400x103	4
3100012	185~264	40	3800	0.9	3000-6500 RGB	500x103	4

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Digit-Wifi Surf Type B RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3100022	185-264	24	2300	0.5	3000-6500 RGB	395x95	4
3100032	185-264	40	3800	0.9	3000-6500 RGB	495x95	4

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Digit-Wifi Surf Type C 2in1 RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3100042	185-264	24	2300	0.5	3000-6500 RGB	400x110	4
3100052	185-264	40	3800	0.9	3000-6500 RGB	500x110	4

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Digit-Wifi Surf Type D 2in1 RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3100062	185-264	24	2300	0.5	3000-6500 RGB	420x110	4
3100072	185-264	40	3800	0.9	3000-6500 RGB	520x110	4

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Digit-Wifi Surf Type E RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3100082	185-264	40	2400	0.9	3000-6500 RGB	400x107	4
3100092	185-264	60	3600	0.9	3000-6500 RGB	500x107	4

Smart
Voice
Control I



Smart
Control

Remote
Control



Digit-Wifi Surf Type F RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3100102	185-264	40	2500	0.9	3000-6500 RGB	390x80	4
3100112	185-264	60	3800	0.9	3000-6500 RGB	490x90	4

Smart
Voice
Control I



Smart
Control

Remote
Control



Digit-Wifi Surf Type G RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3100122	185-264	24	1560	0.5	3000-6500 RGB	375x60	4
3100132	185-264	40	2600	0.9	3000-6500 RGB	475x60	4

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Digit-Wifi Surf Type H RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3100142	185-264	40	2500	0.9	3000-6500 RGB	450x85	4
3100152	185-264	60	3800	0.9	3000-6500 RGB	570x85	4
3100162	185-264	80	5000	0.9	3000-6500 RGB	760x85	4
3100172	185-264	100	6300	0.9	3000-6500 RGB	840x103	4

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Digit-Wifi Surf Type I RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3100182	185-264	40	2500	0.9	3000-6500 RGB	415x88	4
3100192	185-264	60	3800	0.9	3000-6500 RGB	520x100	4

Smart
Voice
Control I



Smart
Control

Remote
Control



Digit-Wifi Surf Type J RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3100202	185-264	40	2500	0.9	3000-6500 RGB	390x100	4
3100212	185-264	60	3800	0.9	3000-6500 RGB	500x105	4

Smart
Voice
Control I



Smart
Control

Remote
Control



Digit-Wifi Surf Type K RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3100222	185-264	40	2500	0.9	3000-6500 RGB	390x80	4
3100232	185-264	60	3800	0.9	3000-6500 RGB	490x95	4



Music Surf

LUXRAM
color digit

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



 Music Surf Type A RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3200002	85-264	36	2160	0.9	3000-6500 RGB	550x78	4
3200012	85-264	48	2880	0.9	3000-6500 RGB	650x78	4

Smart
Voice
Control



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Bluetooth Music Surf Type B RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3200022	85-264	36	2160	0.9	3000-6500 RGB	400x78	4
3200032	85-264	48	2880	0.9	3000-6500 RGB	500x78	4
3200042	85-264	72	4320	0.9	3000-6500 RGB	600x78	4

Smart
Voice
Control



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Remote
Control



Bluetooth Music Surf Type A RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3200052	85-264	24	1440	0.9	3000-6500 RGB	400x55	4
3200062	85-264	36	2160	0.9	3000-6500 RGB	500x58	4
3200072	85-264	48	2880	0.9	3000-6500 RGB	620x60	4
3200082	85-264	72	4320	0.9	3000-6500 RGB	800x115	4



Digit Strip IP44

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Digit-WiFi Strip IP44 CCT



Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Roll [m]	Packing
3300001	185-264	5	400	0.5	2700-6500	2	20
3300011	185-264	7	560	0.5	2700-6500	3	20
3300021	185-264	12	960	0.5	2700-6500	5	20

Digit-Bluetooth Strip IP44 CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Roll [m]	Packing
3300031	185-264	5	400	0.5	2700-6500	2	20
3300041	185-264	7	560	0.5	2700-6500	3	20
3300051	185-264	12	960	0.5	2700-6500	5	20

Smart Voice Control I  compatible with  amazon alexa
compatible with  Google Assistant

Smart Control 



Digit-WiFi Strip IP44 RGB+W

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Roll [m]	Packing
3300063	185-264	5	400	0.5	2700/4000/6500+RGB	2	20
3300073	185-264	7	560	0.5	2700/4000/6500+RGB	3	20
3300083	185-264	12	960	0.5	2700/4000/6500+RGB	5	20

Digit-Bluetooth Strip IP44 RGB+W

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Roll [m]	Packing
3300093	185-264	5	400	0.5	2700/4000/6500+RGB	2	20
3300103	185-264	7	560	0.5	2700/4000/6500+RGB	3	20
3300113	185-264	12	960	0.5	2700/4000/6500+RGB	5	20

Smart Voice Control I  compatible with  amazon alexa
compatible with  Google Assistant

Smart Control 



Digit-WiFi Strip IP44 RGB+CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Roll [m]	Packing
3300122	185-264	5	400	0.5	2700-6500 RGB	2	20
3300132	185-264	7	560	0.5	2700-6500 RGB	3	20
3300142	185-264	12	960	0.5	2700-6500 RGB	5	20

Digit-Bluetooth Strip IP44 RGB+W

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Roll [m]	Packing
3300152	185-264	5	400	0.5	2700-6500 RGB	2	20
3300162	185-264	7	560	0.5	2700-6500 RGB	3	20
3300172	185-264	12	960	0.5	2700-6500 RGB	5	20



Digit-WiFi Downlight

LUXRAM
Digit

Smart
Voice
Control I



compatible with
amazon alexa
compatible with
Google Assistant

Smart
Control



Digit-WiFi Downlight CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Cutoff [mm]	Packing
3400001	185-264	6	480	0.5	2700-6500	92x55	70	100
3400011	185-264	9	720	0.5	2700-6500	115x60	90	50
3400021	185-264	12	960	0.5	2700-6500	140x65	110	50
3400031	185-264	18	1440	0.5	2700-6500	190x70	150	20
3400041	185-264	24	1920	0.5	2700-6500	225x85	180	20