

LUXRAM

Duramax LED



Duramax LED GLS

Optional Dimmable
5W/8.5W/10W/12W/15W/18W



Duramax LED Globe

D95/D120
10W/15W/18W

Duramax LED GU10

Optional Dimmable
4W/5W/6W/7W



Duramax LED MR16

4W/ 6W 12V
Optional 220-240V



Duramax LED Candle/Candle Tip/Ball

E14/E27
Optional Dimmable
3W/4W/5W/7W/8W



Duramax LED

R50/R63/R80
6W/8.5W/10W/15W



Duramax LED Bullet

E27
20W/30W/40W/50W/60W





Duramax LED GLS

E27 220-240V

Duramax LED GLS

7 W 600 lm DF>0.5

1900002 3000 K
1900003 4000 K
1900004 6400 K



60x106

E27 220-240V

Duramax LED GLS

8.5 W 806 lm DF>0.5

1900012 3000 K
1900023 4000 K
1900034 6400 K



60x108

E27 220-240V

Duramax LED GLS

10 W 1055 lm DF>0.7

1900022 3000 K
1900023 4000 K
1900024 6400 K



60x110

E27 220-240V

Duramax LED GLS

12 W 1260 lm DF>0.7

1901712 3000 K
1901713 4000 K
1901714 6400 K



60x110

E27 220-240V

Duramax LED GLS

15 W 1521 lm DF>0.7

1900032 3000 K
1900033 4000 K
1900034 6400 K



65x127

E27 220-240V

Duramax LED GLS

18 W 1850 lm DF>0.7

1901452 3000 K
1901453 4000 K
1901454 6400 K



70x138

Duramax LED GLS Dimmable

E27 Dimmable 220-240V

Duramax LED GLS

7 W 600 lm DF>0.5

1900042 3000 K
1900043 4000 K
1900044 6400 K



60x108

E27 Dimmable 220-240V

Duramax LED GLS

8.5 W 806 lm DF>0.5

1900052 3000 K
1900053 4000 K
1900054 6400 K



60x108

E27 Dimmable 220-240V

Duramax LED GLS

10 W 1055 lm DF>0.7

1900062 3000 K
1900063 4000 K
1900064 6400 K



60x110

E27 Dimmable 220-240V

Duramax LED GLS

15 W 1521 lm DF>0.7

1900072 3000 K
1900073 4000 K
1900074 6400 K



60x131



Duramax LED Candle



Duramax LED Candle Tip

E14 220-240V

Duramax LED Candle

3 W 250 lm DF>0.5

1900082 3000 K
1900083 4000 K
1900084 6400 K



37x98

E14 220-240V

Duramax LED Candle

7 W 600 lm DF>0.5

1901462 3000 K
1901463 4000 K
1901464 6400 K



37x98

E14 Dimmable 220-240V

Duramax LED Candle

3 W 250 lm DF>0.5

1901802 3000 K
1901803 4000 K
1901804 6400 K



37x98

E14 Dimmable 220-240V

Duramax LED Candle

7 W 600 lm DF>0.5

1901812 3000 K
1901813 4000 K
1901814 6400 K



37x98

E14 220-240V

Duramax LED Candle

5 W 470 lm DF>0.5

1900092 3000 K
1900093 4000 K
1900094 6400 K



37x98

E14 220-240V

Duramax LED Candle

8 W 806 lm DF>0.5

1901792 3000 K
1901793 4000 K
1901794 6400 K



37x107

E14 Dimmable 220-240V

Duramax LED Candle

5 W 470 lm DF>0.5

1900102 3000 K
1900103 4000 K
1900104 6400 K



37x98

E14 220-240V

Duramax LED Candle Tip

3 W 250 lm DF>0.5

1900112 3000 K
1900113 4000 K
1900114 6400 K



37x131

E14 220-240V

Duramax LED Candle Tip

7 W 600 lm DF>0.5

1901472 3000 K
1901473 4000 K
1901474 6400 K



37x131

E14 Dimmable 220-240V

Duramax LED Candle Tip

3 W 250 lm DF>0.5

1901832 3000 K
1901833 4000 K
1901834 6400 K



37x131

E14 Dimmable 220-240V

Duramax LED Candle Tip

7 W 600 lm DF>0.5

1901842 3000 K
1901843 4000 K
1901844 6400 K



37x131

E14 220-240V

Duramax LED Candle Tip

5 W 470 lm DF>0.5

1900122 3000 K
1900123 4000 K
1900124 6400 K



37x131

E14 220-240V

Duramax LED Candle Tip

8 W 806 lm DF>0.5

1901822 3000 K
1901823 4000 K
1901824 6400 K



37x131

E14 Dimmable 220-240V

Duramax LED Candle Tip

5 W 470 lm DF>0.5

1900132 3000 K
1900133 4000 K
1900134 6400 K



37x131



Duramax LED Ball E14



Duramax LED Ball E27

E14 220-240V
Duramax LED Ball
 3 W 250 lm DF>0.5
 1900142 3000 K
 1900143 4000 K
 1900144 6400 K

G

45x82

E14 220-240V
Duramax LED Ball
 5 W 470 lm DF>0.5
 1900152 3000 K
 1900153 4000 K
 1900154 6400 K

F

45x82

E27 220-240V
Duramax LED Ball
 3 W 250 lm DF>0.5
 1900172 3000 K
 1900173 4000 K
 1900174 6400 K

G

45x74

E27 220-240V
Duramax LED Ball
 5 W 470 lm DF>0.5
 1900182 3000 K
 1900183 4000 K
 1900184 6400 K

F

45x74

E14 220-240V
Duramax LED Ball
 7 W 600 lm DF>0.5
 1901482 3000 K
 1901483 4000 K
 1901484 6400 K

F

45x82

E14 220-240V
Duramax LED Ball
 8 W 806 lm DF>0.5
 1901852 3000 K
 1901853 4000 K
 1901854 6400 K

F

45x82

E27 220-240V
Duramax LED Ball
 7 W 600 lm DF>0.5
 1901492 3000 K
 1901493 4000 K
 1901494 6400 K

F

45x74

E27 220-240V
Duramax LED Ball
 8 W 806 lm DF>0.5
 1901882 3000 K
 1901883 4000 K
 1901884 6400 K

F

45x74

E14 Dimmable 220-240V
Duramax LED Ball
 3 W 250 lm DF>0.5
 1901862 3000 K
 1901863 4000 K
 1901864 6400 K

G

45x82

E14 Dimmable 220-240V
Duramax LED Ball
 5 W 470 lm DF>0.5
 1900162 3000 K
 1900163 4000 K
 1900164 6400 K

F

45x82

E27 Dimmable 220-240V
Duramax LED Ball
 3 W 250 lm DF>0.5
 1901892 3000 K
 1901893 4000 K
 1901894 6400 K

G

45x74

E27 Dimmable 220-240V
Duramax LED Ball
 5 W 470 lm DF>0.5
 1900192 3000 K
 1900193 4000 K
 1900194 6400 K

F

45x74

E14 Dimmable 220-240V
Duramax LED Ball
 7 W 600 lm DF>0.5
 1901872 3000 K
 1901873 4000 K
 1901874 6400 K

F

45x82

E27 Dimmable 220-240V
Duramax LED Ball
 7 W 600 lm DF>0.5
 1901902 3000 K
 1901903 4000 K
 1901904 6400 K

F

45x74



Duramax LED GU10 UGR<16 24°



Duramax LED GU10 36°

GU10 220-240V

Duramax LED GU10

3 W 350 lm DF>0.5

1904132 3000 K
1904133 4000 K
1904134 6400 K



50x55

GU10 220-240V

Duramax LED GU10

4 W 450 lm DF>0.5

1904142 3000 K
1904143 4000 K
1904144 6400 K



50x55

GU10 220-240V

Duramax LED GU10

5 W 350 lm DF>0.5

1900202 3000 K
1900203 4000 K
1900204 6400 K



50x55

GU10 220-240V

Duramax LED GU10

7 W 550 lm DF>0.5

1901592 3000 K
1901593 4000 K
1901594 6400 K



50x55

GU10 Dimmable 220-240V

Duramax LED GU10

6 W 450 lm DF>0.5

1901912 3000 K
1901913 4000 K
1901914 6400 K



50x55

GU10 220-240V

Duramax LED GU10

6 W 450 lm DF>0.5

1900212 3000 K
1900213 4000 K
1900214 6400 K



50x55

GU10 Dimmable 220-240V

Duramax LED GU10

5 W 350 lm DF>0.5

1900222 3000 K
1900223 4000 K
1900224 6400 K



50x55

GU10 Dimmable 220-240V

Duramax LED GU10

7 W 550 lm DF>0.5

1900232 3000 K
1900233 4000 K
1900234 6400 K



50x55



Duramax LED GU10 100°



Duramax LED MR16

GU10 220-240V

Duramax LED GU10

5 W 350 lm DF>0.5

1900242 3000 K
1900243 4000 K
1900244 6400 K



50x55

GU10 220-240V

Duramax LED GU10

6 W 450 lm DF>0.5

1900252 3000 K
1900253 4000 K
1900254 6400 K



50x55

GU10 220-240V

Duramax LED GU10

7 W 550 lm DF>0.5

1901612 3000 K
1901613 4000 K
1901614 6400 K



50x55

GU10 Dimmable 220-240V

Duramax LED GU10

5 W 350 lm DF>0.5

1900262 3000 K
1900263 4000 K
1900264 6400 K



50x55

GU10 Dimmable 220-240V

Duramax LED GU10

6 W 450 lm DF>0.5

1901922 3000 K
1901923 4000 K
1901924 6400 K



50x55

GU10 Dimmable 220-240V

Duramax LED GU10

7 W 550 lm DF>0.5

1900272 3000 K
1900273 4000 K
1900274 6400 K



50x55

GU5.3 12V 36°

Duramax LED MR16

4 W 330 lm DF>0.5

1900282 3000 K
1900283 4000 K
1900284 6400 K



50x50

GU5.3 12V 36°

Duramax LED MR16

6 W 470 lm DF>0.5

1900292 3000 K
1900293 4000 K
1900294 6400 K



50x50

GU5.3 12V 100°

Duramax LED MR16

4 W 330 lm DF>0.5

1900302 3000 K
1900303 4000 K
1900304 6400 K



50x50

GU5.3 12V 100°

Duramax LED MR16

6 W 470lm DF>0.5

1900312 3000 K
1900313 4000 K
1900314 6400 K



50x50



Duramax LED **Globe**



Duramax LED **R50/R63/R80**

E27 220-240V

Duramax LED D95

10W 1055 lm DF>0.7

1900322 3000 K
1900323 4000 K
1900324 6400 K



95x140

E27 220-240V

Duramax LED D95

15 W 1521 lm DF>0.7

1900332 3000 K
1900333 4000 K
1900334 6400 K



95x140

E14 220-240V

Duramax LED R50

5W 470 lm PF>0.5

1901542 3000 K
1901543 4000 K
1901544 6400 K



50x87

E27 220-240V

Duramax LED R63

8.5 W 806 lm PF>0.5

1901552 3000 K
1901553 4000 K
1901554 6400 K



63x104

E27 220-240V

Duramax LED D120

15 W 1521lm DF>0.7

1900342 3000 K
1900343 4000 K
1900344 6400 K



120x173

E27 220-240V

Duramax LED D120

18 W 1850 lm DF>0.7

1900352 3000 K
1900353 4000 K
1900354 6400 K



120x173

E27 220-240V

Duramax LED R80

10 W 1055lm PF>0.5

1901562 3000 K
1901563 4000 K
1901564 6400 K



63x104

E27 220-240V

Duramax LED R80

15 W 1521lm PF>0.5

1901572 3000 K
1901573 4000 K
1901574 6400 K



80x110



Duramax LED Bullet

E27

Duramax LED Bullet

20 W 2050 lm DF>0.7

1900362 3000 K
1900363 4000 K
1900364 6400 K



80×140

E27

Duramax LED Bullet

30 W 3200 lm DF>0.9

1900372 3000 K
1900373 4000 K
1900374 6400 K



100×186

E27

Duramax LED Bullet

40 W 4300 lm DF>0.9

1900382 3000 K
1900383 4000 K
1900384 6400 K



120×213

E27

Duramax LED Bullet

50 W 5400 lm DF>0.9

1900392 3000 K
1900393 4000 K
1900394 6400 K



140×242

LUXRAM

LED T8 Tube



Duramax
NEW ErP

Longlife
50000hours

High Efficiency
Up to 180lm/W



Standard
Cost-effective



Duramax LED T8

G13 220-240V

Duramax LED T8

8 W 800 lm DF>0.5

1900412 3000 K
1900413 4000 K
1900414 6400 K



26x603

G13 220-240V

Duramax LED T8

12 W 1200lm DF>0.7

1900422 3000 K
1900423 4000 K
1900424 6400 K



26x906

G13 220-240V

Duramax LED T8

16 W 1600lm DF>0.7

1900432 3000 K
1900433 4000 K
1900434 6400 K



26x1212

G13 220-240V

Duramax LED T8

20 W 2050lm DF>0.7

1900442 3000 K
1900443 4000 K
1900444 6400 K



26x1514



Duramax LED T8 Longlife

G13 220-240V 50000H

General LED T8

8 W 800 lm DF>0.5

1910002 3000 K
1910003 4000 K
1910004 6400 K



26x603

G13 220-240V 50000H

General LED T8

12 W 1200lm DF>0.7

1910012 3000 K
1910013 4000 K
1910014 6400 K



26x906

G13 220-240V 50000H

General LED T8

16 W 1600lm DF>0.7

1910022 3000 K
1910023 4000 K
1910024 6400 K




26x1212

G13 220-240V 50000H

General LED T8

20 W 2050lm DF>0.7

1910032 3000 K
1910033 4000 K
1910034 6400 K



26x1514

LUXRAM

Duramax LED T8 50000H



Safety

PC flame retardant material



Non-power supply side,
Add fuse resistor



PF 0.5 Flickering free driver


Complies with IEC safety and EMC requirements Enhanced safety with built-in protection circuit.



PCT Copper bracket
110°C High temperature

Temperature(°C)

We perform the following tests for every product to ensure the quality and lifespan of products



Product life calculation

Rated Ripple(Io)	Rated Temp(To)	Life(Lo)	Actual Ripple(Ix)	Tc	ΔTx	LX(hrs)	Environment temperature
282	105	8000	103	78.09	0.67	94196	39.8

94196 Hours = 21.5 Year





Duramax LED T8 High efficiency

LUXRAM



Duramax LED T8 High efficiency

G13 220-240V

General LED T8 150lm/W

9 W 1350 lm PF>0.5

- 1910042 3000 K
- 1910043 4000 K
- 1910044 6400 K



26x603

G13 220-240V

General LED T8 150lm/W

18W 2700lm PF>0.5

- 1910052 3000 K
- 1910053 4000 K
- 1910054 6400 K



26x1212

G13 220-240V

General LED T8 180lm/W

9 W 1620 lm PF>0.5

- 1910142 3000 K
- 1910143 4000 K
- 1910144 6400 K



26x603

G13 220-240V

General LED T8 180lm/W

18W 3240lm PF>0.5

- 1910162 3000 K
- 1910163 4000 K
- 1910164 6400 K



26x1212

LUXRAM



Duramax LED T8 180lm/W



Annual electricity consumption

80kW
75kW
70kW
65kW
60kW
55kW
50kW
45kW
40kW
35kW
30kW
25kW
20kW

78.84KW
Ordinary 18W
100lm/W

SAVE POWER

80%

Compared with ordinary
18W 100lm/W

43.8KW
Duramax LED T8
10W 180Lm/W



Standard
Flexible Printed Circuit

~~371.8€~~

1.2m 18W 1800lm **100lm/W**

SAVE 80%



High Efficiency
Aluminum plate

206.5€

1.2m 10W 1800lm **180lm/W**

A 100m² office needs 12 panel lights
Lighting for 12 hours a day x365days, electricity saving
*German electricity prices in October 2023



Standard LED T8



Standard LED T8

G13 185-264V

General LED T8

8 W 800lm PF>0.5

1910062 3000 K
1910063 4000 K
1910064 6400 K



G13 185-264V

General LED T8

12 W 1200lm PF>0.7

1910072 3000 K
1910073 4000 K
1910074 6400 K



G13 185-264V

General LED T8

18 W 1800lm PF>0.5

1910082 3000 K
1910083 4000 K
1910084 6400 K



G13 185-264V

General LED T8

22 W 2200lm PF>0.5

1910092 3000 K
1910093 4000 K
1910094 6400 K



LUXRAM

Classic LED



Classic LED GLS

Optional Dimmable
470-2500lm
4W/6.5W/8W/11W/16W/17W
>120lm/W



Classic LED Candle/Candle Tip/Ball

E14/E27
Optional Dimmable
250-806lm 2W/4W/4.5W/6.5W
>120lm/W



Classic LED Globe

D80/D95/D125
Optional Dimmable
470-1251lm 4W/6.5W/8W/11W
>120lm/W



Classic LED GLS Opal

Optional Dimmable
425-2200lm
4W/6.5W/8W/11W/16W/17W



Classic LED Opal Candle /Candle Tip/Ball

E14 E27
Optional Dimmable
200-540lm 2W/4W/4.5W/6.5W



General LED Globe Opal

D80/D95/D125
Optional Dimmable
450-1350lm 4W/6.5W/8W/11W



Classic LED GLS



Classic LED GLS Dimmable

E27 360°

Classic LED GLS

4 W 470 lm DF>0.5

1900451 2700 K
1900453 4000 K
1900454 6400 K



60x106

E27 360°

Classic LED GLS

6.5 W 806 lm DF>0.5

1900461 2700 K
1900463 4000 K
1900464 6400 K



60x106

E27 360° Dimmable

Classic LED GLS

4 W 470 lm DF>0.5

1900511 2700 K
1900513 4000 K
1900514 6400 K



60x106

E27 360° Dimmable

Classic LED GLS

6.5 W 806 lm DF>0.5

1900521 2700 K
1900523 4000 K
1900524 6400 K



60x106

E27 360°

Classic LED GLS

8 W 1055 lm DF>0.5

1900471 2700 K
1900473 4000 K
1900474 6400 K



60x106

E27 360°

Classic LED GLS

11 W 1521 lm DF>0.7

1900481 2700 K
1900483 4000 K
1900484 6400 K



60x106

E27 360° Dimmable

Classic LED GLS

8 W 1055 lm DF>0.5

1900531 2700 K
1900533 4000 K
1900534 6400 K



60x106

E27 360° Dimmable

Classic LED GLS

11 W 1521 lm DF>0.7

1900541 2700 K
1900543 4000 K
1900544 6400 K



60x106

E27 360°

Classic LED GLS

16 W 2100 lm DF>0.7

1900491 2700 K
1900493 4000 K
1900494 6400 K



75x140

E27 360°

Classic LED GLS

17 W 2500 lm DF>0.7

1900501 2700 K
1900503 4000 K
1900504 6400 K



75x140



Classic LED Candle



Classic LED Candle Tip

E14 360°

Classic LED Candle

2 W 250 lm DF>0.5

1900551 2700 K
1900553 4000 K
1900554 6400 K

E



35x100

E14 360°

Classic LED Candle

4 W 470 lm DF>0.5

1900561 2700 K
1900563 4000 K
1900564 6400 K

E



35x100

E14 360° Dimmable

Classic LED Candle

4 W 470 lm DF>0.5

1900581 2700 K
1900583 4000 K
1900584 6400 K

E



35x100

E14 360°

Classic LED Candle Tip

2 W 250 lm DF>0.5

1900591 2700 K
1900593 4000 K
1900594 6400 K

E



35x115

E14 360°

Classic LED Candle Tip

6.5 W 806lm DF>0.5

1900611 2700 K
1900613 4000 K
1900614 6400 K

E



35x115

E14 360°

Classic LED Candle Tip

4 W 470 lm DF>0.5

1900601 2700 K
1900603 4000 K
1900604 6400 K

E



35x115

E14 360° Dimmable

Classic LED Candle Tip

4 W 470 lm DF>0.5

1900621 2700 K
1900623 4000 K
1900624 6400 K

E



35x115

E14 360° Dimmable

Classic LED Candle

4.5 W 600 lm DF>0.5

1901911 2700 K
1901913 4000 K
1901914 6400 K

E



35x100

E14 360° Dimmable

Classic LED Candle Tip

4.5 W 600 lm DF>0.5

1901921 2700 K
1901923 4000 K
1901924 6400 K

E



35x115



Classic LED Ball E14



Classic LED Ball E27

E14 360°

Classic LED Ball

2 W 250 lm DF>0.5

1900631 2700 K
1900633 4000 K
1900634 6400 K



45x78

E14 360°

Classic LED Ball

4 W 470 lm DF>0.5

1900641 2700 K
1900643 4000 K
1900644 6400 K



45x78

E27 360°

Classic LED Ball

2 W 250 lm DF>0.5

1900671 2700 K
1900673 4000 K
1900674 6400 K



45x73

E27 360°

Classic LED Ball

4 W 470 lm DF>0.5

1900681 2700 K
1900683 4000 K
1900684 6400 K



45x73

E14 360°

Classic LED Ball

6.5 W 806lm DF>0.5

1900651 2700 K
1900653 4000 K
1900654 6400 K



45x78

E14 360° Dimmable

Classic LED Ball

4 W 470 lm DF>0.5

1900661 2700 K
1900663 4000 K
1900664 6400 K



45x78

E27 360°

Classic LED Ball

6.5 W 806lm DF>0.5

1900691 2700 K
1900693 4000 K
1900694 6400 K



45x73

E27 360° Dimmable

Classic LED Ball

4 W 470 lm DF>0.5

1900701 2700 K
1900703 4000 K
1900704 6400 K



45x73

E14 360° Dimmable

Classic LED Ball

4.5 W 600 lm DF>0.5

1901931 2700 K
1901933 4000 K
1901934 6400 K



45x78

E27 360° Dimmable

Classic LED Ball

4.5 W 600 lm DF>0.5

1901941 2700 K
1901943 4000 K
1901944 6400 K



45x73



Classic LED **Globe D80**



Classic LED **Globe D80 Dimmable**

E27 360°

Classic LED D80

4 W 470 lm DF>0.5

1900711 2700 K
1900713 4000 K
1900714 6400 K



80x111

E27 360°

Classic LED D80

6.5 W 806 lm DF>0.5

1900721 2700 K
1900723 4000 K
1900724 6400 K



80x111

E27 360° Dimmable

Classic LED D80

4 W 470 lm DF>0.5

1900751 2700 K
1900753 4000 K
1900754 6400 K



80x111

E27 360° Dimmable

Classic LED D80

6.5 W 806 lm DF>0.5

1900761 2700 K
1900763 4000 K
1900764 6400 K



80x111

E27 360°

Classic LED D80

8 W 1055 lm DF>0.5

1900731 2700 K
1900733 4000 K
1900734 6400 K



80x111

E27 360°

Classic LED D80

11 W 1521 lm DF>0.7

1900741 2700 K
1900743 4000 K
1900744 6400 K



80x111

E27 360° Dimmable

Classic LED D80

8 W 1055 lm DF>0.5

1900771 2700 K
1900773 4000 K
1900774 6400 K



80x111

E27 360° Dimmable

Classic LED D80

11 W 1521 lm DF>0.7

1900781 2700 K
1900783 4000 K
1900784 6400 K



80x111



Classic LED **Globe D95**



Classic LED **Globe D95 Dimmable**

E27 360°

Classic LED D95

4 W 470 lm DF>0.5

1900791 2700 K
1900793 4000 K
1900794 6400 K



95x130

E27 360°

Classic LED D95

6.5 W 806 lm DF>0.5

1900801 2700 K
1900803 4000 K
1900804 6400 K



95x130

E27 360° Dimmable

Classic LED D95

4 W 470 lm DF>0.5

1900831 2700 K
1900833 4000 K
1900834 6400 K



95x130

E27

Classic LED D95

6.5 W 806 lm DF>0.5

1900841 2700 K
1900843 4000 K
1900844 6400 K



95x130

E27 360°

Classic LED D95

8 W 1055 lm DF>0.5

1900811 2700 K
1900813 4000 K
1900814 6400 K



95x130

E27 360°

Classic LED D95

11 W 1521 lm DF>0.7

1900821 2700 K
1900823 4000 K
1900824 6400 K



95x130

E27 360° Dimmable

Classic LED D95

8 W 1055 lm DF>0.5

1900851 2700 K
1900853 4000 K
1900854 6400 K



95x130

E27

Classic LED D95

11 W 1521 lm DF>0.7

1900861 2700 K
1900863 4000 K
1900864 6400 K



95x130



Classic LED **Globe 125**



Classic LED **Globe 125 Dimmable**

E27 360°

Classic LED D125

4 W 470 lm DF>0.5

1900871 2700 K
1900873 4000 K
1900874 6400 K



125x170

E27 360°

Classic LED D125

6.5 W 806 lm DF>0.5

1900881 2700 K
1900883 4000 K
1900884 6400 K



125x170

E27 360° Dimmable

Classic LED D125

4 W 470 lm DF>0.5

1900911 2700 K
1900913 4000 K
1900914 6400 K



125x170

E27 360° Dimmable

Classic LED D125

6.5 W 806 lm DF>0.5

1900921 2700 K
1900923 4000 K
1900924 6400 K



125x170

E27 360°

Classic LED D125

8 W 1055 lm DF>0.5

1900891 2700 K
1900893 4000 K
1900894 6400 K



125x170

E27 360°

Classic LED D125

11 W 1521 lm DF>0.7

1900901 2700 K
1900903 4000 K
1900904 6400 K



125x170

E27 360° Dimmable

Classic LED D125

8 W 1055 lm DF>0.5

1900931 2700 K
1900933 4000 K
1900934 6400 K



125x170

E27 360° Dimmable

Classic LED D125

11 W 1521 lm DF>0.7

1900941 2700 K
1900943 4000 K
1900944 6400 K



125x170



Classic LED GLS Opal



Classic LED GLS Opal Dimmable

E27

Classic LED GLS Opal

4 W 425 lm DF>0.5

2900961
4900963
4900964

F



60x106

E27 360°

Classic LED GLS Opal

6.5 W 720 lm DF>0.5

1900961 2700 K
1900963 4000 K
1900964 6400 K

E



60x106

E27 360° Dimmable

Classic LED GLS Opal

4 W 425 lm DF>0.5

1901011 2700 K
1901013 4000 K
1901014 6400 K

F



60x106

E27 360° Dimmable

Classic LED GLS Opal

6.5 W 720 lm DF>0.5

1901021 2700 K
1901023 4000 K
1901024 6400 K

E



60x106

E27

Classic LED GLS Opal

8 W 965 lm DF>0.5

2900971
4900973
4900974

E



60x106

E27 360°

Classic LED GLS Opal

11 W 1350 lm DF>0.7

1900981 2700 K
1900983 4000 K
1900984 6400 K

E



60x106

E27 360° Dimmable

Classic LED GLS Opal

8 W 965 lm DF>0.5

1901031 2700 K
1901033 4000 K
1901034 6400 K

E



60x106

E27 360° Dimmable

Classic LED GLS Opal

11 W 1350 lm DF>0.7

1901041 2700 K
1901043 4000 K
1901044 6400 K

E



60x106

E27

Classic LED GLS Opal

16 W 1800 lm DF>0.5

2900991
4900993
4900994

E



68x120

E27 360°

Classic LED GLS Opal

17 W 2200 lm DF>0.7

1901001 2700 K
1901003 4000 K
1901004 6400 K

E



75x140

E27 360° Dimmable

Classic LED GLS Opal

8 W 965 lm DF>0.5

1901031 2700 K
1901033 4000 K
1901034 6400 K

E



60x106

E27 360° Dimmable

Classic LED GLS Opal

11 W 1350 lm DF>0.7

1901041 2700 K
1901043 4000 K
1901044 6400 K

E



60x106



Classic LED Candle Opal



Classic LED Candle Tip Opal

E14 360°

Classic LED Candle Opal

2 W 200 lm DF>0.5

1901051 2700 K
1901053 4000 K
1901054 6400 K



35x100

E14 360°

Classic LED Candle Opal

4 W 425 lm DF>0.5

1901061 2700 K
1901063 4000 K
1901064 6400 K



35x100

E14 360°

Classic LED Candle Opal

6.5 W 720 lm DF>0.5

1901071 2700 K
1901073 4000 K
1901074 6400 K



35x100

E14 360° Dimmable

Classic LED Candle Opal

4 W 425 lm DF>0.5

1901081 2700 K
1901083 4000 K
1901084 6400 K



35x100

E14 360°

Classic LED Candle Tip Opal

2 W 200 lm DF>0.5

1901091 2700 K
1901093 4000 K
1901094 6400 K



35x115

E14 360°

Classic LED Candle Tip Opal

6.5 W 720 lm DF>0.5

1901111 2700 K
1901113 4000 K
1901114 6400 K



35x115

E14 360°

Classic LED Candle Tip Opal

4 W 425 lm DF>0.5

1901101 2700 K
1901103 4000 K
1901104 6400 K



35x115

E14 360° Dimmable

Classic LED Candle Tip Opal

4 W 425 lm DF>0.5

1901121 2700 K
1901123 4000 K
1901124 6400 K



35x115

E14 360° Dimmable

Classic LED Candle Opal

4.5 W 540 lm DF>0.5

1901951 2700 K
1901953 4000 K
1901954 6400 K



35x100

E14 360° Dimmable

Classic LED Candle Tip Opal

4.5 W 540 lm DF>0.5

1901961 2700 K
1901963 4000 K
1901964 6400 K



35x115



Classic LED Ball E14 Opal



Classic LED Ball E27 Opal

E14 360°

Classic LED Ball Opal

2 W 200 lm DF>0.5

1901131 2700 K
1901133 4000 K
1901134 6400 K



45x78

E14 360°

Classic LED Ball Opal

4 W 425 lm DF>0.5

1901141 2700 K
1901143 4000 K
1901144 6400 K



45x78

E27 360°

Classic LED Ball Opal

2 W 200 lm DF>0.5

1901171 2700 K
1901173 4000 K
1901174 6400 K



45x73

E27 360°

Classic LED Ball Opal

4 W 425 lm DF>0.5

1901181 2700 K
1901183 4000 K
1901184 6400 K



45x73

E14 360°

Classic LED Ball Opal

6.5 W 720 lm DF>0.5

1901151 2700 K
1901153 4000 K
1901154 6400 K



45x78

E14 360° Dimmable

Classic LED Ball Opal

4 W 425 lm DF>0.5

1901161 2700 K
1901163 4000 K
1901164 6400 K



45x78

E27 360°

Classic LED Ball Opal

6.5 W 720 lm DF>0.5

1901191 2700 K
1901193 4000 K
1901194 6400 K



45x73

E27 360° Dimmable

Classic LED Ball Opal

4 W 425 lm DF>0.5

1901201 2700 K
1901203 4000 K
1901204 6400 K



45x73

E14 360° Dimmable

Classic LED Ball Opal

4.5 W 540 lm DF>0.5

1901971 2700 K
1901973 4000 K
1901974 6400 K



45x78

E27 360° Dimmable

Classic LED Ball Opal

4.5 W 540 lm DF>0.5

1901981 2700 K
1901983 4000 K
1901984 6400 K



45x73



Classic LED Globe D80 Opal



Classic LED Globe D80 Opal Dimmable

E27 360°

Classic LED D80 Opal

4 W 425 lm DF>0.5

1901211 2700 K
1901213 4000 K
1901214 6400 K

F



80x111

E27 360°

Classic LED D80 Opal

6.5 W 720 lm DF>0.5

1901221 2700 K
1901223 4000 K
1901224 6400 K

E



80x111

E27 360° Dimmable

Classic LED D80 Opal

4 W 425 lm DF>0.5

1901251 2700 K
1901253 4000 K
1901254 6400 K

F



80x111

E27

Classic LED D80 Opal

6.5 W 720 lm DF>0.5

1901261 2700 K
1901263 4000 K
1901264 6400 K

E



80x111

E27 360°

Classic LED D80 Opal

8 W 965 lm DF>0.5

1901231 2700 K
1901233 4000 K
1901234 6400 K

E



80x111

E27 360°

Classic LED D80 Opal

11 W 1350 lm DF>0.7

1901241 2700 K
1901243 4000 K
1901244 6400 K

E



80x111

E27 360° Dimmable

Classic LED D80 Opal

8 W 965 lm DF>0.5

1901271 2700 K
1901273 4000 K
1901274 6400 K

E



80x111

E27

Classic LED D80 Opal

11 W 1350 lm DF>0.7

1901281 2700 K
1901283 4000 K
1901284 6400 K

E



80x111



Classic LED **Globe Opal D95**



Classic LED **Globe D95 Opal Dimmable**

E27 360°

Classic LED D95 Opal

4 W 425 lm DF>0.5

1901291 2700 K
1901293 4000 K
1901294 6400 K



95x130

E27 360°

Classic LED D95 Opal

6.5 W 720 lm DF>0.5

1901301 2700 K
1901303 4000 K
1901304 6400 K



95x130

E27 360° Dimmable

Classic LED D95 Opal

4 W 425 lm DF>0.5

1901331 2700 K
1901333 4000 K
1901334 6400 K



95x130

E27 360° Dimmable

Classic LED D95 Opal

6.5 W 720 lm DF>0.5

1901341 2700 K
1901343 4000 K
1901344 6400 K



95x130

E27 360°

Classic LED D95 Opal

8 W 965 lm DF>0.5

1901311 2700 K
1901313 4000 K
1901314 6400 K



95x130

E27 360°

Classic LED D95 Opal

11 W 1350 lm DF>0.7

1901321 2700 K
1901323 4000 K
1901324 6400 K



95x130

E27 360° Dimmable

Classic LED D95 Opal

8 W 965 lm DF>0.5

1901351 2700 K
1901353 4000 K
1901354 6400 K



95x130

E27 360° Dimmable

Classic LED D95 Opal

11 W 1350 lm DF>0.7

1901361 2700 K
1901363 4000 K
1901364 6400 K



95x130



Classic LED **Globe D125 Opal**



Classic LED **Globe D125 Opal Dimmable**

E27 360°

Classic LED D125 Opal

4 W 425 lm DF>0.5

1901371 2700 K

1901373 4000 K

1901374 6400 K

F



125x170

E27 360°

Classic LED D125 Opal

6.5 W 720 lm DF>0.5

1901381 2700 K

1901383 4000 K

1901384 6400 K

E



125x170

E27 360° Dimmable

Classic LED D125 Opal

4 W 425 lm DF>0.5

1901411 2700 K

1901413 4000 K

1901414 6400 K

F



125x170

E27 360° Dimmable

Classic LED D125 Opal

6.5 W 720 lm DF>0.5

1901421 2700 K

1901423 4000 K

1901424 6400 K

E



125x170

E27 360°

Classic LED D125 Opal

8 W 965 lm DF>0.5

1901391 2700 K

1901393 4000 K

1901394 6400 K

E



125x170

E27 360°

Classic LED D125 Opal

11 W 1350 lm DF>0.7

1901401 2700 K

1901403 4000 K

1901404 6400 K

E



125x170

E27 360° Dimmable

Classic LED D125 Opal

8 W 965 lm DF>0.5

1901431 2700 K

1901433 4000 K

1901434 6400 K

E



125x170

E27 360° Dimmable

Classic LED D125 Opal

11 W 1350 lm DF>0.7

1901441 2700 K

1901443 4000 K

1901444 6400 K

E



125x170

LUXRAM

Classic LED High Efficient



Classic LED GLS

470-1500lm
2.2W/3.6W/4.8W/6.8W
>210lm/W



Classic LED Candle/Candle Tip/Ball

E14/E27
470-1500lm
2.2W/3.6W/4.8W/6.8W
>210lm/W



Classic LED Globe

D80/D95/D125
470-1500lm
2.2W/3.6W/4.8W/6.8W
>210lm/W



Classic LED Rustica Tradition Tip

470-1500lm
2.2W/3.6W/4.8W/6.8W
>210lm/W



Classic LED GLS Opal

420-1300lm
2.2W/3.6W/4.8W/6.8W
>190lm/W



Classic LED Opal Candle /Candle Tip/Ball

E14 E27
420-1300lm
2.2W/3.6W/4.8W/6.8W
>190lm/W



Classic LED Globe Opal

D80/D95/D125
420-1300lm
2.2W/3.6W/4.8W/6.8W
>190lm/W



Classic LED High Efficient **GLS**



Classic LED High Efficient **Candle**

E27 360°

Classic LED GLS

2.2 W 470 lm DF>0.5

1902122 2700 K
1902123 4000 K
1902124 6400 K



60x105

E27 360°

Classic LED GLS

3.6 W 806 lm DF>0.5

1902122 2700 K
1902123 4000 K
1902124 6400 K



60x105

E14 360°

Classic LED Candle

2.2 W 470 lm DF>0.5

1902152 2700 K
1902153 4000 K
1902154 6400 K



35x100

E14 360°

Classic LED Candle

3.6 W 806 lm DF>0.5

1902162 2700 K
1902163 4000 K
1902164 6400 K



35x100

E27 360°

Classic LED GLS

4.8 W 1055 lm DF>0.5

1902132 2700 K
1902133 4000 K
1902134 6400 K



60x105

E27 360°

Classic LED GLS

6.8 W 1500 lm DF>0.5

1902142 2700 K
1902143 4000 K
1902144 6400 K



60x105

E14 360°

Classic LED Candle

4.8 W 1055 lm DF>0.5

1902172 2700 K
1902173 4000 K
1902174 6400 K



35x100

E14 360°

Classic LED Candle

6.8 W 1500 lm DF>0.5

1902182 2700 K
1902183 4000 K
1902184 6400 K



35x100



Classic LED High Efficient **Candle Tip**



Classic LED High Efficient **Ball E14**

E14 360°

Classic LED Candle Tip

2.2 W 470 lm DF>0.5

1902192 2700 K
1902193 4000 K
1902194 6400 K



35x115

E14 360°

Classic LED Candle Tip

3.6 W 806 lm DF>0.5

1902212 2700 K
1902213 4000 K
1902214 6400 K



35x115

E14 360°

Classic LED Ball

2.2 W 470 lm DF>0.5

1902242 2700 K
1902243 4000 K
1902244 6400 K



45x78

E14 360°

Classic LED Ball

3.6 W 806 lm DF>0.5

1902252 2700 K
1902253 4000 K
1902254 6400 K



45x78

E14 360°

Classic LED Candle Tip

4.8 W 1055 lm DF>0.5

1902222 2700 K
1902223 4000 K
1902224 6400 K



35x115

E14 360°

Classic LED Candle Tip

6.8 W 1500 lm DF>0.5

1902232 2700 K
1902233 4000 K
1902234 6400 K



35x115

E14 360°

Classic LED Ball

4.8 W 1055lm DF>0.5

1902262 2700 K
1902263 4000 K
1902264 6400 K



45x78

E14 360°

Classic LED Ball

6.8 W 1500lm DF>0.5

1902272 2700 K
1902273 4000 K
1902274 6400 K



45x78



Classic LED High Efficient **Ball E27**

Classic LED High Efficient **Globe D80**

E27 360°

Classic LED Ball

2.2 W 470 lm DF>0.5

1902282 2700 K
1902283 4000 K
1902284 6400 K



45x73

E27 360°

Classic LED Ball

3.6 W 806 lm DF>0.5

1902292 2700 K
1902293 4000 K
1902294 6400 K



45x73

E27 360°

Classic LED D80

2.2 W 470 lm DF>0.5

1902332 2700 K
1902333 4000 K
1902334 6400 K



80x120

E27 360°

Classic LED D80

3.6 W 806 lm DF>0.5

1902342 2700 K
1902343 4000 K
1902344 6400 K



80x120

E27 360°

Classic LED Ball

4.8 W 1055lm DF>0.5

1902312 2700 K
1902313 4000 K
1902314 6400 K



45x73

E27 360°

Classic LED Ball

6.8 W 1500lm DF>0.5

1902322 2700 K
1902323 4000 K
1902324 6400 K



45x73

E27 360°

Classic LED D80

4.8 W 1055 lm DF>0.5

1902352 2700 K
1902353 4000 K
1902354 6400 K



80x120

E27 360°

Classic LED D80

6.8 W 1500 lm DF>0.5

1902362 2700 K
1902363 4000 K
1902364 6400 K



80x120



Classic LED High Efficient **Globe D95**



Classic LED High Efficient **Globe 125**

E27 360°

Classic LED D95

2.2 W 470 lm DF>0.5

1902372 2700 K
1902373 4000 K
1902374 6400 K



95×142

E27 360°

Classic LED D95

3.6 W 806 lm DF>0.5

1902382 2700 K
1902383 4000 K
1902394 6400 K



95×142

E27 360°

Classic LED D125

2.2 W 470 lm DF>0.5

1902432 2700 K
1902433 4000 K
1902434 6400 K



125×170

E27 360°

Classic LED D125

3.6 W 806 lm DF>0.5

1902442 2700 K
1902443 4000 K
1902444 6400 K



125×170

E27 360°

Classic LED D95

4.8 W 1055 lm DF>0.5

1902412 2700 K
1902413 4000 K
1902414 6400 K



95×142

E27 360°

Classic LED D95

6.8 W 1500 lm DF>0.5

1902422 2700 K
1902423 4000 K
1902424 6400 K



95×142

E27 360°

Classic LED D125

4.8 W 1055 lm DF>0.5

1902452 2700 K
1902453 4000 K
1902454 6400 K



125×170

E27 360°

Classic LED D125

6.8 W 1500 lm DF>0.5

1902462 2700 K
1902463 4000 K
1902464 6400 K



125×170



Classic LED High Efficient
Rustica Tradition Tip



Classic LED High Efficient GLS Opal

E27 300°

Classic LED Rustica Tradition Tip

2.2 W 470 lm DF>0.5

1902472 2700 K
1902473 4000 K
1902474 6400 K



64x143

E27 300°

Classic LED Rustica Tradition Tip

3.6 W 806 lm DF>0.5

1902482 2700 K
1902483 4000 K
1902484 6400 K



64x143

E27 360°

Classic LED GLS Opal

2.2 W 420 lm DF>0.5

1902522 2700 K
1902523 4000 K
1902524 6400 K



60x106

E27 360°

Classic LED GLS Opal

3.6 W 680 lm DF>0.5

1902532 2700 K
1902533 4000 K
1902534 6400 K



60x106

E27 300°

Classic LED Rustica Tradition Tip

4.8 W 1055 lm DF>0.5

1902492 2700 K
1902493 4000 K
1902494 6400 K



64x143

E27 300°

Classic LED Rustica Tradition Tip

6.8 W 1500 lm DF>0.5

1902512 2700 K
1902513 4000 K
1902514 6400 K



64x143

E27 360°

Classic LED GLS Opal

4.8 W 900 lm DF>0.5

1902542 2700 K
1902543 4000 K
1902544 6400 K



60x106

E27 360°

Classic LED GLS Opal

6.8 W 1300 lm DF>0.5

1902552 2700 K
1902553 4000 K
1902554 6400 K



60x106



Classic LED High Efficient **Candle Opal**



Classic LED High Efficient **Candle Tip Opal**

E14 360°

Classic LED Candle Opal

2.2 W 420 lm DF>0.5

1902562 2700 K
1902563 4000 K
1902564 6400 K



35x100

E14 360°

Classic LED Candle Opal

3.6 W 680 lm DF>0.5

1902572 2700 K
1902573 4000 K
1902574 6400 K



35x100

E14 360°

Classic LED Candle Tip Opal

2.2 W 420 lm DF>0.5

1902612 2700 K
1902613 4000 K
1902614 6400 K



35x115

E14 360°

Classic LED Candle Tip Opal

3.6 W 680 lm DF>0.5

1902622 2700 K
1902623 4000 K
1902624 6400 K



35x115

E14 360°

Classic LED Candle Opal

4.8 W 900 lm DF>0.5

1902582 2700 K
1902583 4000 K
1902584 6400 K



35x100

E14 360°

Classic LED Candle Opal

6.8 W 1300 lm DF>0.5

1902592 2700 K
1902593 4000 K
1902594 6400 K



35x100

E14 360°

Classic LED Candle Tip Opal

4.8 W 900 lm DF>0.5

1902632 2700 K
1902633 4000 K
1902634 6400 K



35x115

E14 360°

Classic LED Candle Tip Opal

6.8 W 1300 lm DF>0.5

1902642 2700 K
1902643 4000 K
1902644 6400 K



35x115



Classic LED High Efficient **Ball E14 Opal**



Classic LED High Efficient **Ball E27 Opal**

E14 360°

Classic LED Ball Opal

2.2 W 420 lm DF>0.5

1902942 3000 K
1902943 4000 K
1902944 6400 K



45x78

E14 360°

Classic LED Ball Opal

3.6 W 680 lm DF>0.5

1902952 3000 K
1902953 4000 K
1902954 6400 K



45x78

E27 360°

Classic LED Ball Opal

2.2 W 420 lm DF>0.5

1902982 3000 K
1902983 4000 K
1902984 6400 K



45x73

E27 360°

Classic LED Ball Opal

3.6 W 680 lm DF>0.5

1902992 3000 K
1902993 4000 K
1902994 6400 K



45x73

E14 360°

Classic LED Ball Opal

4.8 W 900 lm DF>0.5

1902962 3000 K
1902963 4000 K
1902964 6400 K



45x78

E14 360°

Classic LED Ball Opal

6.8 W 1300 lm DF>0.5

1902972 3000 K
1902973 4000 K
1902974 6400 K



45x78

E27 360°

Classic LED Ball Opal

4.8 W 900 lm DF>0.5

1903112 3000 K
1903113 4000 K
1903114 6400 K



45x73

E27 360°

Classic LED Ball Opal

6.8 W 1300 lm DF>0.5

1903122 3000 K
1903123 4000 K
1903124 6400 K



45x73



Classic LED High Efficient **Globe D80 Opal**



Classic LED High Efficient **Globe Opal D95**

E27 360°
Classic LED D80 Opal
 2.2 W 420 lm DF>0.5
 1902742 2700 K
 1902743 4000 K
 1902744 6400 K



80x111

E27 360°
Classic LED D80 Opal
 3.6 W 680 lm DF>0.5
 1902752 2700 K
 1902753 4000 K
 1902754 6400 K



80x111

E27 360°
Classic LED D95 Opal
 2.2 W 420 lm DF>0.5
 1902782 2700 K
 1902783 4000 K
 1902784 6400 K



95x130

E27 360°
Classic LED D95 Opal
 3.6 W 680 lm DF>0.5
 1902792 2700 K
 1902793 4000 K
 1902794 6400 K



95x130

E27 360°
Classic LED D80 Opal
 4.8 W 900 lm DF>0.5
 1902762 2700 K
 1902763 4000 K
 1902764 6400 K



80x111

E27 360°
Classic LED D80 Opal
 6.8 W 1300 lm DF>0.5
 1902772 2700 K
 1902773 4000 K
 1902774 6400 K



80x111

E27 360°
Classic LED D95 Opal
 4.8 W 900 lm DF>0.5
 1902812 2700 K
 1902813 4000 K
 1902814 6400 K



95x130

E27 360°
Classic LED D95 Opal
 6.8 W 1300 lm DF>0.5
 1902822 2700 K
 1902823 4000 K
 1902824 6400 K



95x130



Classic LED High Efficient Globe D125 Opal

E27 360°

Classic LED D125 Opal

2.2 W 420 lm DF>0.5

1902832 2700 K
1902833 4000 K
1902834 6400 K



125x170

E27 360°

Classic LED D125 Opal

3.6 W 680 lm DF>0.5

1902842 2700 K
1902843 4000 K
1902844 6400 K



125x170

E27 360°

Classic LED D125 Opal

4.8 W 900 lm DF>0.5

1902852 2700 K
1902853 4000 K
1902854 6400 K



125x170

E27 360°

Classic LED D125 Opal

6.8 W 1300 lm DF>0.5

1902862 2700 K
1902863 4000 K
1902864 6400 K



125x170



Classic LED High Efficient

470-1500lm >210lm/W

2.2W 210lm/W

High Efficient LED

40W

Incandescent lamp



Energy Saving **95%**

*Save over 95% on electricity by replacing 40W incandescent lamp with 2.2W LED.

More version options

 Watt	Lumen	Efficiency	 Benchmark wattage
2.2W	470lm	>210lm/W	40W
3.6W	806lm	>210lm/W	60W
4.8W	1055lm	>210lm/W	75W
6.8W	1500lm	>210lm/W	100W



High CRI
CRI≥80 ensures vivid visual.



CRI≥70



No Flicker
Protect your eyes



More Product Choices

Classic LED

GLS/Candle/Candle Tip/Ball/Globe/Rustica Tradition Tip

A



Classic LED Opal

GLS/Candle/Candle Tip/Ball/Globe

B



LUXRAM

Classic Vintage



Classic Vintage
LED GLS
4W/5W/6.5W/8W/12W
Optional Dimmable



Classic Vintage LED
Candle/Candle Tip/Candle Twisted/Ball
E14/E27
2W/4W/5W/6.5W/8W
Optional Dimmable



Classic Vintage LED GLOBE
D80/D95/D125
4W/5W/6.5W/8W/12W
Optional Dimmable



Classic Vintage LED Rustica Tradition Tip
4W/6.5W/8W
Optional Dimmable



Classic LED Vintage GLS



Classic LED Vintage Candle

E27 300°

Classic Vintage LED GLS

4 W 330 lm DF>0.5
1901451 2700 K



60x106

E27 300°

Classic Vintage LED GLS

5 W 470 lm DF>0.5
1901461 2200 K



60x106

E27 300°

Classic Vintage LED GLS

6.5 W 630 lm DF>0.5
1901471 2700 K



60x106

E27 300°

Classic Vintage LED GLS

8 W 806 lm DF>0.5
1901481 2200 K



60x106

E27 300°

Classic Vintage LED GLS

12 W 1200 lm DF>0.5
1901491 2200 K



60x106

E14 300°

Classic Vintage LED Candle

2 W 170 lm DF>0.5
1901501 2200 K



35x100

E14 300°

Classic Vintage LED Candle

4 W 330 lm DF>0.5
1901511 2200 K



35x100

E14 300°

Classic Vintage LED Candle

5 W 470 lm DF>0.5
1901521 2200 K



35x100

E14 300°

Classic Vintage LED Candle

6.5 W 630 lm DF>0.5
1901531 2200 K



35x100



Classic LED Vintage Candle Tip



Classic LED Vintage Candle Twisted

E14 300°

Classic LED Vintage Candle Tip

2 W 170 lm DF>0.5
1901541 2200 K



35x115

E14 300°

Classic LED Vintage Candle Tip

4 W 330 lm DF>0.5
1901551 2200 K



35x115

E14 300°

Classic Vintage LED Candle

2 W 170 lm DF>0.5
1901581 2200 K



35x96

E14 300°

Classic Vintage LED Candle

4 W 330 lm DF>0.5
1901591 2200 K



35x96

E14 300°

Classic LED Vintage Candle Tip

5 W 470 lm DF>0.5
1901561 2200 K



35x115

E14 300°

Classic LED Vintage Candle Tip

6.5 W 630 lm DF>0.5
1901571 2200 K



35x115

E14 300°

Classic Vintage LED Candle

5 W 470 lm DF>0.5
1901601 2200 K



35x96

E14 300°

Classic Vintage LED Candle

6.5 W 630 lm DF>0.5
1901611 2200 K



35x96



Classic LED Vintage E14 Ball



Classic LED Vintage E27 Ball

E14 300°

Classic LED Vintage E14 Ball

2 W 170 lm DF>0.5
1901621 2200 K



45x78

E14 300°

Classic LED Vintage E14 Ball

4 W 330 lm DF>0.5
1901631 2200 K



45x78

E27 300°

Classic LED Vintage E27 Ball

2 W 170 lm DF>0.5
1901661 2200 K



45x73

E27 300°

Classic LED Vintage E27 Ball

4 W 330 lm DF>0.5
1901671 2200 K



45x73

E14 300°

Classic LED Vintage E14 Ball

5 W 470 lm DF>0.5
1901641 2200 K



45x78

E14 300°

Classic LED Vintage E14 Ball

6.5 W 630 lm DF>0.5
1901651 2200 K



45x78

E27 300°

Classic LED Vintage E27 Ball

5 W 470 lm DF>0.5
1901681 2200 K



45x73


E27 300°

Classic LED Vintage E27 Ball


6.5 W 630 lm DF>0.5
1901691 2200 K



45x73



Classic LED Vintage Globe D80



Classic LED Vintage Globe D95

E27 300°

Classic LED Vintage Globe D80

4 W 330 lm DF>0.5
1901701 2200 K



E27 300°

Classic LED Vintage Globe D80

6.5 W 630 lm DF>0.5
1901721 2200 K



E27 300°

Classic LED Vintage Globe D80

12 W 1200 lm DF>0.5
1901741 2200 K



E27 300°

Classic LED Vintage Globe D80

5 W 470 lm DF>0.5
1901711 2200 K



E27 300°

Classic LED Vintage Globe D80

8 W 806 lm DF>0.5
1901731 2200 K



E27 300°

Classic LED Vintage Globe D95

4 W 330 lm DF>0.5
1901751 2200 K



E27 300°

Classic LED Vintage Globe D95

6.5 W 630 lm DF>0.5
1901771 2200 K



E27 300°

Classic LED Vintage Globe D95

12 W 1200 lm DF>0.5
1901791 2200 K



E27 300°

Classic LED Vintage Globe D95

5 W 470 lm DF>0.5
1901761 2200 K




E27 300°

Classic LED Vintage Globe D95

8 W 806 lm DF>0.5
1901781 2200 K





Classic LED Vintage Globe D125



Classic LED Vintage Rustica Tradition Tip

E27 300°

Classic LED Vintage Globe D125

4 W 330 lm DF>0.5
1901801 2200 K



125x170

E27 300°

Classic LED Vintage Globe D125

6.5 W 630 lm DF>0.5
1901821 2200 K



125x170

E27 300°

Classic LED Vintage Globe D125

12 W 1200 lm DF>0.5
1901841 2200 K



125x170

E27 300°

Classic LED Vintage Globe D125

5 W 470 lm DF>0.5
1901811 2200 K



125x170

E27 300°

Classic LED Vintage Globe D125

8 W 806 lm DF>0.5
1901831 2200 K



125x170

E27 300°

Vintage Rustica Tradition Tip

4 W 330 lm DF>0.5
1901851 2200 K



64x143

E27 300°

Vintage Rustica Tradition Tip

8 W 806 lm DF>0.5
1901871 2200 K



64x143

E27 300°

Vintage Rustica Tradition Tip

6.5 W 630 lm DF>0.5
1901861 2200 K



64x143

LUXRAM

Special Application



CapsuLED G9
Super Slim



Pixy LED G9
Up to 7W
High performance
Up to 680lm



Pixy LED G9 CCT
CCT 3000K/6400K/4000K
ON/OFF



Pixy LED G9
Dimmable
DUO-IC
Dimmable
Flickering free



Halo LED G9
Extra warm white available
2200K



Halo LED G9
Flickering free
Flickering free



CapsuLED G4
Super Slim



Pixy LED G4
High performance
Up to 360lm



Silicon LED G4
Small volume
10x36
9x31
Halogen G4



ST22/ST26



Pixy LED
R7s
Super Slim



Pixy LED R7s
Dimmable
DUO-IC
Dimmable
Flickering free



Capsu LED

G9 300°

CapsuLED G9 Super Slim

2 W 200 lm PF>0.5
1050002 3000 K
1050003 4000 K
1050004 6400 K



16x48




Pixy LED

G9 360°

Pixy LED G9 High performance

3 W 300 lm PF>0.5
1070202 3000 K
1070203 4000 K
1070204 6400 K



16x50

G9 360°

Pixy LED G9 High performance

4 W 400 lm PF>0.5
1070212 3000 K
1070213 4000 K
1070214 6400 K



16x50

G9 360°

Pixy LED G9 High performance

6 W 500 lm PF>0.5
1070222 3000 K
1070223 4000 K
1070224 6400 K



16x62

G9 360°

Pixy LED G9 High performance

7 W 600 lm PF>0.5
1070232 3000 K
1070233 4000 K
1070234 6400 K



18x64



Pixy LED G9 CCT

G9 360°

Pixy LED G9 CCT

5 W 450 lm PF>0.5
1070086 3000 K
4000 K
6400 K



16x50



Pixy LED G9 Dimmable

G9 360°

Pixy LED G9 Dimmable

4 W 400 lm PF>0.9
1070242 3000 K
1070243 4000 K
1070244 6400 K



16x50

G9 360°

Pixy LED G9 Dimmable

6 W 600 lm PF>0.9
1070252 3000 K
1070253 4000 K
1070254 6400 K



19x68


LUXRAM

Pixy LED G9 Dimmable



Deep dimming, Flickering free

0%, 1%-100% Deep dimming, Flickering free



Perfect 360 degree lighting nodamk area 360° uniform luminosity



SMD 33 LEDs

3 additional LEDs on the top of the lamp,
perfect for 360° beam angle

Dual-IC design

combined high dimmable performance and
flickering free function together

Compatible with all dimmers on the market





Halo LED G9

G9 360°

Halo LED G9

1.5 W 180 lm DF>0.9
1060102 3000 K
1060103 4000 K
1060104 6400K



14x50

G9 360°

Halo LED G9

2 W 200 lm DF>0.9
1060112 3000 K
1060113 4000 K
1060114 6400K



14x50

G9 360°

Halo LED G9

2.5 W 250 lm DF>0.9
1060122 3000 K
1060123 4000 K
1060124 6400K



14x50

G9 360°

Halo LED G9

3 W 300 lm DF>0.9
1060132 3000 K
1060133 4000 K
1060134 6400K



16x60

G9 360°

Halo LED G9

4 W 400 lm DF>0.9
1060142 3000 K
1060143 4000 K
1060144 6400K



16x60



Halo LED G9 Flickering free

G9 360°

Halo LED G9 Flickering free

2 W 250 lm PF>0.5
1060152 3000 K
1060153 4000 K
1060154 6400 K



16x60


G9 360°

Halo LED G9 Flickering free

3 W 470 lm PF>0.5
1060162 3000 K
1060163 4000 K
1060164 6400 K



16x60



Halo LED G9

Flickering free



360°

COB
PF 0.9



360°

COB
PF 0.5
Flickering free

105°C

Temperature resistance
electrolytic capacitors

*Dissipation solution
by built-in ceramics*

COB

360° uniform
luminosity

Built-in
electrolytic
capacitors

105°C

Temperature resistance
electrolytic capacitors



Ceramic

High power G9,
the perfect heat
dissipation
solution by
built-in ceramics



2700K/3000K/
4000K/6400K

Extra warm white available
2200K



14x50



13x41



*Closely mimics traditional halogen G9,
enhancing its decorative appeal.*

Invisible transparent glass body is ideal
for decorative lighting



Capsu LED G4 Super Slim

G4 300°

CapsuLED G4 Super Slim

2 W 140 lm PF>0.5

1051012 3000 K

1051013 4000 K

1051014 6400 K



12x36



Pixy LED G4 High performance

G4 300°

Pixy LED G4 High performance

2 W 250 lm PF>0.5

1072032 3000 K

1072033 4000 K

1072034 6400 K



11x37

G4 300°

Pixy LED G4 High performance

3 W 360 lm PF>0.5

1072042 3000 K

1072043 4000 K

1072044 6400 K



13x44



Silicon LED G4 COB

G4 360°

Silicon LED G4 COB

1.5 W 110 lm PF>0.7

1080022 3000 K

1080023 4000 K

1080024 6400 K



10x36

G4 360°

Silicon LED G4 COB

2 W 160 lm PF>0.5

1080002 3000 K

1080003 4000 K

1080004 6400 K



10x32

G4 360°

Silicon LED G4 COB

3 W 250 lm PF>0.5

1080012 3000 K

1080013 4000 K

1080014 6400 K



15x36



Pixy LED ST22/26

E14 300°

Pixy LED G4 High performance

1.5 W 138 lm PF>0.5

1072052 3000 K

1072053 4000 K

1072054 6400 K



22x50

E14 300°

Pixy LED G4 High performance

1.5 W 138 lm PF>0.5

1072072 3000 K

1072073 4000 K

1072074 6400 K



22x50



Pixy LED R7s Super Slim

R7s 360°

Pixy LED R7s Super Slim

6 W 600 lm PF>0.5

1072102 3000 K

1072103 4000 K

1072104 6400 K



15x78

R7s 360°

Pixy LED R7s Super Slim

10 W 1055 lm PF>0.5

1072112 3000 K

1072113 4000 K

1072114 6400 K



15x118



Pixy LED R7s Dimmable

R7s 360°

Pixy LED R7s Dimmable

6 W 600 lm PF>0.9

1072102 3000 K

1072103 4000 K

1072104 6400 K



20x78

R7s 360°

Pixy LED R7s Dimmable

10 W 1055 lm PF>0.9

1072112 3000 K

1072113 4000 K

1072114 6400 K



20x118

