

Catalogue

North America

LUXRAM®

LUXRAM

Panel Backlight		Troffer With Light Source		Down-Light Ultra Slim	
Retrofit Downlight Ultra Slim		Surface Mount Downlight		Linear High Bay	
Ufo High Bay		Led Parking Lot Light		Floodlight	
Wall Pack Light		Canopy Light		Barn Light	
Stadium Light Hood and laser aimer Optional		Tri-proof Light		Garden Light Ultra Slim	
Lawn Light		Surf Light		Wall Light	

LUXRAM

PANEL LED

Sheetrock Flange Kits / Surface Mount Frame Kits



Backlight
2'x2' 1'x4' 2'x4'



PANEL LED



PANEL LED

LUXRAM




Panel LED

Backlight



0-10V DIMMABLE
WATTAGE ADJUSTABLE
3 CCT SELECT



110lm/W(LPW) / CRI > 80 / 50,000h / PF 0.9
IP20 / 120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Adjustable Lumens Dimmable SIZE

3CCT Adjustable (3000K-4000K-5000K)

5010014	20W-30W-40W	2200lm-3300lm-4400lm	0-10V	W2' x L2' x H0.09"
5010024	20W-30W-40W	2200lm-3300lm-4400lm	0-10V	W1' x L4' x H0.09"
5010034	30W-40W-50W	3300lm-4400lm-5500lm	0-10V	W2' x L4' x H0.09"

Accessories (Sold Separately)

50190141 Emergency Driver 100-277V for 2x2, 2x4 and 1x4 with Mounting Plate

LUXRAM

Troffer

Integrated light source



Troffer X²

Multi-power Adjustable
3CCT Adjustable



**TROFFER
LED**



TROFFER LED

LUXRAM



Troffer X²

Integrated light source

0-10V DIMMABLE
WATTAGE ADJUSTABLE
3 CCT SELECT



125lm/W(LPW) / CRI > 80 CRI > 90 / 50,000h
IP20 / 120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Adjustable Lumens Dimmable SIZE

3CCT Adjustable (3000K-4000K-5000K)

5020014	20W-30W-40W	2500lm-3750lm-5000lm	0-10V	2'x2'
5020024	30W-40W-50W	3750lm-5000lm-6250lm	0-10V	2'x4'

LUXRAM

Downlight

Ultra Slim



ROUND

9W/12W/15W



SQUARE

9W/12W/15W



DOWNLIGHT



DOWNLIGHT


LUXRAM



Downlight

Ultra Slim - ROUND & 5CCT

TRIAC DIMMABLE
5 CCT SELECT



80lmW(LPW) / CRI > 80 / 50,000h / PF 0.9
IP20 / 120-277V / 120-347V / 120-480V / 50/60Hz

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

	Wattage	Lumens	Dimmable	SIZE
5030017	9W	720lm	Triac Dimmable	Ø5.51"×H1.26"
5030027	12W	960lm	Triac Dimmable	Ø7.09"×H1.26"
5030037	15W	1200lm	Triac Dimmable	Ø7.28"×H1.26"

Accessories (Sold Separately)

5039011	4" Round Pre Mounting Plate
5039021	6" Round Pre Mounting Plate
5039031	Universal Plate for 4/6" Disk Light



DOWNLIGHT


LUXRAM



Downlight

Ultra Slim - SQUARE & 5CCT

TRIAC DIMMABLE
5 CCT SELECT



80lmW(LPW) / CRI>80 / 50,000h / PF 0.9
IP20 / 120-277V / 120-347V / 120-480V / 50/60Hz

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

	Wattage	Lumens Max	Dimmable	SIZE
5030517	9W	720lm	Triac Dimmable	Ø5.51"xH1.26"
5030527	12W	960lm	Triac Dimmable	Ø7.28"xH1.26"
5030537	15W	1200lm	Triac Dimmable	Ø7.28"xH1.26"

Accessories (Sold Separately)

5039011	4" Round Pre Mounting Plate
5039021	6" Round Pre Mounting Plate
5039031	Universal Plate for 4/6" Disk Light

LUXRAM

Retrofit Downlight

Ultra Slim



ROUND

4"/6"



SQUARE

4"/5"



Adjustable Beam Angle

4"/6"



RETROFIT DOWNLIGHT



RETROFIT DOWNLIGHT


LUXRAM



Retrofit Downlight

Ultra Slim - ROUND & 5CCT

TRIAC DIMMABLE
WATTAGE ADJUSTABLE
5 CCT SELECT



83lmW(LPW) / CRI > 80 / 50,000h / PF 0.9 / IP20
120-277V / 120-347V / 120-480V / 50/60Hz

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

	Wattage Adjustable	Lumens	Dimmable	SIZE
5040017	5W-7W-9W	450lm-650lm-750lm	Triac Dimmable	Φ5.51"×H2.76"
5040027	5W-7W-9W	450lm-650lm-750lm	Triac Dimmable	Φ7.36"×H3.15"
5040037	7W-9W-12W	650lm-850lm-1000lm	Triac Dimmable	Φ7.36"×H3.15"
5040047	9W-12W-14W	850lm-1000lm-1200lm	Triac Dimmable	Φ7.36"×H3.15"

Accessories (Sold Separately)

5049011	4" Round Pre-Mounting Plate
5049021	Universal Plate for 4/6" Disk Light
5049031	6" Round Pre-Mounting Long Plate
5049041	T-Grid Hanger for Emergency Driver



LUXRAM



Retrofit Downlight

Ultra Slim - SQUARE & 5CCT



TRIAC DIMMABLE
WATTAGE ADJUSTABLE
5 CCT SELECT



83lmW(LPW) / CRI > 80 / 50,000h / PF 0.9 / IP20
120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Adjustable Lumens Dimmable SIZE

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

5040517	5W-7W-9W	450lm-650lm-750lm	Triac Dimmable	Φ4.96"xH2.64"
5040527	5W-7W-9W	450lm-650lm-750lm	Triac Dimmable	Φ6.73"xH3.15"
5040537	7W-9W-12W	650lm-850lm-1000lm	Triac Dimmable	Φ6.73"xH3.15"
5040547	9W-12W-14W	850lm-1000lm-1200lm	Triac Dimmable	Φ6.73"xH3.15"

Accessories (Sold Separately)

5049011	4" Round Pre-Mounting Plate
5049021	Universal Plate for 4/6" Disk Light
5049031	6" Round Pre-Mounting Long Plate
5049041	T-Grid Hanger for Emergency Driver



RETROFIT DOWNLIGHT


LUXRAM



Retrofit Downlight

Ultra Slim - Adjustable Beam Angle & 5CCT

TRIAC DIMMABLE
WATTAGE ADJUSTABLE
5 CCT SELECT



83lmW(LPW) / CRI>80 / 50,000h / PF 0.9 / IP20
120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Adjustable Lumens Dimmable SIZE

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

5041017	5W-7W-9W	450lm-650lm-750lm	Triac Dimmable	Φ5.51"×H2.52"
5041027	5W-7W-9W	450lm-650lm-750lm	Triac Dimmable	Φ7.36"×H2.83"
5041037	7W-9W-12W	650lm-850lm-1000lm	Triac Dimmable	Φ7.36"×H2.83"
5041047	9W-12W-14W	850lm-1000lm-1200lm	Triac Dimmable	Φ7.36"×H2.83"

Accessories (Sold Separately)

5049111	4" Round Pre-Mounting Plate
5049121	Universal Plate for 4/6" Disk Light
5049131	6" Round Pre-Mounting Long Plate
5049141	T-Grid Hanger for Emergency Driver

LUXRAM

Surface Mount Downlight

Surface mounted



Ceiling Mount Downlight

Surface mounted & 5CCT



Surface Mount Downlight

Surface mounted & 5CCT



SURFACE MOUNT DOWNLIGHT



CEILING MOUNT DOWNLIGHT

LUXRAM




Ceiling Mount Downlight

Surface mounted



TRIAC DIMMABLE
5 CCT SELECT
MOUNTING SPRINGS FOR QUICK AND SIMPLE INSTALLATION
MATERIAL OPTIONAL : ALUMINUM / PC / IRON
COLOR OPTIONAL : BLACK / WHITE / CAFE / NICKEL / BRONZE



70lm/W(LPW) / CRI>80 / 50,000h / PF 0.9 / IP20
120-277V / 120-347V / 120-480V / 50/60Hz

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

	Wattage	Lumens Max	Dimmable	SIZE
5050017	9W	630lm	Triac Dimmable	Φ5.91"×H1.02"
5050027	9W	630lm	Triac Dimmable	Φ7.4"×H1.02"
5050037	12W	840lm	Triac Dimmable	Φ7.4"×H1.02"
5050047	14W	840lm	Triac Dimmable	Φ7.4"×H1.02"

Installation

5059011	Junction-box
5059021	Recessed Can

Installation





SURFACE MOUNT DOWNLIGHT

LUXRAM



Surface Mount Downlight

Surface mounted

TRIAC DIMMABLE
WATTAGE ADJUSTABLE
5 CCT SELECT
MOUNTING SPRINGS FOR QUICK AND SIMPLE INSTALLATION



100lm/W(LPW) / CRI > 80 / 50,000h / PF 0.9 / IP20
120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Adjustable	Lumens	Dimmable	SIZE
--------------------	--------	----------	------

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

5050517	8W-10W-12W	800lm-1000lm-1200lm	Triac Dimmable	Ø7.09"×H0.66"
5050527	12W-15W-18W	1200lm-1500lm-1800lm	Triac Dimmable	Ø8.58"×H0.66"
5050537	16W-20W-24W	1600lm-2000lm-2400lm	Triac Dimmable	Ø11.81"×H0.66"
5050547	24W-28W-32W	2400lm-2800lm-3200lm	Triac Dimmable	Ø14.96"×H0.66"
5050557	32W-36W-40W	3200lm-3600lm-4000lm	Triac Dimmable	Ø18.9"×H0.66"

LUXRAM

Linear High Bay


Die-cast Aluminum / Sensors for Optional




Linear High Bay

Optional SENSOR

**LINEAR
HIGH BAY**





LUXRAM



Linear High Bay

Die-cast Aluminum / Sensors for Optional

0-10V DIMMABLE
MOTION SENSOR
5 CCT SELECT
MOUNTING SPRINGS FOR QUICK AND SIMPLE INSTALLATION



110lm/W(LPW) / CRI>80 / 50,000h / PF 0.9
IP20 / 120-277V / 120-347V / 120-480V / 50/60Hz

Wattage

Lumens

Dimmable

SIZE

BASIC

5CCT Adjustable [2700K-3000K-3500K-4000K-5000K]

6010017	100W	11000lm	0-10V	W1.02'xL1.23'xH0.17'
6010027	200W	22000lm	0-10V	W1.02'xL1.56'xH0.17'
6010037	300W	33000lm	0-10V	W1.02'xL1.89'xH0.17'

SENSOR

5CCT Adjustable [2700K-3000K-3500K-4000K-5000K]

6010517	100W	11000lm	0-10V	W1.02'xL1.23'xH0.17'
6010527	200W	22000lm	0-10V	W1.02'xL1.56'xH0.17'
6010537	300W	33000lm	0-10V	W1.02'xL1.89'xH0.17'

Accessories [Sold Separately]

6019011	20W 90-260Vdc Output -CEC Compliant LED Emergency Driver 120-347V
6019021	Emergency Driver 120-347V with Step Down [for 480v only]
6019031	Z10 Twist-Lock PIR Motion and Photocell Sensor0-10V, 12-24Vdc -White
6019041	NPT Pendant Mount Kit

LUXRAM

UFO High Bay

Die-cast Aluminum / Sensors for Optional



UFO High Bay

100W/150W/200W



UFO HIGH BAY



UFO HIGH BAY


LUXRAM



UFO High Bay

Die-cast Aluminum / Sensors for Optional

0-10V DIMMABLE
MOTION SENSOR
WATTAGE ADJUSTABLE
3 CCT SELECT



110lm/W(LPW) / CRI > 90 / 50,000h / PF 0.9 / IP65
120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Adjustable

Lumens

Dimmable

SIZE

3CCT Adjustable (3000K-4000K-5000K)

6020014	72W-100W-120W	7920lm-11000lm-13200lm	0-10V	Ø9.84"×H1.54"
6020024	90W-120W-150W	9900lm-13200lm-16500lm	0-10V	Ø12.17"×H1.89"
6020034	120W-160W-200W	13200lm-17600lm-22000lm	0-10V	Ø14.25"×H2.09"

Accessories (Sold Separately)

6029011	40W 120-347V Emergency Battery Back Up
6029021	NPT Adaptor for Pendant Mount
6029031	Microwave Motion Sensor 0-10V
6029041	Motion Sensor

LUXRAM

LED Parking Lot Light

Die-cast Aluminum / Sensors for Optional




Parking Lot Light

Optional SENSOR



PARKING LOT LIGHT



PARKING LOT LIGHT

LUXRAM




Parking Lot Light

Die-cast Aluminum / Sensors for Optional



0-10V DIMMABLE
MOTION SENSOR
WATTAGE ADJUSTABLE
3 CCT SELECT
COLOR OPTIONAL : BLACK / GRAY / BROWN

110lm/W(LPW) / CRI>90 / 50,000h / PF 0.9
IP66 / 120-277V / 120-347V / 120-480V / 50/60Hz



BASIC 3CCT Adjustable [3000K-4000K-6000K]

	Wattage	Lumens	Dimmable	SIZE
6030014	150W	16500lm	0-10V	W9.88"×L23.43"×H2.36"
6030024	200W	22000lm	0-10V	W11.06"×L24.61"×H2.36"
6030034	300W	33000lm	0-10V	W11.85"×L27.48"×H2.56"

SENSOR 3CCT Adjustable [3000K-4000K-6000K]

6030514	150W	16500lm	0-10V	W9.88"×L23.43"×H2.36"
6030524	200W	22000lm	0-10V	W11.06"×L24.61"×H2.36"
6030534	300W	33000lm	0-10V	W11.85"×L27.48"×H2.56"

Accessories (Sold Separately)

6039011	Photocell 0-10V Bi-Level Control Internal 12V for 347V/480V (for Single Wattage/CCT)
6039021	Motion Sensor

LUXRAM

Floodlight

Die-cast Aluminum / Sensors for Optional



Floodlight X²

30W/80W/150W



Floodlight Y²

15W/30W/50W/100W



FLOODLIGHT



FLOODLIGHT

LUXRAM




Floodlight X²

Die-cast Aluminum / Sensors for Optional



- 0-10V DIMMABLE
- MOTION SENSOR
- WATTAGE ADJUSTABLE
- 3 CCT SELECT
- COLOR OPTIONAL : BLACK / GRAY / BROWN



110lm/W(LPW) / CRI>80 CRI>90 / 50,000h / PF 0.9
IP65 / 1120-277V / 120-347V / 120-480V / 50/60Hz

	Wattage	Lumens Max	Dimmable	SIZE
BASIC				
3CCT Adjustable(3000K-4000K-5000K)				
6040014	15W	1650lm	0-10V	L6.93"×W2.29"×H5.89"
6040024	30W	3300lm	0-10V	L6.93"×W2.29"×H5.89"
6040034	50W	5500lm	0-10V	L9.49"×W2.84"×H7.25"
6040044	100W	11000lm	0-10V	L11.85"×W3.64"×H9.03"
SENSOR				
3CCT Adjustable(3000K-4000K-5000K)				
6040514	15W	1650lm	0-10V	L6.93"×W2.29"×H5.89"
6040524	30W	3300lm	0-10V	L6.93"×W2.29"×H5.89"
6040534	50W	5500lm	0-10V	L9.49"×W2.84"×H7.25"
6040544	100W	11000lm	0-10V	L11.85"×W3.64"×H9.03"

Accessories (Sold Separately)

6049011	Motion Sensor
---------	---------------



FLOODLIGHT

LUXRAM




Floodlight Y²

Die-cast Aluminum / Sensors for Optional



0-10V DIMMABLE
MOTION SENSOR
WATTAGE ADJUSTABLE
3 CCT SELECT
COLOR OPTIONAL : BLACK / GRAY / BROWN



110lm/W(LPW) / CRI > 80 CRI > 90 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

	Wattage	Lumens Max	Dimmable	SIZE
BASIC				
3CCT Adjustable(3000K-4000K-5000K)				
6041014	15W	1650lm	0-10V	L5.19"×W3.11"×H2.07"
6041024	30W	3300lm	0-10V	L7.58"×W4.23"×H2.26"
6041034	50W	5500lm	0-10V	L8.99"×W5.15"×H2.42"
6041044	100W	11000lm	0-10V	L12.22"×W6.84"×H2.99"
SENSOR				
3CCT Adjustable(3000K-4000K-5000K)				
6041514	15W	1650lm	0-10V	L5.19"×W3.11"×H2.07"
6041524	30W	3300lm	0-10V	L7.58"×W4.23"×H2.26"
6041534	50W	5500lm	0-10V	L8.99"×W5.15"×H2.42"
6041544	100W	11000lm	0-10V	L12.22"×W6.84"×H2.99"

Accessories (Sold Separately)

6049111

Motion Sensor

LUXRAM

Wall Pack Light

Die-cast Aluminum / Sensors for Optional




Wall Pack Light X²

Fixed




Wall Pack Light Y²

Adjustable



WALL PACK LIGHT



WALL PACK LIGHT

LUXRAM



Wall Pack Light X²

Die-cast Aluminum / Sensors for Optional

0-10V DIMMABLE
MOTION SENSOR
ON OFF DUSK TO DAWN
3 CCT SELECT
COLOR OPTIONAL : BLACK / GRAY / BROWN



110lm/W(LPW) / CRI > 80 / 50,000h / PF 0.9 / IP66
120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Adjustable

Lumens

Dimmable

SIZE

BASIC

3CCT Adjustable[3000K/4000K/5000K]

6050014	20W-30W-40W	2400lm-3600lm-4800lm	0-10V	L12.8"×W8.86"×H7.28"
6050024	40W-60W-80W	4800lm-7200lm-9600lm	0-10V	L13.11"×W9.84"×H6.26"
6050034	80W-100W-120W	9600lm-12000lm-14400lm	0-10V	L13.11"×W9.84"×H6.26"

SENSOR

3CCT Adjustable[3000K/4000K/5000K]

6050514	20W-30W-40W	2400lm-3600lm-4800lm	0-10V	L12.8"×W8.86"×H7.28"
6050524	40W-60W-80W	4800lm-7200lm-9600lm	0-10V	L13.11"×W9.84"×H6.26"
6050534	80W-100W-120W	9600lm-12000lm-14400lm	0-10V	L13.11"×W9.84"×H6.26"


Accessories (Sold Separately)

6059011

Photocell

6059021

Motion Sensor



WALL PACK LIGHT

LUXRAM



Wall Pack Light Y²

Die-cast Aluminum / Sensors for Optional



0-10V DIMMABLE
MOTION SENSOR
ON OFF DUSK TO DAWN
3 CCT SELECT
COLOR OPTIONAL : BLACK / GRAY / BROWN



120lm/W(LPW) / CRI > 80 / 50,000h / PF 0.9 / IP66
120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Adjustable

Lumens

Dimmable

SIZE

BASIC 3CCT Adjustable (3500K-4000K-5000K)

6051014	20W-30W-40W	2400lm-3600lm-4800lm	0-10V	L7.76"×W6.49"×H5.27"
6051024	40W-60W-80W	4800lm-7200lm-9600lm	0-10V	L9.26"×W8.5"×H5.94"
6051034	80W-100W-120W	9600lm-12000lm-14400lm	0-10V	L10.72"×W10.51"×H6.45"

SENSOR 3CCT Adjustable (3500K/4000K/5000K)

6051514	20W-30W-40W	2400lm-3600lm-4800lm	0-10V	L7.76"×W6.49"×H5.27"
6051524	40W-60W-80W	4800lm-7200lm-9600lm	0-10V	L9.26"×W8.5"×H5.94"
6051534	80W-100W-120W	9600lm-12000lm-14400lm	0-10V	L10.72"×W10.51"×H6.45"

Accessories (Sold Separately)

6059111

Photocell

6059121

Motion Sensor

LUXRAM

Canopy Light

Die-cast Aluminum / Sensors for Optional




Canopy light X²

100W/150W/200W/240W




Canopy light Y²

60W/100W



CANOPY LIGHT



CANOPY LIGHT


LUXRAM



Canopy light X²

Die-cast Aluminum / Sensors for Optional

0-10V DIMMABLE
MOTION SENSOR
3 CCT SELECT
COLOR OPTIONAL : BLACK / WHITE / GRAY / BROWN




110lm/W(LPW) / CRI > 80 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

	Wattage	Lumens	Dimmable	SIZE
3CCT Adjustable (3000K-4000K-6000K)				
6060014	100W	11000lm	0-10V	W16.54"×L16.54"×H2.64"
6060024	150W	16500lm	0-10V	W16.54"×L16.54"×H2.64"
6060034	200W	22000lm	0-10V	W21.26"×L21.26"×H2.64"
6060044	240W	26400lm	0-10V	W21.26"×L21.26"×H2.64"

Accessories (Sold Separately)

6069011	Motion Sensor
---------	---------------



CANOPY LIGHT

LUXRAM



Canopy light Y²

Die-cast Aluminum / Sensors for Optional



0-10V DIMMABLE
MOTION SENSOR
3 CCT SELECT
COLOR OPTIONAL : BLACK / GRAY / BROWN



110lm/W(LPW) / CRI>80 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

BASIC 3CCT Adjustable (3000K-4000K-6000K)

	Wattage	Lumens	Dimmable	SIZE
6060514	60W	6600lm	0-10V	W10.06"×L10.06"×H3.04"
6060524	100W	11000lm	0-10V	W10.06"×L10.06"×H3.04"

SENSOR 3CCT Adjustable (3000K-4000K-6000K)

6061014	60W	6600lm	0-10V	W10.06"×L10.06"×H3.04"
6061024	100W	11000lm	0-10V	W10.06"×L10.06"×H3.04"

Accessories (Sold Separately)

6049111	Motion Sensor
---------	---------------

LUXRAM

Barn Light

Die-cast Aluminum / Sensors for Optional




Barn Light X²

35W/50W



Barn Light Y²

60W/80W/100W



BARN LIGHT



BARN LIGHT


LUXRAM



Barn Light X²

Die-cast Aluminum / Sensors for Optional

0-10V DIMMABLE
MOTION SENSOR
ON OFF DUSK TO DAWN
3 CCT SELECT
COLOR OPTIONAL : BLACK / GRAY / BROWN



110lm/W(LPW) / CRI > 80 CRI > 90 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

Wattage

Lumens

Dimmable

SIZE

BASIC

3CCT Adjustable(3000K/4000K/5000K)

6070014	35W	3850lm	0-10V	L11.21"xW7.66"xH3.95"
6070024	50W	5500lm	0-10V	L11.21"xW7.66"xH3.95"

SENSOR

3CCT Adjustable(3000K/4000K/5000K)

6070514	35W	3850lm	0-10V	L11.21"xW7.66"xH3.95"
6070524	50W	5500lm	0-10V	L11.21"xW7.66"xH3.95"

Accessories (Sold Separately)

6079011	Photocell
6079021	Motion Sensor



BARN LIGHT


LUXRAM



Barn Light Y²

Die-cast Aluminum / Sensors for Optional

0-10V DIMMABLE
MOTION SENSOR
ON OFF DUSK TO DAWN
3 CCT SELECT
COLOR OPTIONAL : BLACK / GRAY / BROWN



110lm/W(LPW) / CRI > 80 CRI > 90 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

BASIC

3CCT Adjustable(3000K/4000K/5000K)

	Wattage	Lumens	Dimmable	SIZE
6071014	60W	660lm	0-10V	L11.75"×W7.56"×H3.46"
6071024	80W	880lm	0-10V	L11.75"×W7.56"×H3.46"
6051034	100W	11000lm	0-10V	L11.75"×W7.56"×H3.46"

SENSOR

3CCT Adjustable(3000K/4000K/5000K)

6071514	60W	660lm	0-10V	L11.75"×W7.56"×H3.46"
6071524	80W	880lm	0-10V	L11.75"×W7.56"×H3.46"
6071534	100W	11000lm	0-10V	L11.75"×W7.56"×H3.46"

Accessories (Sold Separately)

6079111	Photocell
6079121	Motion Sensor

LUXRAM

Stadium Light

Die-cast Aluminum / Hood and laser aimer Optional




Stadium Light X²

500W/1000W/1500W/2000W



Stadium Light Y²

300W/800W/1200W



STADIUM LIGHT



LUXRAM



Stadium Light X²

Die-cast Aluminum / Hood and laser aimer Optional



0-10V DIMMABLE

5 CCT SELECT

COLOR OPTIONAL : BLACK / GRAY / BROWN



135lm/W(LPW) / Lumileds 3030 / CRI > 80 CRI > 90 / 50,000h
PF 0.9 / IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

Wattage

Lumens Max

Dimmable

SIZE

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

6080017	500W	67500lm	0-10V	22.17" x 16.26" x 12.32"
6080027	1000W	135000lm	0-10V	26.18" x 22.6" x 23.74"
6080037	1500W	202500lm	0-10V	26.18" x 31.93" x 34.84"
6080047	2000W	270000lm	0-10V	45.91" x 22.56" x 23.74"



LUXRAM



Stadium Light Y²

Die-cast Aluminum / Hood and laser aimer Optional



0-10V DIMMABLE
5 CCT SELECT
COLOR OPTIONAL : BLACK / GRAY / BROWN



110lm/W(LPW) / Lumileds 3030 / Lumileds 5050 / CRI > 80 / 50,000h
PF 0.9 / IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

5CCT Adjustable (2700K-3000K-3500K-4000K-5000K)

	Wattage	Lumens Max	Dimmable	SIZE
6080517	300W	30000lm	0-10V	18.22"×8.64"
6080527	800W	80000lm	0-10V	25.67"×13.94"
6080537	1200W	120000lm	0-10V	28.74"×15.35"

LUXRAM

Tri-proof Light

PC+PC / Sensors for Optional




Tri-proof Light Type A

18W/36W/54W




Tri-proof Light Type B

12W/24W/48W/56W



TRI-PROOF LIGHT



TRI-PROOF
LIGHT

LUXRAM



Tri-proof Light Type A

PC+PC / Sensors for Optional

0-10V DIMMABLE
3 CCT SELECT
MOTION SENSOR
WATTAGE ADJUSTABLE



135lm/W(LPW) / Lumileds 3030 / CRI > 80 / 50,000h
PF 0.9 / IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

	Wattage	Lumens Max	Dimmable	SIZE
3CCT Adjustable [2700K-4000K-5700K]				
6090014	23W-28W-35W-40W	3450lm-4200lm-5250lm-6000lm	0-10V	47.24"×4.09"×3.07"
6090024	28W-36W-43W-50W	4200lm-5400lm-6450lm-7500lm	0-10V	59.06"×4.09"×3.07"

Accessories (Sold Separately)

6099011	Photocell
6099021	Motion Sensor
6099031	Emergency driver 120-277V



TRI-PROOF LIGHT


LUXRAM



Tri-proof Light Type B

PC+PC / Sensors for Optional

0-10V DIMMABLE
3 CCT SELECT
MOTION SENSOR
WATTAGE ADJUSTABLE



135lm/W(LPW) / Lumileds 3030 / CRI > 80 / 50,000h
PF 0.9 / IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

Wattage Lumens Max Dimmable SIZE

3CCT Adjustable [2700K-4000K-5700K]

6090514	23W-28W-35W-40W	3450lm-4200lm-5250lm-6000lm	0-10V	47.24"×2.83"×2.28"
6090524	23W-28W-35W-40W	3450lm-4200lm-5250lm-6000lm	0-10V	47.24"×3.62"×2.36"
6090534	28W-36W-43W-50W	3450lm-5400lm-6450lm-7500lm	0-10V	59.06"×2.83"×2.28"
6090544	28W-36W-43W-50W	3450lm-5400lm-6450lm-7500lm	0-10V	59.06"×3.62"×2.36"

Accessories (Sold Separately)

6099111	Photocell
6099121	Motion Sensor
6099131	Emergency driver

LUXRAM

Garden Light

Die-cast Aluminum / Sensors for Optional




Garden Light X²

30W/45W/60W



Garden Light Y²

60W/80W/100W



GARDEN LIGHT



GARDEN
LIGHT

LUXRAM



Garden Light X²

Die-cast Aluminum / Sensors for Optional

0-10V DIMMABLE
MOTION SENSOR
ON OFF DUSK TO DAWN
3 CCT SELECT
WATTAGE ADJUSTABLE



100lm/W(LPW) / CRI > 80 CRI > 90 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

Wattage

Lumens Max

Dimmable

SIZE

3CCT Adjustable (3500K-4000K-5000K)

6100014

30W-45W/60W

3600lm-5400lm-7200lm

0-10V

18.35"×22.24"

6100024

60W-80W-100W

7200lm-9600lm-12000lm

0-10V

18.35"×22.24"


Accessories (Sold Separately)

6019011

Photocell

6019021

Motion Sensor



GARDEN LIGHT

LUXRAM



Garden Light Y²

Die-cast Aluminum / Sensors for Optional

- 0-10V DIMMABLE
- MOTION SENSOR
- ON OFF DUSK TO DAWN
- 3 CCT SELECT
- WATTAGE ADJUSTABLE



100lm/W(LPW) / CRI > 80 CRI > 90 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

	Wattage	Lumens Max	Dimmable	SIZE
3CCT Adjustable (3500K-4000K-5000K)				
6100514	30W-45W-60W	3600lm-5400lm-7200lm	0-10V	14.96"×15.08"×2.36"
6100524	60W-80W-100W	7200lm-9600lm-12000lm	0-10V	14.96"×15.08"×2.36"

Accessories (Sold Separately)

6019111	Photocell
6019121	Motion Sensor

LUXRAM

Lawn Light

Aluminum



Lawn Light

5W/7W/12W



LAWN LIGHT



LAWN LIGHT

LUXRAM



Lawn Light

Aluminum

0-10V DIMMABLE
3 CCT SELECT
WATTAGE ADJUSTABLE



100lm/W(LPW) / CRI > 80 CRI > 90 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

	Wattage	Lumens Max	Dimmable	SIZE
3CCT Adjustable (300K-4000K-5000K)				
6110014	5W-7W-12W	500lm-700lm-1200lm	0-10V	Φ7.09"×H31.89"
6110114	5W-7W-12W	500lm-700lm-1200lm	0-10V	Φ7.09"×H31.89"
6110214	5W-7W-12W	500lm-700lm-1200lm	0-10V	Φ4.72"×H35.43"
6110314	5W-7W-12W	500lm-700lm-1200lm	0-10V	Φ2.36"×H18.11"
6110414	5W-7W-12W	500lm-700lm-1200lm	0-10V	Φ5.5"×23.5"
6110514	5W-7W-12W	500lm-700lm-1200lm	0-10V	Φ5.91"×23.62"

LUXRAM


Surf Light

Aluminum



Surf Light

10W/20W



SURF LIGHT



SURF LIGHT

LUXRAM



Surf Light

Aluminum

WET LOCATION

80lm/W(LPW) / CRI>80 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz



		Wattage	Lumens Max	Dimmable	SIZE
2700K/3000K/3500K/4000K/5000K					
	6120011	10W	800lm	0-10V	Φ 5.71"×H3.15"/Φ 8.66"×H3.15"
	6120021	20W	1600lm	0-10V	Φ 10.83"×H3.15"
	6120111	10W	800lm	0-10V	Φ 5.71"×H3.15"/Φ 8.66"×H3.15"
	6120121	20W	1600lm	0-10V	Φ 10.83"×H3.15"
	6120211	10W	800lm	0-10V	8.66"×2.56"×5.31"
	6120221	20W	1600lm	0-10V	11.02"×3.94"×7.28"
	6120311	10W	800lm	0-10V	8.66"×2.56"×5.31"
	6120321	20W	1600lm	0-10V	11.02"×3.94"×7.28"
	6120411	10W	800lm	0-10V	8.66"×2.56"×5.31"t
	6120421	20W	1600lm	0-10V	11.02"×3.94"×7.28"
	6120511	10W	800lm	0-10V	8.66"×2.56"×5.31"
	6120521	20W	1600lm	0-10V	11.02"×3.94"×7.28"
	6120611	10W	800lm	0-10V	8.66"×2.56"×5.31"
	6120621	20W	1600lm	0-10V	11.02"×3.94"×7.28"

LUXRAM

Wall Light

Die-cast Aluminum




Wall Light (Down light)

10W



Wall Light (Up & down light)

20W



WALL LIGHT



LUXRAM



6130014



6130024



6130034



6130044



6130054

Wall Light (Down light)

Die-cast Aluminum

0-10V DIMMABLE
ON OFF DUSK TO DAWN
3 CCT SELECT
WATTAGE ADJUSTABLE



80lm/W(LPW) / CRI>80 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

	Wattage	Lumens Max	Dimmable	SIZE
3CCT Adjustable [3000K-4000K-5000K]				
6130014	10W	800lm	0-10V	6.1"×2.56"×2.95"
6130024	10W	800lm	0-10V	3.15"×2.68"×3.15"
6130034	10W	800lm	0-10V	3.15"×2.68"×3.15"
6130044	10W	800lm	0-10V	3.54"×3.94"×3.54"
6130054	10W	800lm	0-10V	Φ4.25"×H5.12"

Accessories (Sold Separately)

6019011

Photocell

WALL LIGHT



LUXRAM



Wall Light (Up & down light)

Die-cast Aluminum

0-10V DIMMABLE
ON OFF DUSK TO DAWN
3 CCT SELECT
WATTAGE ADJUSTABLE



80lm/W(LPW) / CRI>80 / 50,000h / PF 0.9
IP65 / 120-277V / 120-347V / 120-480V / 50/60Hz

	Wattage	Lumens Max	Dimmable	SIZE
3CCT Adjustable [3000K-4000K-5000K]				
6130514	20W	1600lm	0-10V	Φ2.56"×H5.12"
6130524	20W	1600lm	0-10V	Φ4.92"×H11.02"
6130534	20W	1600lm	0-10V	Φ6.52"×H8.54"
6130544	20W	1600lm	0-10V	Φ2.56"×H7.09"
6130554	20W	1600lm	0-10V	Φ4.25"×H11.75"

Accessories (Sold Separately)

6019111

Photocell