

Catalogue

Ourdoor collection

TECHTOUCH

TECHTOUCH



Ourdoor collection 2026

Wall light - Aluminum



Ourdoor collection 2026

TECHTOUCH

Wall light A²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light

Long heads optional

ABS+PC lens

Anti-UV housing



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001011	2×3W	2×240lm	220~240V	IP44	3000K/4000K/6000K	D80×W35×H70mm
5001021	4×3W	4×240lm	220~240V	IP44	3000K/4000K/6000K	D120×W40×H90mm
5001031	6×3W	6×240lm	220~240V	IP44	3000K/4000K/6000K	D185×W45×H95mm
5001041	8×3W	8×240lm	220~240V	IP44	3000K/4000K/6000K	D220×W55×H95mm



Ourdoor collection 2026

TECHTOUCH

Outdoor collection 2026

Wall light B²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light | Long heads optional | Anti-UV housing



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001111	2×3W	2×240lm	220~240V	IP44	3000K/4000K/6000K	D80×W50×H60mm
5001121	4×3W	4×240lm	220~240V	IP44	3000K/4000K/6000K	D120×W50×H80mm
5001131	6×3W	6×240lm	220~240V	IP44	3000K/4000K/6000K	D170×W50×H80mm
5001141	8×3W	8×240lm	220~240V	IP44	3000K/4000K/6000K	D220×W50×H80mm



TECHTOUCH

Wall light C²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light | Down light | Long heads optional | ABS+PC lens | Anti-UV housing



5001211/5001221



5001231/5001241



5001251



5001261



5001271

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001211	3W	240lm	220~240V	IP44	3000K/4000K/6000K	D80×W65×H80mm
5001221	7W	560lm	220~240V	IP44	3000K/4000K/6000K	D100×W95×H100mm
5001231	2×3W	2×240lm	220~240V	IP44	3000K/4000K/6000K	D80×W65×H140mm
5001241	2×7W	2×560lm	220~240V	IP44	3000K/4000K/6000K	D100×W95×H200mm
5001251	4×1W	4×80lm	220~240V	IP44	3000K/4000K/6000K	D95×W50×H95mm
5001261	6×1W	6×800lm	220~240V	IP44	3000K/4000K/6000K	D140×W50×H95mm
5001271	8×1W	8×800lm	220~240V	IP44	3000K/4000K/6000K	D185×W50×H95mm

Outdoor collection 2026

Wall light D²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light Anti-UV housing



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001311	2×3W	2×240lm	220–240V	IP44	3000K/4000K/6000K	D115×W30×H90mm
5001321	2×6W	2×480lm	220–240V	IP44	3000K/4000K/6000K	D175×W30×H90mm
5001331	2×10W	2×800lm	220–240V	IP44	3000K/4000K/6000K	D300×W30×H90mm
5001341	2×12W	2×960lm	220–240V	IP44	3000K/4000K/6000K	D400×W30×H90mm



TECHTOUCH

Wall light E²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up light | Down light | Anti-UV housing | Tempered glass



5001411/5001421/5001431



5001441/5001451/5001461

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001411	5W	400lm	220-240V	IP44	3000K/4000K/6000K	D90×W90×H95mm
5001421	10W	800lm	220-240V	IP44	3000K/4000K/6000K	D120×W120×H125mm
5001431	15W	1200lm	220-240V	IP44	3000K/4000K/6000K	D150×W150×H155mm
5001441	5W	400lm	220-240V	IP44	3000K/4000K/6000K	D90×W90×H95mm
5001451	10W	800lm	220-240V	IP44	3000K/4000K/6000K	D120×W120×H125mm
5001461	15W	1200lm	220-240V	IP44	3000K/4000K/6000K	D150×W150×H155mm



Outdoor collection 2026

Wall light F2

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light | Down light | Anti-UV housing | Tempered glass | Long heads optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001511	5W	400lm	220~240V	IP44	3000K/4000K/6000K	D100×W80×H100mm
5001521	5W	400lm	220~240V	IP44	3000K/4000K/6000K	D100×W80×H100mm
5001531	2×7W	2×560lm	220~240V	IP44	3000K/4000K/6000K	D100×W80×H200mm
5001541	2×7W	2×560lm	220~240V	IP44	3000K/4000K/6000K	D100×W80×H200mm



TECHTOUCH

Wall light G²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light

Down light

Anti-UV housing

Tempered glass

Long heads optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001611	7W	560lm	220-240V	IP44	3000K/4000K/6000K	D100×W100×H100mm
5001621	1×7W	1×560lm	220-240V	IP44	3000K/4000K/6000K	D100×W100×H100mm
5001631	2×7W	2×560lm	220-240V	IP44	3000K/4000K/6000K	D100×W100×H200mm
5001641	2×7W	2×560lm	220-240V	IP44	3000K/4000K/6000K	D100×W100×H200mm



Ourdoor collection 2026

TECHTOUCH

Outdoor collection 2026

Wall light H²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light

Anti-UV housing



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001711	2×3+4W	2×240+320lm	220~240V	IP44	3000K/4000K/6000K	D100×W100×H200mm
5001721	2×5+6W	2×400+480lm	220~240V	IP44	3000K/4000K/6000K	D100×W100×H200mm
5001731	2×7+8W	2×560+640lm	220~240V	IP44	3000K/4000K/6000K	D100×W100×H200mm



TECHTOUCH

Outdoor collection 2026

Wall light I²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing

Die-cast aluminum



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001811	7W	560lm	220-240V	IP44	3000K/4000K/6000K	D100×W105×H80mm
5001821	10W	1×800lm	220-240V	IP44	3000K/4000K/6000K	D200×W105×H80mm
5001831	7W	560lm	220-240V	IP44	3000K/4000K/6000K	D155×W110×H65mm
5001841	15W	1200lm	220-240V	IP44	3000K/4000K/6000K	D255×W110×H65mm



TECHTOUCH

Outdoor collection 2026

Wall light J²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light | Anti-UV housing



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5001911	2×3W	2×240lm	220–240V	IP44	3000K/4000K/6000K	D145×W55×H100mm
5001921	2×3W	2×240lm	220–240V	IP44	3000K/4000K/6000K	D145×W55×H100mm
5001931	2×3W	2×240lm	220–240V	IP44	3000K/4000K/6000K	D145×W55×H100mm
5001941	4×3W	4×240lm	220–240V	IP44	3000K/4000K/6000K	D110×W60×H110mm



TECHTOUCH

Wall light K²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing



5002011/5002021



5002031/5002041



5002051/5002061



5002071/5002081

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5002011	7W	560lm	220-240V	IP44	3000K/4000K/6000K	D133×W135×H110mm
5002021	12W	960lm	220-240V	IP44	3000K/4000K/6000K	D160×W145×H160mm
5002031	7W	560lm	220-240V	IP44	3000K/4000K/6000K	D133×W133×H85mm
5002041	12W	960lm	220-240V	IP44	3000K/4000K/6000K	D160×W120×H160mm
5002051	7W	560lm	220-240V	IP44	3000K/4000K/6000K	φ133×H90mm
5002061	12W	960lm	220-240V	IP44	3000K/4000K/6000K	φ160×H140mm
5002071	7W	560lm	220-240V	IP44	3000K/4000K/6000K	φ133×H85mm
5002081	12W	960lm	220-240V	IP44	3000K/4000K/6000K	φ160×H120mm

Outdoor collection 2026

TECHTOUCH

Outdoor collection 2026

Wall light L²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing



5002111/5002121



5002131/5002141

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5002111	2×6W	2×480lm	220~240V	IP44	3000K/4000K/6000K	D155×W105×H60mm
5002121	2×10W	2×800lm	220~240V	IP44	3000K/4000K/6000K	D255×W105×H60mm
5002131	2×3W	2×240lm	220~240V	IP44	3000K/4000K/6000K	D155×W105×H60mm
5002141	4×3W	4×240lm	220~240V	IP44	3000K/4000K/6000K	D255×W105×H60mm



TECHTOUCH

Outdoor collection 2026

Wall light N²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Up & down light | Down light | Long heads optional | Anti-UV housing



5002211



5002221



5002231



5002241

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5002211	7W	560lm	220-240V	IP44	3000K/4000K/6000K	D95×W105×H90mm
5002221	7W	560lm	220-240V	IP44	3000K/4000K/6000K	D95×W105×H90mm
5002231	2×7W	2×560lm	220-240V	IP44	3000K/4000K/6000K	D95×W105×H130mm
5002241	2×7W	2×560lm	220-240V	IP44	3000K/4000K/6000K	D95×W105×H130mm



TECHTOUCH

Wall light M²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing



5002311/502321



5002331/502341



5002351/502361



5002371/502381

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5002311	7W	560lm	220~240V	IP44	3000K/4000K/6000K	φ 133×H70mm
5002321	12W	960lm	220~240V	IP44	3000K/4000K/6000K	φ 165×H100mm
5002331	7W	560lm	220~240V	IP44	3000K/4000K/6000K	φ 133×H70mm
5002341	12W	960lm	220~240V	IP44	3000K/4000K/6000K	φ 165×H100mm
5002351	7W	560lm	220~240V	IP44	3000K/4000K/6000K	D133×W133×H70mm
5002361	12W	960lm	220~240V	IP44	3000K/4000K/6000K	D160×W160×H100mm
5002371	7W	560lm	220~240V	IP44	3000K/4000K/6000K	D133×W133×H70mm
5002381	12W	960lm	220~240V	IP44	3000K/4000K/6000K	D160×W160×H100mm

Outdoor collection 2026

TECHTOUCH

Outdoor collection 2026

Wall light O²

COB | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing



5002411/5002421/5002431



5002441/5002451/5002461

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5002411	5W	400lm	220~240V	IP44	3000K/4000K/6000K	D125×W150×H45mm
5002421	10W	800lm	220~240V	IP44	3000K/4000K/6000K	D150×W175×H50mm
5002431	15W	1200lm	220~240V	IP44	3000K/4000K/6000K	D195×W230×H50mm
5002441	5W	400lm	220~240V	IP44	3000K/4000K/6000K	D125×W150×H45mm
5002451	10W	800lm	220~240V	IP44	3000K/4000K/6000K	D160×W190×H50mm
5002461	15W	1200lm	220~240V	IP44	3000K/4000K/6000K	D200×W230×H50mm



TECHTOUCH

5002511

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002511	12W	960lm	φ150×H50mm



5002521

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002521	12W	960lm	D150×W50×H150mm



5002531

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002531	18W	1440lm	φ200×H50mm



5002541

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002541	12W	960lm	D120×W45×H200mm



5002551

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002551	18W	1440lm	D200×W200×H50mm



TECHTOUCH

5002561

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002561	7W	560lm	D130×W45×H165mm



5002571

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002571	2×7W	2×560lm	D130×W45×H240mm



5002581

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002581	2×6W	2×480lm	φ160×H40mm



5002591

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002591	2×6W	2×480lm	D160×W40×H100mm



5002601

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002601	2×6W	2×480lm	D160×W40×H100mm



TECHTOUCH

5002611

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002611	1×7W	1×560lm	D150×W865×H100mm



5002621

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002621	2×7W	2×560lm	D150×W865×H130mm



5002631

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002631	7W	560lm	D150×W100×H95mm



5002641

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002641	10W	800lm	D250×W100×H95mm



5002651

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002651	20W	1600lm	D160×W45×H200mm



5002661

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002661	12W	1200lm	63×80×106mm



5002671

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002671	2×3W	2×240lm	φ65×H130mm



5002681

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing Optional GU10

Art.No	Watt	Lumen	Size
5002681	2×3W	2×240lm	φ65×H180mm



5002691

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002691	2×5W	2×400lm	φ90×H130mm



5002701

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002701	2×7W	2×560lm	φ108×H130mm



TECHTOUCH

TECHTOUCH

5002711

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002711	1×3W	1×240lm	D70×W40×H65mm



5002721

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002721	2×3W	2×240lm	D70×W40×H85mm



5002731

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002931	2×3W	2×3W	D100×W60×H105mm



5002741

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002741	2×3W	2×3W	D110×W65×H175mm



5002751

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002751	10W	800lm	D95×W75×H190mm



5002761

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002761	10W	800lm	D165×W190×H165mm



5002771

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002771	5W	400lm	D220×W95×H60mm



5002781

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002781	1×3W	1×240lm	D85×W65×H85mm



5002791

SMD | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002791	2×7W	2×560lm	D100×W100×H200mm



5002801

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP44

Aluminum Anti-UV housing

Art.No	Watt	Lumen	Size
5002801	2×7W	2×560lm	D100×W100×H200mm



TECHTOUCH

TECHTOUCH

Step light



Outdoor collection 2026

TECHTOUCH

Outdoor collection 2026

Step light A²

SMD | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing



5021011



5021021



5021031



5021041



5021051



5021061

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Cut out	Size
5021011	3W	240lm	220-240V	IP65	3000K/4000K/6000K	D50×W50×H97mm	D58×W50×H102mm
5021021	3W	240lm	220-240V	IP65	3000K/4000K/6000K	D62×W57×H134mm	D70×W55×H145mm
5021031	3W	240lm	220-240V	IP65	3000K/4000K/6000K	D57×W55×H205mm	D65×W55×H210mm
5021041	3W	240lm	220-240V	IP65	3000K/4000K/6000K	D107×W57×H78mm	D115×W57×H85mm
5021051	3W	240lm	220-240V	IP65	3000K/4000K/6000K	D97×W55×H51mm	D103×W55×H60mm
5021061	3W	240lm	220-240V	IP65	3000K/4000K/6000K	D109×W55×H44mm	D110×W54×H45mm

Step light B²

SMD | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Cut out	Size
5021111	3W	240lm	220-240V	IP65	3000K/4000K/6000K	D50×W50×H45mm	D68×W68×H45mm
5021121	3W	240lm	220-240V	IP65	3000K/4000K/6000K	D65×W65×H48mm	D82×W82×H48mm
5021131	5W	400lm	220-240V	IP65	3000K/4000K/6000K	D105×W100×H50mm	D125×W125×H50mm

TECHTOUCH

Step light C²

SMD | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing



5021211



5021221



5021231

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Cut out	Size
5021211	3W	240lm	220-240V	IP65	3000K/4000K/6000K	/	D117×W117×H31mm
5021221	3W	240lm	220-240V	IP65	3000K/4000K/6000K	/	D117×W117×H31mm
5021231	3W	240lm	220-240V	IP65	3000K/4000K/6000K	/	D146×W32×H56mm

Outdoor collection 2026

TECHTOUCH

Outdoor Lighting 2026

Step light D²

SMD | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Anti-UV housing



5021311



5021321



5021331



5021341

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Cut out	Size
5021311	2W	160lm	220-240V	IP65	3000K/4000K/6000K	D86×W50×H86mm	D90×W50×H90mm
5021321	2W	160lm	220-240V	IP65	3000K/4000K/6000K	D86×W50×H86mm	D90×W50×H90mm
5021331	2W	160lm	220-240V	IP65	3000K/4000K/6000K	D31×W45×H180mm	D31×W45×H180mm
5021341	2W	160lm	220-240V	IP65	3000K/4000K/6000K	D31×W45×H180mm	D31×W45×H180mm

TECHTOUCH

Outdoor collection 2026

Spike Light



TECHTOUCH

Outdoor collection 2026

Spike Light A²

COB | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Angle 30° Aluminum Sand Black



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5031011	10W	800lm	220~240V	IP65	3000K/4000K/6000K/RGB	60×110mm
5031011	20W	1600lm	220~240V	IP65	3000K/4000K/6000K/RGB	80×130mm
5031021	30W	2400lm	220~240V	IP65	3000K/4000K/6000K/RGB	100×150mm
5031031	40W	3200lm	220~240V	IP65	3000K/4000K/6000K/RGB	120×190mm

TECHTOUCH

Outdoor collection 2026

Spike Light B²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Angle 30° Aluminum Sand Black



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5031111	3W	240lm	220~240V	IP65	3000K/4000K/6000K/RGB	60×110mm
5031111	7W	560lm	220~240V	IP65	3000K/4000K/6000K/RGB	80×130mm
5031121	9W	720lm	220~240V	IP65	3000K/4000K/6000K/RGB	100×150mm
5031131	12W	960lm	220~240V	IP65	3000K/4000K/6000K/RGB	120×190mm

TECHTOUCH



Outdoor collection 2026

Spike Light C²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

Angle optional 15°/30°/60°/90° -20°-40° Sand Black



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5031211	3W	240lm	220-240V	IP65	3000K/4000K/6000K/RGB	φ63x170mm
5031221	6W	480lm	220-240V	IP65	3000K/4000K/6000K/RGB	φ63x170mm
5031231	12W	960lm	220-240V	IP65	3000K/4000K/6000K/RGB	φ100x200mm
5031241	18W	1440lm	220-240V	IP65	3000K/4000K/6000K/RGB	φ145x250mm
5031251	24W	1920lm	220-240V	IP65	3000K/4000K/6000K/RGB	φ160x260mm
5031261	36W	2880lm	220-240V	IP65	3000K/4000K/6000K/RGB	φ180x280mm

5031311

COB | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum Colored Light Optional

Art.No	Watt	Lumen	Size
5031311	3W	240lm	63×80×106mm



5031321

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum E27/LED Colored Light Optional

Art.No	Watt	Lumen	Size
5031321	12×1W	960lm	φ155×155mm



5031331

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum E27/LED Colored Light Optional

Art.No	Watt	Lumen	Size
5031331	12×1W	960lm	φ160×315mm



5031341

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum LED Colored Light Optional

Art.No	Watt	Lumen	Size
5031341	3W	240lm	φ44×90mm



5031351

COB | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum E27/LED Colored Light Optional

Art.No	Watt	Lumen	Size
5031351	20W	1600lm	φ150×48mm



5031361

COB | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum E27/LED Colored Light Optional

Art.No	Watt	Lumen	Size
5031361	5W	400lm	φ98×315mm



5031371

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum Colored Light Optional

Art.No	Watt	Lumen	Size
5031371	6×1W	480lm	φ85mm



5031381

COB | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum Colored Light Optional

Art.No	Watt	Lumen	Size
5031381	1×3W	240lm	φ75mm



5031391

COB | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum Colored Light Optional

Art.No	Watt	Lumen	Size
5031391	3W	240lm	φ58×80mm



5031401

COB | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Aluminum Colored Light Optional

Art.No	Watt	Lumen	Size
5031401	1×5W	400lm	φ100mm



TECHTOUCH

Ourdoor collection 2026

Pillar Lights



Lawn lights



Garden Lights



TECHTOUCH

Outdoor collection 2026

Pillar Light A²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

360-degree luminescence Anti-UV housing E27 Cap



5041011



5041021



5041031



5041041



5041051



5041061

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5041011	15W	1200lm	220-240V	IP65	3000K/4000K/6000K	D220×W100×H220mm
5041021	20W	1600lm	220-240V	IP65	3000K/4000K/6000K	D270×W130×H270mm
5041031	/	/	/	IP65	/	D120×W120×H185mm
5041041	/	/	/	IP65	/	D150×W150×H205mm
5041051	/	/	/	IP65	/	D220×W220×H270mm
5041061	/	/	/	IP65	/	D300×W300×H300mm
5041071	/	/	/	IP65	/	D400×W400×H400mm

TECHTOUCH

Outdoor collection 2026

Pillar Light B²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

360-degree luminescence

Anti-UV housing



5041111



5041121



5041131



5041141

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5041111	10W	800lm	220-240V	IP65	3000K/4000K/6000K	D160×W160×H240mm
5041121	20W	1600lm	220-240V	IP65	3000K/4000K/6000K	D220×W220×H265mm
5041131	10W	800lm	220-240V	IP65	3000K/4000K/6000K	D160×W160×H265mm
5041141	20W	1600lm	220-240V	IP65	3000K/4000K/6000K	D220×W220×H300mm

TECHTOUCH

Pillar Light C²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

360-degree luminescence

Anti-UV housing



5041211



5041221

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5041211	10W	800lm	220~240V	IP65	3000K/4000K/6000K	D220×W220×H270mm
5041221	20W	1600lm	220~240V	IP65	3000K/4000K/6000K	D220×W220×H270mm

Outdoor collection 2026

TECHTOUCH

Pillar Light D²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

360-degree luminescence

Anti-UV housing



5041311



5041321



5041341

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5041311	7W	560lm	220-240V	IP65	3000K/4000K/6000K	φ145×H140mm
5041321	10W	800lm	220-240V	IP65	3000K/4000K/6000K	φ108×H140mm
5041331	15W	1200lm	220-240V	IP65	3000K/4000K/6000K	φ90×H140mm

Outdoor collection 2026

TECHTOUCH

Outdoor collection 2026

Lawn lights A²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k

Die-cast aluminum

-20°-40°

Sand Black



5051011



5051021



5051031



5051041

Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5051011	10W	800lm	220~240V	IP65	3000K/4000K/6000K/RGB	D100×W45×H95mm
5051021	10W	800lm	220~240V	IP65	3000K/4000K/6000K/RGB	D115×W45×H95mm
5051031	15W	1200lm	220~240V	IP65	3000K/4000K/6000K/RGB	D180×W45×H95mm
5051041	15W	1200lm	220~240V	IP65	3000K/4000K/6000K/RGB	D215×W45×H95mm

TECHTOUCH

Lawn lights B²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5051111	10W	800lm	D162×W57×H200mm
5051121	10W	800lm	D162×W57×H400mm
5051131	10W	800lm	D162×W57×H600mm
5051141	10W	800lm	D162×W57×H800mm



Lawn lights C²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5051211	3W	240lm	D65×W65×H200mm
5051221	3W	240lm	D65×W65×H400mm
5051231	3W	240lm	D65×W65×H600mm
5051241	3W	240lm	D65×W65×H800mm



Lawn lights D²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black Light source adjustable angle 350°

Art.No	Watt	Lumen	Size
5051311	15W	1200lm	D162×W57×H200mm
5051321	15W	1200lm	D162×W57×H400mm
5051331	15W	1200lm	D162×W57×H600mm
5051341	15W	1200lm	D162×W57×H800mm



Lawn lights E²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5051411	10W	800lm	D162×W57×H200mm
5051421	10W	800lm	D162×W57×H400mm
5051431	10W	800lm	D162×W57×H600mm
5051441	10W	800lm	D162×W57×H800mm



Lawn lights F²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5051511	5W	400lm	D90×W90×H200mm
5051521	5W	400lm	D90×W90×H400mm
5051531	5W	400lm	D90×W90×H600mm
5051541	5W	400lm	D90×W90×H800mm



Lawn lights G²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5051611	5W	400lm	D90×W90×H200mm
5051621	5W	400lm	D90×W90×H400mm
5051631	5W	400lm	D90×W90×H600mm
5051641	5W	400lm	D90×W90×H800mm



TECHTOUCH

TECHTOUCH

Lawn lights H²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5051711	5W	400lm	D90×W90×H400mm
5051721	5W	400lm	D90×W90×H600mm



Lawn lights I²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5051811	5W	400lm	D170×W170×H200mm
5051821	5W	400lm	D170×W170×H200mm



Lawn lights J²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5051911	5W	400lm	D110×W110×H600mm
5051921	5W	400lm	D60×W60×H600mm



Lawn lights K²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5052011	5W	400lm	D150×W150×H600mm
5052021	5W	400lm	D150×W150×H600mm



Lawn lights L²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5052111	5W	400lm	D120×W120×H600mm
5052121	5W	400lm	D120×W120×H600mm



Lawn lights N²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

Die-cast aluminum -20°-40° Sand Black

Art.No	Watt	Lumen	Size
5052211	5W	400lm	D120×W120×H600mm
5052221	5W	400lm	D120×W120×H600mm



TECHTOUCH



Outdoor collection 2026

Garden Lights A²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k

glass lamp placement

-30°-50°

Sand Black / Sand Gray



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5061011	30W	2400lm	220~240V	IP65	3000K/4000K/6000K	550×560mm
5061021	50W	4000lm	220~240V	IP65	3000K/4000K/6000K	550×560mm
5061031	100W	8000lm	220~240V	IP65	3000K/4000K/6000K	550×560mm
5061041	150W	12000lm	220~240V	IP65	3000K/4000K/6000K	550×560mm



TECHTOUCH

Garden Lights B²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061111	30W	2400lm	φ500×550mm
5061121	50W	4000lm	φ500×550mm
5061131	100W	8000lm	φ500×550mm



Garden Lights C²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061211	30W	2400lm	φ500×385mm
5061221	50W	4000lm	φ500×385mm
5061231	100W	8000lm	φ500×385mm



Garden Lights D²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061311	30W	2400lm	480×480×165mm
5061321	50W	4000lm	480×480×165mm
5061331	100W	8000lm	480×480×165mm



Garden Lights E²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061411	30W	2400lm	φ500×355mm
5061421	50W	4000lm	φ500×355mm
5061431	100W	8000lm	φ500×355mm



Garden Lights F²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061511	30W	2400lm	φ500×550mm
5061521	50W	4000lm	φ500×550mm
5061531	100W	8000lm	φ500×550mm



Garden Lights G²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061611	30W	2400lm	φ500×550mm
5061621	50W	4000lm	φ500×550mm
5061631	100W	8000lm	φ500×550mm



TECHTOUCH

TECHTOUCH

Garden Lights H²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061711	30W	2400lm	φ530×550mm
5061721	50W	4000lm	φ530×550mm
5061731	100W	8000lm	φ530×550mm



Garden Lights I²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061811	30W	2400lm	450×450×385mm
5061821	50W	4000lm	450×450×385mm
5061831	100W	8000lm	450×450×385mm



Garden Lights J²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5061911	30W	2400lm	450×450×350mm
5061921	50W	4000lm	450×450×350mm
5061931	100W	8000lm	450×450×350mm



TECHTOUCH

Garden Lights K²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | IP65

glass lamp placement -30°-50° Sand Black / Sand Gray

Art.No	Watt	Lumen	Size
5062011	30W	2400lm	φ500×550mm
5062021	50W	4000lm	φ500×550mm
5062031	100W	8000lm	φ500×550mm



TECHTOUCH



Outdoor collection 2026

Ground-recessed uplight



Swimming pool lights



Fountain Lights



TECHTOUCH

Outdoor collection 2026

Ground-recessed uplight A²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

304 stainless steel

high transparent toughened glass



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Hole Size	Size
5071011	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ168mm	φ180xH115mm
5071021	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ175mm	φ190xH125mm
5071031	15W	1200lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ196mm	φ210xH135mm
5071041	18W	1440lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ225mm	φ240xH145mm
5071051	24W	1920lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ245mm	φ260xH155mm
5071061	36W	2880lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ280mm	φ300xH165mm

TECHTOUCH

Outdoor collection 2026

Ground-recessed uplight B²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

304 stainless steel

high transparent toughened glass

heat dissipation



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Hole Size	Size
5071111	6W	480lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ140mm	φ150xH105mm
5071121	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ168mm	φ180xH115mm
5071131	15W	1200lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ175mm	φ190xH125mm
5071141	18W	1440lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ196mm	φ210xH135mm
5071151	24W	1920lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ225mm	φ240xH145mm
5071161	36W	2400lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ245mm	φ260xH155mm
5071171	48W	3840lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ280mm	φ300xH165mm

TECHTOUCH

Outdoor collection 2026

Ground-recessed uplight C²

LED | 220-240 V | CRI 80 | 25000hrs | black | 3000k-6000k

304 stainless steel

high transparent toughened glass

Optional COB



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Hole Size	Size
5071211	4W	320lm	220-240V	IP68	3000K/4000K/6000K/RGB	70x70mm	D130xW130xH130mm
5071221	9W	720lm	220-240V	IP68	3000K/4000K/6000K/RGB	155x155mm	D170xW170xH130mm
5071231	16W	960lm	220-240V	IP68	3000K/4000K/6000K/RGB	195x195mm	D210xW210xH130mm
5071241	36W	2880lm	220-240V	IP68	3000K/4000K/6000K/RGB	245x245mm	D260xW260xH180mm

Ground-recessed uplight D²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP68

304 stainless steel | high transparent toughened glass

Art.No	Watt	Lumen	Hole Size	Size
5071311	3W	240lm	90x90mm	D100xW100xH100mm
5071321	3W	240lm	102x102mm	D120xW120xH120mm
5071331	6W	480lm	140x140mm	D150xW150xH105mm



Ground-recessed uplight E²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP68

304 stainless steel | high transparent toughened glass

Art.No	Watt	Lumen	Hole Size	Size
5071411	1W	80lm	φ40mm	φ42xH72mm
5071421	1W	80lm	φ48mm	φ52xH84mm
5071431	2W	160lm	φ55mm	φ62xH90mm



Ground-recessed uplight F²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP68

304 stainless steel | External dimming

Art.No	Watt	Lumen	Hole Size	Size
5071511	6W	480lm	φ40mm	φ180xH148mm
5071521	12W	960lm	φ40mm	φ210xH158mm
5071531	24W	1920lm	φ40mm	φ230xH158mm
5071541	36W	2880lm	φ40mm	φ260xH188mm



Ground-recessed uplight G²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP68

304 stainless steel | high transparent toughened glass

Art.No	Watt	Lumen	Hole Size	Size
5071611	6W	480lm	293x76mm	D300xW90xH83mm
5071621	12W	960lm	493x76mm	D500xW90xH83mm
5071631	36W	2880lm	993x76mm	D1000xW90xH83mm



Ground-recessed uplight H²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP68

304 stainless steel | high transparent toughened glass

Art.No	Watt	Lumen	Hole Size	Size
5071711	6W	480lm	φ195mm	φ200x165mm
5071721	12W	960lm	φ215mm	φ220x185mm
5071731	24W	1920lm	φ245mm	φ250x180mm
5071741	36W	2880lm	φ295mm	φ300x200mm



TECHTOUCH

Pool light A²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | Mounting method: Disc base

304 stainless steel

High-transmittance glass

Anti-aging silicone seals.




Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5081011	6W	480lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ135×157mm
5081021	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ170×195mm
5081031	15W	1200lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ190×197mm



Outdoor collection 2026

TECHTOUCH

Pool light B²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | Mounting method: Disc base

304 stainless steel

High-transmittance glass

Anti-aging silicone seals.




Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5081111	3W	240lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ103x150mm
5081121	6W	480lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ143x200mm
5081131	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ125x166mm



Ourdoor collection 2026

TECHTOUCH

Pool light C²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | Mounting method: Disc base

304 stainless steel

High-transmittance glass

Anti-aging silicone seals.



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5081211	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ170x176mm
5081221	15W	1200lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ190x197mm
5081231	18W	1440lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ215x229mm
5081241	18W	1440lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ230x229mm
5081251	24W	1920lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ240x249mm
5081261	24W	1920lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ250x200mm
5081271	36W	2880lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ300x241mm

Outdoor collection 2026

TECHTOUCH

Outdoor collection 2026

Pool light D²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k | Mounting method: Disc base

304 stainless steel

High-transmittance glass

Anti-aging silicone seals.



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5081311	6W	480lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ 135×150mm
5081321	9W	720lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ 160×155mm
5081331	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ 170×160mm
5081341	15W	1200lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ 190×170mm
5081351	18W	1440lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ 215×180mm
5081361	24W	1920lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ 240×200mm
5081371	36W	2880lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ 250×200mm

TECHTOUCH

Pool light E²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k

304 stainless steel

High-transmittance glass

Anti-aging silicone seals.



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5081411	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ230×65mm
5081421	15W	1200lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ260×85mm
5081431	24W	1920lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ290×80mm

Outdoor collection 2026

TECHTOUCH

Fountain Lights A²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k

304 stainless steel

High-transmittance glass

Anti-aging silicone seals.



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5091011	6W	480lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ130×76mm
5091021	6W	480lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ150×76mm
5091031	9W	720lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ170×76mm
5091041	12W	960lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ180×76mm
5091051	15W	1200lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ210×76mm
5091061	18W	1440lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ230×76mm
5091071	48W	3840lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ300×76mm

Outdoor collection 2026

TECHTOUCH

Fountain Lights B²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k

304 stainless steel

High-transmittance glass

Anti-aging silicone seals.



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5091111	6W	480lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ180x76mm
5091121	9W	720lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ210x76mm
5091131	12W	9600lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ250x76mm
5091141	15W	1200lm	220~240V	IP68	3000K/4000K/6000K/RGB	φ280x76mm

Outdoor collection 2026

TECHTOUCH

Fountain Lights C²

LED | 220-240 V | CRI 80 | 25000hrs | 3000k-6000k

304 stainless steel

High-transmittance glass

Anti-aging silicone seals.



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5091211	3W	240lm	AC 12/24V	IP68	3000K/4000K/6000K/RGB	φ130xH85mm
5091221	6W	480lm	AC 12/24V	IP68	3000K/4000K/6000K/RGB	φ160xH85mm
5091231	9W	720lm	AC 12/24V	IP68	3000K/4000K/6000K/RGB	φ160xH85mm
5091241	12W	960lm	AC 12/24V	IP68	3000K/4000K/6000K/RGB	φ160xH85mm
5091251	18W	1440lm	AC 12/24V	IP68	3000K/4000K/6000K/RGB	φ180xH85mm
5091261	24W	3840lm	AC 12/24V	IP68	3000K/4000K/6000K/RGB	φ200xH85mm

Outdoor collection 2026

TECHTOUCH

Ourdoor collection 2026

Wall-wash flood light



Structural wheel floodlight



TECHTOUCH

Wall Wash Light A²

LED | DC 24V | CRI 80 | 25000hrs | 3000k-6000k

Aviation extruded aluminum | Electrostatic spraying



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	Angle	IP	CCT	Size
5101011	4W	320lm	DC 24V	120°	IP65	3000K/4000K/6000K/RGB	D300×W26×H40mm
5101021	6W	480lm	DC 24V	120°	IP65	3000K/4000K/6000K/RGB	D500×W26×H40mm
5101031	9W	720lm	DC 24V	120°	IP65	3000K/4000K/6000K/RGB	D700×W26×H40mm
5101041	12W	960lm	DC 24V	120°	IP65	3000K/4000K/6000K/RGB	D1000×W26×H40mm



Outdoor collection 2026

Wall Wash Light B²

LED | DC 24V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP65

Aviation extruded aluminum | Electrostatic spraying | High brightness PC lens

Art.No	Watt	Lumen	Angle	Size
5101111	4W	320lm	120°	300×26×28mm
5101121	6W	480lm	120°	500×26×28mm
5101131	9W	720lm	120°	700×26×28mm
5101141	12W	960lm	120°	1000×26×28mm



Wall Wash Light C²

LED | DC 24V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP65

Aviation extruded aluminum | Electrostatic spraying | High brightness PC lens

Art.No	Watt	Lumen	Angle	Size
5101211	4W	320lm	120°	300×26×28mm
5101221	6W	480lm	120°	500×26×28mm
5101231	9W	720lm	120°	700×26×28mm
5101241	12W	960lm	120°	1000×26×28mm



Wall Wash Light D²

LED | DC 24V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP65

Aviation extruded aluminum | Electrostatic spraying | High brightness PC lens

Art.No	Watt	Lumen	Angle	Size
5101311	4W	320lm	120°	300×28×30mm
5101321	6W	480lm	120°	500×28×30mm
5101331	9W	720lm	120°	700×28×30mm
5101341	12W	960lm	120°	1000×28×30mm



Wall Wash Light E²

LED | DC 24V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP65

Aviation extruded aluminum | Electrostatic spraying | High brightness PC lens

Art.No	Watt	Lumen	Angle	Size
5101411	4W	320lm	120°	300×28×30mm
5101421	6W	480lm	120°	500×28×30mm
5101431	9W	720lm	120°	700×28×30mm
5101441	12W	960lm	120°	1000×28×30mm



Wall Wash Light F²

LED | DC 24V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP65

Aviation extruded aluminum | Electrostatic spraying | High brightness PC lens

Art.No	Watt	Lumen	Angle	Size
5101511	18W	1440lm	30°	1000×35×20mm
5101521	24W	1920lm	30°	1000×35×20mm



Wall Wash Light G²

LED | DC 24V | CRI 80 | 25000hrs | 3000k-6000k | RGB | IP65

Aviation extruded aluminum | Electrostatic spraying | High brightness PC lens

Art.No	Watt	Lumen	Angle	Size
5101611	36W	2880lm	30°	1000×60×35mm
5101621	48W	3840lm	30°	1000×60×35mm
5101631	72W	5760lm	30°	1000×60×35mm



TECHTOUCH

Ourdoor collection 2026

Structural wheel floodlight A²

LED | 220~240V | CRI 80 | 25000hrs | 3000k-6000k

die-cast aluminum | Electrostatic spraying | High brightness PC lens



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5111011	9W	900lm	220~240V	IP65	3000K/4000K/6000K/RGB	D110×W75×H130mm
5111021	12W	1200lm	220~240V	IP65	3000K/4000K/6000K/RGB	D130×W75×H150mm
5111031	18W	1800lm	220~240V	IP65	3000K/4000K/6000K/RGB	D150×W73×H168mm
5111041	24W	2400lm	220~240V	IP65	3000K/4000K/6000K/RGB	D180×W80×H203mm
5111051	36W	3600lm	220~240V	IP65	3000K/4000K/6000K/RGB	D230×W88×H255mm
5111061	48W	4800lm	220~240V	IP65	3000K/4000K/6000K/RGB	D280×W100×H310mm

TECHTOUCH

Ourdoor collection 2026

Structural wheel floodlight B²

LED | 220~240V | CRI 80 | 25000hrs | 3000k-6000k

die-cast aluminum | Electrostatic spraying | High brightness PC lens



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5111111	6×3W	6×240lm	220~240V	IP65	3000K/4000K/6000K/RGB	130×95mm
5111121	9×3W	9×240lm	220~240V	IP65	3000K/4000K/6000K/RGB	150×103mm
5111131	1×3W	1×240lm	220~240V	IP65	3000K/4000K/6000K/RGB	180×112mm

TECHTOUCH

Ourdoor collection 2026

Structural wheel floodlight C²

LED | 220~240V | CRI 80 | 25000hrs | 3000k-6000k

die-cast aluminum | Electrostatic spraying | High brightness PC lens



Colored Light Optional



Product datasheet

Art.No	Watt	Lumen	Voltage	IP	CCT	Size
5111211	9W	900lm	220~240V	IP65	3000K/4000K/6000K/RGB	100×87mm
5111221	12W	1200lm	220~240V	IP65	3000K/4000K/6000K/RGB	130×95mm
5111231	18W	1800lm	220~240V	IP65	3000K/4000K/6000K/RGB	150×103mm
5111241	24W	2400lm	220~240V	IP65	3000K/4000K/6000K/RGB	180×112mm
5111251	36W	3600lm	220~240V	IP65	3000K/4000K/6000K/RGB	205×115mm
5111261	48W	4800lm	220~240V	IP65	3000K/4000K/6000K/RGB	230×115mm