

LUXRAM *Style*

LUXRAM

Index

Classic Style Type Acrylic Page.00-00







Classic Style Type A Acrylic

Ø:125mm H:301mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type B Acrylic

Ø:168mm H:303mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type C Acrylic

Ø:50mm H:286mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type D Acrylic

Ø:125mm H:147mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



DIMMABLE

Classic Style Type E Acrylic

Ø:310mm H:180mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



DIMMABLE

Classic Style Type F Acrylic

Ø:188mm H:125mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type G Acrylic

Ø:190mm H:242mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type H Acrylic

Ø:116mm H:205mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type I Acrylic

Ø:114mm H:232mm

Decorative | 15,000 hrs | 10,000 times | Dimmable | E27

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type J Acrylic

Ø:94mm H:303 mm

Decorative | 15,000 hrs | 10,000 times | Dimmable | E27

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type K Acrylic

Ø:165mm H:336mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type L1 Acrylic

Ø:125mm H:146 mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type L2 Acrylic

Ø:297mm H:250mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type M Acrylic

Ø:66mm H:164 mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type N Acrylic

Ø:87mm H:164mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type O Acrylic

Ø:121mm H:178mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type P Acrylic

Ø:100mm H:183mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type Q1 Acrylic

Ø:130mm H:174mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type Q2 Acrylic

Ø:120mm H:259mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type Q3 Acrylic

Ø:115mm H:120mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type R Acrylic

Ø:130mm H:178mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type S Acrylic

Ø:185mm H:160mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type T Acrylic

Ø:105mm H:332mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type U Acrylic

Ø:170mm H:230mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type V1 crylic

Ø:125mm H:150mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6




Classic Style Type V2 Acrylic

Ø:110mm H:160mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type V3 crylic

Ø:110mm H:160mm

Decorative | 15,000 hrs | 10,000 times | Dimmable | E27

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6




Classic Style Type A1

Ø:125mm H:325mm

Decorative | 15,000 hrs | 10,000 times | Dimmable | E27

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300022	Amber	4W	220-240	200	>80	2100	6
4300011	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type A2

Ø:100mm H:230mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300032	Amber	4W	220-240	200	>80	2100	6
4300021	Smoke	4W	220-240	100	>80	2100	6




Classic Style Type B

Ø:200mm H:395mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300062	Amber	4W	220-240	200	>80	2100	4
4300051	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type D

Ø:160mm H:275mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300092	Amber	4W	220-240	200	>80	2100	6
4300081	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type E

Ø:150mm H:225mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300112	Amber	4W	220-240	200	>80	2100	6
4300051	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type D

Ø:160mm H:275mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300092	Amber	4W	220-240	200	>80	2100	6
4300081	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type F

Ø:150mm H:330mm



Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300132	Amber	4W	220-240	200	>80	2100	6
4300121	Smoke	4W	220-240	100	>80	2100	6




Classic Style Type H

Ø:75mm H:330mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300182	Amber	4W	220-240	200	>80	2100	12
4300171	Smoke	4W	220-240	100	>80	2100	12




Classic Style Type I

Ø:120mm H:440mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300202	Amber	4W	220-240	200	>80	2100	6
4300191	Smoke	4W	220-240	100	>80	2100	6



DIMMABLE

Classic Style Type M

Ø:170mm H:270mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300312	Amber	4W	220-240	200	>80	2100	4
4300301	Smoke	4W	220-240	100	>80	2100	4



DIMMABLE


Classic Style Type M

Ø:120mm H:440mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300202	Amber	4W	220-240	200	>80	2100	6
4300191	Smoke	4W	220-240	100	>80	2100	6



DIMMABLE

Classic Style Type N

Ø:170mm H:270mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300312	Amber	4W	220-240	200	>80	2100	4
4300301	Smoke	4W	220-240	100	>80	2100	4



DIMMABLE

Classic Style Type O

Ø:150mm H:195mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type P

Ø:170mm H:270mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	4
0000000	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type Q

Ø:200mm H:270mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type R

Ø:125mm H:420mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	4
0000000	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type S

Ø:210mm H:230mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type M

Ø:210mm H:270mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	4
0000000	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type N

Ø:210mm H:320mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type 01

Ø:213mm H:300mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	4
0000000	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type 02

Ø:300mm H:250mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type 03

Ø:370mm H:200mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	4
0000000	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type P

Ø:145mm H:125mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type Q

Ø:176mm H:125mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	4
0000000	Smoke	4W	220-240	100	>80	2100	4




Classic Style Type R

Ø:385mm H:150mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



DIMMABLE

Classic Style Type S

Ø:173mm H:125mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	4
0000000	Smoke	4W	220-240	100	>80	2100	4



DIMMABLE

Classic Style Type T

Ø:200mm H:270mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type U

Ø:307mm H:110mm

Decorative | 15,000 hrs | 10,000 times | Dimmable | E27

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	12
0000000	Smoke	4W	220-240	100	>80	2100	12



Classic Style Type V

Ø:390mm H:188mm

Decorative | 15,000 hrs | 10,000 times | Dimmable | E27

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



Classic Style Type W

Ø:200mm H:225mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	12
0000000	Smoke	4W	220-240	100	>80	2100	12




Classic Style Type X

Ø:200mm H:110mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	6
0000000	Smoke	4W	220-240	100	>80	2100	6



DIMMABLE

Classic Style Type C

Ø:160mm H:275mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300082	Amber	4W	220-240	200	>80	2100	6
4300071	Smoke	4W	220-240	100	>80	2100	6



DIMMABLE

Classic Style Type J

Ø:190mm H:180mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300222	Amber	4W	220-240	200	>80	2100	4
4300211	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type K1

Ø:200mm H:270mm

Decorative | 15,000 hrs | 10,000 times | Dimmable | E27

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300242	Amber	4W	220-240	200	>80	2100	4
4300231	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type K2

Ø:260mm H:350mm

Decorative | 15,000 hrs | 10,000 times | Dimmable | E27

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300252	Amber	4W	220-240	200	>80	2100	4
4300241	Smoke	4W	220-240	100	>80	2100	4




Classic Style Type K3

Ø:300mm H:400mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300272	Amber	4W	220-240	200	>80	2100	1
4300261	Smoke	4W	220-240	100	>80	2100	1



Classic Style Type K4

Ø:380mm H:500mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300382	Amber	4W	220-240	200	>80	2100	1
4300261	Smoke	4W	220-240	100	>80	2100	1



DIMMABLE

Classic Style Type L

Ø:175mm H:300mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300302	Amber	4W	220-240	200	>80	2100	4
4300291	Smoke	4W	220-240	100	>80	2100	4



DIMMABLE

Classic Style Type Y

Ø:64mm H:140mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	1
0000000	Smoke	4W	220-240	100	>80	2100	1



Classic Style Type Z

Ø:120mm H:173mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
4300302	Amber	4W	220-240	200	>80	2100	4
4300291	Smoke	4W	220-240	100	>80	2100	4



Classic Style Type N1 Opal

Art.No 4300323

Ø:125mm H:174mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



Classic Style Type N2 Opal

Art.No 4300333

Ø:138mm H:185mm



Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



Classic Style Type N3 Opal

Art.No 4300343

Ø:160mm H:215mm



Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



Classic Style Type O Opal

Art.No 4300353

Ø:150mm H:200mm



Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



Classic Style Type M Opal

Art.No 4300363

Ø:170mm H:270mm



Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



DIMMABLE

Classic Style Type N Opal

Ø:110mm H:158mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Art.No	Colour	Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Packing
0000000	Amber	4W	220-240	200	>80	2100	4
0000000	Smoke	4W	220-240	100	>80	2100	4



Ø:60mm H:108mm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E27 |

Classic Deco Standard

4W E27 220-240

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600012	Amber	4W	200	2100	>80	100
4600001	Smoke	4W	100	2100	>80	100



Ø:35mm H:100cm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E14 |

Classic Deco Candle

3W/4W E27 220-240

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600032	Amber	4W	200	2100	>80	100
4600021	Smoke	3W	80	2100	>80	100



Ø:64mm H:140 mm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E27 |

Classic Deco ST64

4W E27 220-240

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600052	Amber	4W	200	2100	>80	100
4600041	Smoke	4W	100	2100	>80	100



Ø:80mm H:120mm



Decorative



15,000 hrs



15,000times



Dimmable



E27

Classic Deco G80

4W E27 220-240

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600072	Amber	4W	200	2100	>80	100
4600061	Smoke	4W	100	2100	>80	100



Ø:95mm H:135mm



Decorative



15,000 hrs



15,000times



Dimmable



E27

Classic Deco G95

3W/4W E27 220-240

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600092	Amber	4W	200	2100	>80	100
4600081	Smoke	3W	100	2100	>80	100



Ø:125mm H:175mm



Decorative



15,000 hrs



15,000times



Dimmable



E27

Classic Deco G125

4W E27 220-240

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600112	Amber	4W	200	2100	>80	100
4600101	Smoke	4W	100	2100	>80	100



Ø:45mm H:110mm



Decorative



15,000 hrs



15,000times



Dimmable



E27

Classic Deco T45

4W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600122	Amber	4W	200	2100	>80	100



Ø:30mm H:185mm



Decorative



15,000 hrs



15,000times



Dimmable



E27

Classic Deco T30-185

4W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600132	Amber	4W	200	2100	>80	100



Ø:30mm H:285mm



Decorative



15,000 hrs



15,000times



Dimmable



E27

Classic Deco T30-285

6W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600142	Amber	6W	350	2100	>80	100



Ø:80mm H:120mm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E27 |

Classic Deco Gold Top

4W E27 220-240

Art.No	Model	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600154	G80	4W	330	2700	>80	100
4600194	G95	4W	330	2700	>80	50
4600234	G125	4W	330	2700	>80	20



Ø:80mm H:120mm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E27 |

Classic Deco Silver Top

4W E27 220-240

Art.No	Model	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600165	G80	4W	330	2700	>80	100
4600205	G80	3W	330	2700	>80	50
4600245	G125	3W	330	2700	>80	20



Ø:80mm H:120mm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E27 |

Classic Deco Rosegold Top

4W E27 220-240

Art.No	Model	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600176	G80	4W	330	2700	>80	100
4600216	G80	4W	330	2700	>80	50
4600256	G125	4W	330	2700	>80	20



Ø:80mm H:120mm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E27 |

Classic Deco Black Top

4W E27 220-240

Art.No	Model	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600182	G80	4W	330	2700	>80	100
4600222	G95	4W	330	2700	>80	50
4600262	G125	4W	330	2700	>80	20



L:118mm H:157mm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E27 |

Classic Deco Star

4W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600272	Amber	4W	200	2100	>80	100



L:115mm H:160mm



| Decorative | 15,000 hrs | 15,000times | Dimmable | E27 |

Classic Deco Love

6W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600282	Amber	6W	350	2100	>80	100



Ø:115mm H:160mm



Classic Deco Tri-Diamond

4W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600292	Amber	4W	200	2100	>80	100



Ø:115mm H:145mm



Classic Deco Diamond

4W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600302	Amber	4W	200	2100	>80	100



Ø:37mm H:113mm



Classic Deco Flame Effect Candle

1W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600312	Amber	1W	20	1800	\	100



Ø:52mm H:134mm



Classic Deco Flame Effect Tubular

4W E27 200-240V

Art.No	Colour	Watt (W)	Lumen (lm)	Colour Temp	CRI	Packing
4600322	Amber	4W	300	1800	\	100



Style Basic Pendant Master 118

Art.No 4070575

Black
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ47mm×64mm

Optional

Φ105mm×35mm



Style Basic Pendant Master 119

Art.No 4070585

Black
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ105mm×35mm

Style Basic Pendant Master 121-1

Art.No 4070605

White
White Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ105mm×35mm



Style Basic Pendant Master 121-2

Art.No 4070615

Black
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ105mm×35mm





**Style Basic Pendant 101
White**

Art.No 4070001

Black Nylon Cable: 100cm

Socket E27

IP20

60W Max

Φ60mm×130mm



**Style Basic Pendant 102
Black**

Art.No 4070022

Black Nylon Cable: 100cm

Socket E27

IP20

60W Max

Φ60mm×130mm



**Style Basic Table Lamp
101 White**

Art.No 4070011

Socket E27

IP20

60W Max

Φ150mm×100mm



**Style Basic Table Lamp
102 Black**

Art.No 4070032

Socket E27

IP20

60W Max

Φ150mm×100mm



Style Basic Table Lamp Black

S Art.No 4070042
M Art.No 4070072
L Art.No 4070102

Socket E27
IP20
60W Max



Style Basic Table Lamp Silver

S Art.No 4070064
M Art.No 4070094
L Art.No 4070124

Socket E27
IP20
60W Max



Style Basic Table Lamp Gold

S Art.No 4070053
M Art.No 4070083
L Art.No 4070113

Socket E27
IP20
60W Max



Style Basic Table Lamp White

S Art.No 4070131
M Art.No 4070151
L Art.No 4070171

Black Nylon Cable: 150cm
Socket E27
IP20
60W Max

Style Basic Table Lamp Black

S Art.No 4070142
M Art.No 4070162
L Art.No 4070182

Black Nylon Cable: 150cm
Socket E27
IP20
60W Max





**Style Basic
Pendant 105-1**

Art.No 4070195

Oak Wood
Green Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×130mm



**Style Basic
Pendant 105-2**

Art.No 4070205

Cork
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×130mm



**Style Basic
Pendant 106-1**

Art.No 4070215

Oak Wood
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×145mm



**Style Basic
Pendant 106-2**

Art.No 4070225

Black Mat
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×145mm



**Style Basic
Pendant 106-3**

Art.No 4070235

Blue mat
Blue Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×145mm



**Style Basic
Pendant 107-1**

Art.No 4070245

White Concrete
Red Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×130mm



**Style Basic
Pendant 107-2**

Art.No 4070255

Concrete
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×130mm



**Style Basic
Pendant 107-3**

Art.No 4070265

Black Concrete
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×130mm



**Style Basic
Pendant 107-4**

Art.No 4070275

Red Concrete
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×130mm



**Style Basic
Pendant 107-5**

Art.No 4070285

Green Concrete
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×130mm



**Style Basic
Pendant 107-6**

Art.No 4070295

Blue Concrete
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ45mm×130mm



Style Basic Pendant 108-1

Art.No 4070305

Oak Wood
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ43mm×230mm



Style Basic Pendant 108-2

Art.No 4070315

Black Mat
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ43mm×230mm



Style Basic Pendant 108-3

Art.No 4070325

Copper
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ43mm×230mm



Style Basic Pendant 109

Art.No 4070335

Silver
Grey Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ39mm×60mm



Style Basic Pendant 110

Art.No 4070365

Mat Bronze
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ48mm×71mm



Style Basic Pendant 111

Art.No 4070395

Mat Bronze
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ50mm×66mm



Art.No 4070345

Gold



Art.No 4070355

Rose Gold



Art.No 4070375

Mat Brown Bronze



Art.No 4070385

BLACK



Art.No 4070405

Mat Brown Bronze



Art.No 4070415

Mat Brushed Nickel



**Style Basic
Pendant 112**
Art.No 4070425

Mat Bronze
Black Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ54mm×94mm



**Style Basic
Pendant 113**
Art.No 4070455

White
White Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ54mm×94mm



**Style Basic
Pendant 114**
Art.No 4070535

Black
Black Nylon Cable: 100cm
Socket E40
IP20
60W Max
Φ80mm×110mm



**Style Basic
Pendant 115**
Art.No 4070545

Natural White
White Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ54mm×94mm



**Style Basic
Pendant 116**
Art.No 4070555

Red Bronze
Black Nylon Cable: 100cm
Socket E40
IP20
60W Max
Φ60mm×105mm



**Style Basic
Pendant 117**
Art.No 4070565

Natural Gray
Grey Nylon Cable: 100cm
Socket E27
IP20
60W Max
Φ54mm×94mm



Art.No 4070435
Mat Brown Bronze



Art.No 4070445
Mat Brushed Nickel



Art.No 4070465
Violet



Art.No 4070475
Red



Art.No 4070485
Green



Art.No 4070495
Blue



Art.No 4070505
Yellow



Art.No 4070515
Black